CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

LENGTH OF STAY BY OPERATION

UNITED STATES

Northeastern REGION

1984

Length of Stay by Operation, Northeastern Region, 1984

A Companion Volume To Length of Stay by Diagnosis, Northeastern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** **is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] **Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

Procedure — *continued*
 diagnostic NEC — *continued*
  pleura 34.28
  posterior chamber, eye 14.19
  prostate 60.18
  pulmonary 33.29
  rectum 48.29
  renal 55.29
  respiratory 33.29
  retina 14.19
  retroperitoneum 59.29
  salivary gland or duct 26.19
  sclera 12.29
  scrotum 61.19
  seminal vesicle 60.19
  sigmoid 45.28
  sinus, nasal 22.19
  skin 86.19
  skull 01.19
  soft tissue 83.29
  spermatic cord 63.09
  sphincter of Oddi 51.19
  spine, spinal (canal) (cord) (meninges) (structure) 03.39
  spleen 41.39
  stomach 44.19
  subcutaneous tissue 86.19
  sympathetic nerve 05.19
  tarsus 09.19
  tendon NEC 83.29
   extraocular 15.09
  testicle 62.19
  thalamus 01.18
  thoracic duct 40.19
  thorax 34.28
  thymus 07.19
  thyroid gland 06.19
  tongue 25.09
  tonsils 28.19
  tooth 24.19
  trachea 31.49
  tunica vaginalis 61.19
  ureter 56.39
  urethra 58.29
  uterus and supporting structures 68.19
  uvula 27.29
  vagina 70.29
  vas deferens 63.09
  vesical 57.39
  vessel (blood) (any site) 38.29
  vitreous 14.19
  vulva 71.19
 fistulizing, sclera NEC 12.69
 miscellaneous (nonoperative) NEC 99.99
 respiratory (nonoperative) NEC 93.99
 surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
 abdominoperineal 48.5

Proctectomy (partial) — *continued*
 complete (Miles) (Rankin) 48.5
 pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
 abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
 through stoma (artificial) 48.22
 transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
 through stoma (artificial) 48.22
 transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
 atrial septal defect 35.42
 subcutaneous tunnel for esophageal anastomosis 42.86
  with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
 loop 60.2
 perineal 60.62
 radical (any approach) 60.5
 retropubic (punch) (transcapsular) 60.4
 suprapubic (punch) (transvesical) 60.3
 transcapsular NEC 60.69
  retropubic 60.4
 transurethral 60.2
 transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
 individual from his surroundings 99.84
 surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
 biofeedback 94.39
 exploratory verbal 94.37
 group 94.44
  for psychosexual dysfunctions 94.41
 play 94.36
 psychosexual dysfunctions 94.34
 supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94756	3.1	14	<1	<1	2	4	6	8	17
20-34	209648	3.4	9	<1	1	3	4	6	7	14
35-49	84501	4.3	19	<1	1	3	6	9	11	21
50-64	68864	5.2	27	1	1	3	7	11	14	25
65+	65955	6.3	48	1	2	4	8	14	19	34
2. MULTIPLE DX										
0-19 YRS	68429	5.4	68	<1	1	3	6	11	18	50
20-34	165231	5.5	43	1	1	4	6	10	15	36
35-49	132489	7.2	63	1	1	5	8	14	21	44
50-64	192990	9.4	95	1	2	7	12	19	27	57
65+	369637	12.5	152	2	2	9	16	27	38	86
TOT. SINGLE DX	523724	4.1	20	<1	1	3	5	8	11	22
" MULTIPLE DX	928776	9.3	110	1	2	6	11	20	29	65
TOTAL 0-19 YRS	163185	4.0	38	<1	<1	2	4	8	12	33
20-34	374879	4.3	25	<1	1	3	5	8	11	26
35-49	216990	6.0	47	<1	1	4	7	12	17	36
50-64	261854	8.3	81	1	2	6	10	17	24	50
65+	435592	11.5	141	2	2	8	15	25	36	80
GRAND TOTAL	**1452500**	**7.4**	**84**	**1**	**1**	**4**	**9**	**16**	**24**	**53**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	8.9	43	1	2	8	11	15	21	38
20-34	101	13.2	73	4	5	11	16	24	28	48
35-49	123	13.0	51	5	7	11	16	23	28	59
50-64	146	15.9	144	3	5	13	19	31	42	58
65+	143	18.3	207	5	7	15	22	35	54	91
2. MULTIPLE DX										
0-19 YRS	190	16.2	246	1	2	11	22	37	52	75
20-34	154	25.5	337	7	10	22	34	64	94	99+
35-49	212	23.8	318	7	9	17	32	56	80	99+
50-64	410	24.6	320	7	9	18	32	58	71	99+
65+	520	28.2	403	7	9	23	39	70	93	99+
TOT. SINGLE DX	604	14.4	122	3	5	12	17	27	37	65
" MULTIPLE DX	1486	24.8	354	5	8	19	34	60	81	99+
TOTAL 0-19 YRS	281	13.9	192	1	2	10	17	31	43	65
20-34	255	20.7	268	5	7	16	28	49	74	99+
35-49	335	19.8	247	6	8	15	27	45	65	99+
50-64	556	22.3	289	5	7	17	28	52	66	99+
65+	663	26.1	377	6	8	21	35	64	89	99+
GRAND TOTAL	2090	21.8	309	4	7	16	29	52	72	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	10.2	82	2	4	8	11	22	31	47
20-34	46	15.1	199	3	5	10	16	30	52	66
35-49	29	12.2	50	3	4	10	18	23	24	26
50-64	61	16.7	156	4	5	13	21	30	37	66
65+	48	14.3	43	6	7	13	17	21	27	40
2. MULTIPLE DX										
0-19 YRS	76	19.2	285	4	6	13	29	49	94	99+
20-34	77	25.9	419	4	7	23	47	93	99+	99+
35-49	68	22.7	273	8	9	20	33	88	99+	99+
50-64	125	28.5	407	7	10	23	42	70	99+	99+
65+	181	29.9	412	8	11	25	42	66	85	99+
TOT. SINGLE DX	239	13.8	116	3	5	11	17	26	34	66
" MULTIPLE DX	527	26.5	388	6	8	21	39	70	99+	99+
TOTAL 0-19 YRS	131	15.4	219	3	4	10	21	40	65	99+
20-34	123	21.9	362	3	6	16	38	64	99+	99+
35-49	97	19.6	229	5	7	16	26	44	99+	99+
50-64	186	24.7	355	5	7	19	35	65	78	99+
65+	229	26.6	375	7	10	20	35	60	81	99+
GRAND TOTAL	766	22.6	337	5	6	17	32	59	85	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	5.6	9	2	2	5	7	9	10	18
20-34	44	8.1	77	2	3	6	10	12	17	60
35-49	14	7.3	12	2	3	7	10	13	13	13
50-64	12	6.8	20	2	3	5	8	14	17	18
65+										
2. MULTIPLE DX										
0-19 YRS	84	9.8	114	2	4	7	10	21	31	99+
20-34	85	12.7	221	2	3	9	14	45	91	99+
35-49	46	11.6	132	2	3	7	15	26	38	57
50-64	21	16.7	196	4	5	13	21	51	74	99+
65+	16	21.7	550	3	4	12	27	60	79	87
TOT. SINGLE DX	178	6.4	28	2	3	5	8	11	13	22
" MULTIPLE DX	252	12.5	194	2	3	8	15	28	57	99+
TOTAL 0-19 YRS	192	7.5	60	2	3	6	8	13	21	95
20-34	129	11.1	176	2	3	8	12	23	59	99+
35-49	60	10.6	107	2	3	7	13	21	33	56
50-64	33	13.1	153	4	4	9	18	30	55	99+
65+	16	21.7	550	3	4	12	27	60	79	87
GRAND TOTAL	430	10.0	134	2	3	7	11	20	39	99+

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	8.4	15	3	4	8	10	13	16	20
20-34	13	10.6	18	5	5	11	12	15	21	22
35-49	11	13.1	217	6	6	9	11	31	55	57
50-64	18	11.7	16	6	7	11	13	19	20	20
65+	27	17.9	259	6	7	15	23	26	38	90
2. MULTIPLE DX										
0-19 YRS	87	14.7	227	3	4	10	20	59	99+	99+
20-34	29	17.2	168	6	7	13	20	33	44	66
35-49	22	22.4	397	5	8	14	27	49	75	77
50-64	43	27.3	364	8	10	19	40	64	73	99+
65+	140	28.2	344	7	10	24	43	67	97	99+
TOT. SINGLE DX	110	12.0	106	4	5	10	13	21	24	70
" MULTIPLE DX	321	23.0	336	4	7	17	36	64	78	99+
TOTAL 0-19 YRS	128	12.6	168	3	4	9	15	42	94	99+
20-34	42	15.1	130	5	7	12	18	28	38	66
35-49	33	19.3	348	6	6	13	23	43	71	77
50-64	61	22.7	312	7	9	17	27	55	69	97
65+	167	26.5	343	7	8	22	38	65	87	99+
GRAND TOTAL	431	20.2	300	4	6	14	27	54	75	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	6.7	31	2	2	5	8	14	19	29
20-34	44	10.4	60	1	2	9	13	24	27	29
35-49	11	9.1	32	2	4	7	14	18	18	18
50-64	11	11.9	59	4	5	7	20	23	25	25
65+	10	8.4	11	2	4	9	11	48	96	99+
2. MULTIPLE DX										
0-19 YRS	302	11.3	208	2	2	6	14	27	38	88
20-34	68	18.1	312	2	3	11	29	54	86	99+
35-49	48	18.0	296	2	3	14	27	58	98	99+
50-64	51	22.6	298	4	7	21	31	61	76	99+
65+	78	27.8	501	4	5	25	39	70	86	99+
TOT. SINGLE DX	187	8.1	41	2	2	6	10	18	25	30
" MULTIPLE DX	547	16.1	314	2	3	9	24	42	67	99+
TOTAL 0-19 YRS	413	10.0	165	2	2	5	11	24	34	80
20-34	112	15.1	227	2	3	10	22	38	60	99+
35-49	59	16.4	258	2	3	12	23	48	85	99+
50-64	62	20.7	272	4	7	19	28	51	73	99+
65+	88	25.6	483	4	5	21	36	70	87	99+
GRAND TOTAL	734	14.1	257	2	2	8	20	36	54	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.5	22	5	5	8	13	17	19	19
20-34	135	10.0	45	4	4	8	13	21	24	33
35-49	246	10.0	48	4	5	8	12	17	20	29
50-64	247	10.2	38	4	5	8	12	17	21	35
65+	126	12.2	48	6	6	10	14	23	27	42
2. MULTIPLE DX										
0-19 YRS	21	15.2	103	5	6	12	22	32	37	40
20-34	84	13.8	146	5	5	11	17	39	53	99+
35-49	283	13.8	106	4	6	11	16	28	35	71
50-64	508	14.6	108	5	6	11	17	29	40	83
65+	566	18.8	188	6	8	15	24	36	49	99
TOT. SINGLE DX	764	10.4	45	4	5	9	12	18	24	35
" MULTIPLE DX	1462	16.1	146	5	6	12	20	33	43	99+
TOTAL 0-19 YRS	31	13.4	83	5	5	9	18	27	34	40
20-34	219	11.4	87	4	4	9	14	22	34	99+
35-49	529	12.0	83	4	5	9	14	22	31	59
50-64	755	13.2	90	5	6	10	16	25	34	59
65+	692	17.6	169	6	7	13	23	34	43	94
GRAND TOTAL	2226	14.1	118	5	6	11	17	27	36	79

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	9.8	48	1	2	9	13	19	23	37
20-34	118	8.3	62	2	2	5	10	17	23	42
35-49	124	7.0	36	2	2	5	9	15	19	29
50-64	68	8.5	62	2	2	5	11	21	27	33
65+	37	10.0	64	1	2	7	15	24	27	32
2. MULTIPLE DX										
0-19 YRS	87	15.4	174	4	5	12	18	31	55	90
20-34	101	15.1	229	2	2	12	18	33	62	99+
35-49	125	16.0	195	2	3	12	21	36	53	76
50-64	133	18.0	244	2	4	14	23	45	65	99+
65+	194	22.3	281	5	6	16	32	46	58	87
TOT. SINGLE DX	397	8.3	53	2	2	6	11	18	23	34
" MULTIPLE DX	640	18.1	242	2	4	13	24	41	58	99+
TOTAL 0-19 YRS	137	13.3	135	2	4	10	17	24	35	76
20-34	219	11.4	150	2	2	8	14	25	34	84
35-49	249	11.5	136	2	2	8	14	27	40	59
50-64	201	14.8	203	2	2	11	20	36	55	99+
65+	231	20.3	267	3	5	15	29	42	56	84
GRAND TOTAL	1037	14.3	192	2	3	10	18	33	46	88

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.0	5	<1	<1	3	4	6	9	10
20-34	131	2.6	3	<1	<1	2	3	4	5	10
35-49	194	3.3	10	<1	1	2	4	6	10	16
50-64	194	3.3	45	<1	1	2	3	5	7	16
65+	79	4.0	20	<1	1	3	4	8	13	26
2. MULTIPLE DX										
0-19 YRS	34	5.0	34	1	1	3	4	18	19	24
20-34	94	6.9	105	1	1	3	5	16	25	59
35-49	102	6.9	81	1	2	3	8	14	22	55
50-64	172	6.5	77	1	1	3	6	18	24	60
65+	118	9.1	159	1	2	5	10	21	30	83
TOT. SINGLE DX	629	3.2	21	<1	1	2	3	5	9	16
" MULTIPLE DX	520	7.1	100	1	1	3	8	18	25	58
TOTAL 0-19 YRS	65	4.1	21	<1	1	3	4	9	18	23
20-34	225	4.4	50	<1	1	2	4	8	15	44
35-49	296	4.5	38	<1	1	3	4	10	14	31
50-64	366	4.8	63	<1	1	3	4	10	18	48
65+	197	7.1	110	1	1	3	7	17	25	65
GRAND TOTAL	1149	5.0	60	<1	1	3	5	11	18	40

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.2	1	<1	1	2	3	4	5	7
20-34	729	2.0	2	<1	<1	2	2	3	4	7
35-49	1025	2.1	2	<1	<1	2	2	3	4	8
50-64	1052	2.2	2	<1	<1	2	3	4	5	8
65+	562	2.2	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	170	2.8	8	<1	1	2	3	5	7	24
20-34	478	3.2	15	<1	1	2	3	5	8	20
35-49	671	3.5	21	<1	1	2	3	7	10	24
50-64	892	3.6	18	1	1	2	3	7	11	27
65+	805	4.3	40	1	1	2	4	9	14	30
TOT. SINGLE DX	3504	2.1	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	3016	3.6	24	1	1	2	3	7	11	26
TOTAL 0-19 YRS	306	2.5	6	<1	1	2	3	4	6	16
20-34	1207	2.5	8	<1	<1	2	3	4	5	12
35-49	1696	2.6	10	<1	<1	2	3	4	7	14
50-64	1944	2.9	10	<1	<1	2	3	5	8	17
65+	1367	3.4	26	<1	1	2	3	5	10	25
GRAND TOTAL	**6520**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	15	6.0	6	3	3	6	7	9	11	12
35-49	17	7.4	14	1	4	7	11	12	14	15
50-64	23	5.9	15	<1	1	6	9	11	13	14
65+	22	10.7	53	4	5	9	12	19	27	36
2. MULTIPLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	25	12.1	372	2	2	7	10	16	55	97
35-49	29	9.9	50	2	3	8	14	18	24	34
50-64	94	17.9	264	4	5	13	22	47	66	90
65+	259	18.8	213	5	7	15	22	34	46	89
TOT. SINGLE DX	79	7.6	27	1	3	6	9	12	16	32
" MULTIPLE DX	409	17.5	228	4	5	14	21	33	48	91
TOTAL 0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	40	9.8	241	2	3	6	9	14	28	97
35-49	46	9.0	38	2	4	7	12	15	20	34
50-64	117	15.6	238	2	4	11	20	33	58	84
65+	281	18.2	205	5	6	14	21	33	43	88
GRAND TOTAL	**488**	**15.9**	**209**	**3**	**4**	**12**	**20**	**32**	**44**	**87**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	22	3.1	19	<1	<1	1	3	7	13	21
35-49	18	8.7	69	2	2	5	12	21	29	33
50-64	34	4.4	38	<1	<1	2	5	13	20	27
65+	18	3.8	14	<1	1	2	4	11	13	13
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	32	6.9	55	1	2	4	9	12	17	41
35-49	30	11.0	316	1	1	6	12	21	29	97
50-64	45	6.7	27	1	2	5	8	15	19	22
65+	81	11.4	133	2	2	8	16	31	40	85
TOT. SINGLE DX	95	4.8	37	<1	<1	2	5	13	20	30
" MULTIPLE DX	190	9.4	126	1	2	6	12	21	32	79
TOTAL 0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	54	5.4	44	<1	<1	3	8	12	16	40
35-49	48	10.1	222	1	2	5	12	22	29	97
50-64	79	5.7	33	<1	<1	4	7	14	20	26
65+	99	10.0	120	1	2	7	13	27	35	76
GRAND TOTAL	**285**	**7.9**	**101**	**<1**	**1**	**4**	**10**	**19**	**27**	**51**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	4.3	5	2	3	4	5	6	8	18
20-34	455	4.0	2	2	3	4	5	6	7	9
35-49	615	4.2	3	2	3	4	5	6	7	12
50-64	446	4.4	3	2	3	4	5	6	7	13
65+	184	4.9	4	2	3	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	28	6.3	27	3	3	5	6	10	20	27
20-34	211	5.2	11	3	3	4	5	8	10	22
35-49	341	5.8	18	2	3	5	6	9	14	25
50-64	439	6.2	26	3	3	5	6	11	14	26
65+	373	9.8	120	3	3	6	11	23	29	70
TOT. SINGLE DX	1760	4.3	4	2	3	4	5	6	7	12
" MULTIPLE DX	1392	6.9	51	3	3	5	7	12	20	40
TOTAL 0-19 YRS	88	4.9	13	2	3	4	5	8	9	24
20-34	666	4.4	6	2	3	4	5	6	8	15
35-49	956	4.8	10	2	3	4	5	7	9	21
50-64	885	5.3	16	3	3	4	5	8	11	20
65+	557	8.2	88	3	3	5	8	17	26	48
GRAND TOTAL	**3152**	**5.4**	**26**	**2**	**3**	**4**	**5**	**8**	**12**	**27**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	2.6	2	<1	1	2	3	4	5	9
20-34	109	3.4	2	1	2	3	4	6	7	9
35-49	79	3.5	2	1	1	4	5	6	7	8
50-64	61	4.5	7	1	2	4	5	7	9	17
65+	51	6.7	85	2	2	4	7	12	21	63
2. MULTIPLE DX										
0-19 YRS	31	5.8	50	1	1	3	6	19	24	26
20-34	67	7.9	50	2	2	5	10	15	25	37
35-49	102	6.8	71	2	2	5	7	12	19	50
50-64	197	8.3	59	2	3	6	10	16	23	56
65+	173	14.4	226	3	4	8	19	33	47	93
TOT. SINGLE DX	496	3.6	13	1	1	3	4	6	7	18
" MULTIPLE DX	570	9.7	120	2	3	6	11	22	27	71
TOTAL 0-19 YRS	227	3.0	10	1	1	2	3	4	7	22
20-34	176	5.1	26	1	2	4	5	10	15	26
35-49	181	5.4	44	1	2	4	6	9	13	22
50-64	258	7.4	50	2	3	5	9	14	22	49
65+	224	12.6	204	2	3	7	17	27	44	85
GRAND TOTAL	**1066**	**6.8**	**80**	**1**	**2**	**4**	**7**	**15**	**22**	**52**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.3	4	1	4	6	8	9	9	9
20-34	28	9.7	79	4	5	8	10	14	18	53
35-49	30	10.8	34	3	4	10	15	19	21	25
50-64	23	10.4	33	5	6	9	11	16	26	29
65+	13	14.6	115	2	3	11	22	30	38	40
2. MULTIPLE DX										
0-19 YRS	13	17.2	451	3	5	10	16	40	76	84
20-34	40	11.7	69	6	6	10	13	15	17	60
35-49	50	16.6	240	6	7	12	20	34	39	98
50-64	88	14.6	158	4	6	10	18	26	34	70
65+	66	21.2	399	5	6	16	25	47	70	96
TOT. SINGLE DX	106	10.4	55	3	5	9	11	18	25	46
" MULTIPLE DX	257	16.4	244	5	6	11	18	30	49	94
TOTAL 0-19 YRS	25	12.0	259	2	5	8	10	22	43	84
20-34	68	10.9	74	5	6	9	12	14	16	59
35-49	80	14.4	170	4	6	11	16	26	37	83
50-64	111	13.7	135	4	6	10	14	25	33	68
65+	79	20.1	357	4	6	15	25	36	67	96
GRAND TOTAL	**363**	**14.6**	**196**	**4**	**6**	**10**	**16**	**27**	**38**	**83**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	1.2		<1	<1	1	1	2	2	3
20-34	49	1.6	1	<1	<1	1	2	3	5	6
35-49	63	1.8	9	<1	<1	1	2	2	3	22
50-64	75	1.6		<1	<1	2	2	3	3	4
65+	108	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	26	2.0	6	<1	<1	1	2	3	6	14
20-34	17	2.7	12	<1	<1	2	2	5	12	16
35-49	68	3.0	13	<1	<1	2	3	7	12	19
50-64	109	3.9	22	<1	<1	2	3	10	15	25
65+	209	6.9	98	<1	1	3	9	19	27	97
TOT. SINGLE DX	501	1.5	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	429	5.0	60	<1	<1	2	6	13	20	37
TOTAL 0-19 YRS	232	1.3	1	<1	<1	1	1	2	2	4
20-34	66	1.9	4	<1	<1	1	2	3	5	14
35-49	131	2.4	12	<1	<1	1	2	4	7	21
50-64	184	3.0	15	<1	<1	2	3	6	10	21
65+	317	5.1	71	<1	<1	2	5	14	22	59
GRAND TOTAL	**930**	**3.1**	**32**	**<1**	**<1**	**2**	**2**	**7**	**13**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	1.8	1	<1	<1	2	2	3	4	7
20-34	77	2.0	1	<1	<1	2	2	3	5	6
35-49	186	1.8	1	<1	<1	2	2	3	3	7
50-64	259	1.7		<1	<1	2	2	3	3	5
65+	331	1.8		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	237	2.7	6	<1	1	2	3	6	8	16
20-34	336	3.9	37	<1	1	2	4	7	11	29
35-49	321	2.9	9	<1	1	2	3	5	7	20
50-64	520	3.1	19	1	1	2	3	5	8	27
65+	661	4.8	64	1	1	2	4	11	21	99
TOT. SINGLE DX	1042	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2075	3.7	34	<1	1	2	4	7	12	40
TOTAL 0-19 YRS	426	2.3	4	<1	<1	2	2	4	7	11
20-34	413	3.5	31	<1	1	2	4	6	9	24
35-49	507	2.5	7	<1	1	2	3	4	6	15
50-64	779	2.7	14	<1	1	2	3	4	6	16
65+	992	3.8	45	<1	1	2	3	7	16	54
GRAND TOTAL	**3117**	**3.1**	**24**	**<1**	**1**	**2**	**3**	**5**	**8**	**29**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	2	4	5	6
20-34	20	2.0	1	1	1	2	3	3	4	5
35-49	33	2.0		1	1	2	2	3	3	3
50-64	24	2.3		1	1	2	3	3	4	5
65+	73	2.6	5	1	1	2	3	3	3	17
2. MULTIPLE DX										
0-19 YRS	25	2.9	3	1	1	2	3	6	7	9
20-34	18	2.4	2	1	1	2	3	4	6	7
35-49	19	3.2	2	1	2	3	4	5	7	9
50-64	41	3.7	71	1	1	2	3	4	5	56
65+	127	3.2	5	1	2	2	3	6	7	15
TOT. SINGLE DX	184	2.2	3	<1	1	2	3	3	4	9
" MULTIPLE DX	230	3.2	17	1	1	2	3	5	7	15
TOTAL 0-19 YRS	59	2.3	3	<1	<1	2	3	4	6	9
20-34	38	2.2	2	1	1	2	3	4	5	7
35-49	52	2.5	2	1	1	2	3	4	4	9
50-64	65	3.2	45	1	1	2	3	4	5	48
65+	200	2.9	6	1	1	2	3	5	7	15
GRAND TOTAL	**414**	**2.8**	**11**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	<1	1	2	2	2
50-64	8	1.6		<1	<1	1	2	3	3	3
65+	12	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	2.2		<1	1	2	3	4	4	4
20-34	10	7.7	219	<1	<1	2	6	29	49	49
35-49	5	9.6	289	<1	<1	2	12	40	40	40
50-64	10	4.0	11	<1	<1	3	5	9	11	11
65+	18	2.2	3	<1	1	2	2	3	7	9
TOT. SINGLE DX	44	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	54	4.2	69	<1	<1	2	3	8	11	49
TOTAL 0-19 YRS	23	1.7	1	<1	<1	2	2	3	4	4
20-34	18	4.9	126	<1	<1	2	2	9	33	49
35-49	9	5.9	164	<1	<1	2	2	25	40	40
50-64	18	2.9	8	<1	<1	2	4	7	10	11
65+	30	1.9	2	<1	<1	2	2	3	3	9
GRAND TOTAL	**98**	**3.0**	**40**	**<1**	**<1**	**2**	**2**	**4**	**9**	**45**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.5	4	2	2	4	6	7	7	7
20-34	25	3.3	4	1	1	3	4	7	8	8
35-49	17	3.5	4	1	1	3	4	7	8	8
50-64	37	3.4	4	1	1	3	4	7	8	8
65+	103	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	5	7.4	88	2	2	4	10	24	24	24
20-34	13	3.2	7	1	1	2	4	8	10	10
35-49	17	3.5	7	1	1	2	5	8	9	9
50-64	44	4.2	13	1	2	3	5	7	11	22
65+	242	4.4	15	1	2	3	5	8	10	23
TOT. SINGLE DX	186	3.3	4	1	1	3	4	6	7	8
" MULTIPLE DX	321	4.3	16	1	1	3	5	8	10	23
TOTAL 0-19 YRS	9	6.1	48	2	2	4	6	17	24	24
20-34	38	3.3	5	1	1	3	4	7	8	10
35-49	34	3.5	6	1	1	3	5	8	8	9
50-64	81	3.9	9	1	1	3	4	7	8	19
65+	345	4.0	13	1	2	3	5	7	9	19
GRAND TOTAL	507	4.0	12	1	1	3	5	7	9	20

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.1	5	<1	1	2	5	6	7	12
20-34	58	2.1	1	<1	<1	2	3	4	5	7
35-49	74	1.8	1	<1	<1	2	2	3	4	8
50-64	59	1.9	1	<1	<1	2	2	3	4	9
65+	68	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	43	4.3	8	1	1	4	6	7	11	14
20-34	37	3.8	7	1	1	3	5	8	12	99+
35-49	31	3.5	10	<1	<1	2	5	8	10	14
50-64	33	2.4	3	<1	1	2	3	5	6	9
65+	105	4.6	50	<1	1	2	4	11	16	44
TOT. SINGLE DX	316	2.2	2	<1	<1	2	2	4	6	8
" MULTIPLE DX	249	4.0	26	<1	1	2	5	8	13	39
TOTAL 0-19 YRS	100	3.6	7	<1	1	3	5	6	7	13
20-34	95	2.8	4	<1	1	2	4	5	7	61
35-49	105	2.3	5	<1	<1	2	2	5	7	12
50-64	92	2.1	2	<1	<1	2	2	4	5	9
65+	173	3.6	33	<1	1	2	3	8	13	36
GRAND TOTAL	565	3.0	14	<1	<1	2	3	6	8	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.7	32	<1	<1	2	3	4	19	24
20-34	17	3.0	7	1	1	2	4	6	10	12
35-49	42	3.3	10	<1	1	3	3	5	8	21
50-64	105	2.6	2	<1	1	2	3	4	5	10
65+	239	2.7	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	12	2.7	3	<1	1	2	3	5	8	8
20-34	14	3.7	9	1	1	3	5	8	11	12
35-49	31	4.9	23	1	1	3	6	13	23	99+
50-64	129	4.9	64	1	1	3	4	7	17	45
65+	318	3.9	20	1	1	3	4	7	11	23
TOT. SINGLE DX	418	2.8	5	<1	1	2	3	4	6	12
" MULTIPLE DX	504	4.2	31	1	1	3	4	7	12	41
TOTAL 0-19 YRS	27	3.2	19	<1	<1	2	3	4	10	24
20-34	31	3.3	8	1	1	2	4	7	12	12
35-49	73	3.9	16	1	1	3	4	7	16	82
50-64	234	3.9	38	1	1	2	4	6	8	43
65+	557	3.4	13	1	1	2	4	5	9	19
GRAND TOTAL	922	3.5	20	1	1	2	4	6	9	25

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.8	30	<1	1	2	5	14	18	21
20-34	30	3.1	4	<1	<1	3	5	6	7	7
35-49	25	2.7	6	<1	<1	2	3	8	9	11
50-64	48	2.3	3	<1	1	2	2	5	6	10
65+	114	2.9	10	<1	1	2	3	5	7	21
2. MULTIPLE DX										
0-19 YRS	28	5.0	16	2	2	4	6	9	15	19
20-34	27	4.2	13	<1	1	3	5	9	13	15
35-49	19	5.5	57	<1	1	3	6	13	25	33
50-64	71	4.5	29	1	1	3	5	10	19	29
65+	256	4.9	33	1	1	3	5	11	16	38
TOT. SINGLE DX	237	2.9	10	<1	1	2	3	5	8	20
" MULTIPLE DX	401	4.8	31	1	1	3	5	10	16	34
TOTAL 0-19 YRS	48	4.9	22	1	1	4	6	12	16	21
20-34	57	3.6	9	<1	1	3	5	7	9	15
35-49	44	3.9	30	<1	1	2	3	8	12	33
50-64	119	3.6	20	<1	1	2	3	7	11	28
65+	370	4.3	27	1	1	2	4	9	15	35
GRAND TOTAL	638	4.1	24	1	1	2	4	9	13	29

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.2	2	<1	1	2	3	4	6	8
20-34	13	2.2		<1	1	2	3	3	3	3
35-49	165	2.3		1	2	2	3	3	4	5
50-64	1397	2.2		1	1	2	2	3	3	4
65+	6085	2.3	1	1	2	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	11	2.6	2	<1	<1	3	4	5	6	6
20-34	15	5.7	65	2	2	3	5	9	28	34
35-49	154	3.1	11	1	2	2	3	5	9	22
50-64	1608	2.8	13	1	2	2	3	4	5	14
65+	8982	3.1	17	2	2	2	3	4	7	19
TOT. SINGLE DX	7681	2.3	1	1	2	2	2	3	3	5
" MULTIPLE DX	10770	3.0	17	2	2	2	3	4	7	18
TOTAL 0-19 YRS	32	2.4	3	<1	1	2	3	4	6	8
20-34	28	4.1	37	1	2	3	3	6	11	34
35-49	319	2.7	6	1	2	2	3	4	5	16
50-64	3005	2.5	8	1	2	2	3	3	4	10
65+	15067	2.8	11	1	2	2	3	4	5	15
GRAND TOTAL	18451	2.7	10	1	2	2	3	4	5	14

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.4	14	<1	<1	2	2	3	4	27
20-34	30	1.9		<1	<1	2	2	3	3	4
35-49	282	1.9		<1	1	2	2	3	3	5
50-64	1548	2.0	1	<1	1	2	2	3	3	4
65+	6210	2.0		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	38	2.7	3	1	1	2	3	5	7	8
20-34	28	3.2	9	1	2	2	3	6	10	16
35-49	182	2.5	11	1	1	2	2	3	5	25
50-64	1513	2.6	11	1	1	2	2	3	5	16
65+	8341	2.7	14	1	1	2	3	4	5	19
TOT. SINGLE DX	8142	2.0	1	<1	1	2	2	3	3	5
" MULTIPLE DX	10102	2.7	14	1	1	2	2	4	5	18
TOTAL 0-19 YRS	110	2.5	10	<1	1	2	3	4	5	18
20-34	58	2.5	5	<1	1	2	2	4	6	15
35-49	464	2.1	5	<1	1	2	2	3	3	6
50-64	3061	2.3	7	1	1	2	2	3	4	11
65+	14551	2.4	9	1	1	2	2	3	4	12
GRAND TOTAL	18244	2.4	8	1	1	2	2	3	4	12

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.0		<1	<1	2	2	3	3	3
20-34	9	1.9		<1	<1	2	2	3	3	3
35-49	32	1.9		<1	1	2	2	3	4	4
50-64	224	2.0		<1	1	2	2	3	3	5
65+	951	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	24	2.1	4	1	1	2	2	3	7	11
50-64	196	2.9	50	1	1	2	2	4	5	25
65+	1185	2.7	17	1	1	2	3	3	5	15
TOT. SINGLE DX	1221	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	1410	2.7	22	1	1	2	2	4	5	16
TOTAL 0-19 YRS	8	1.9		<1	<1	2	2	3	3	3
20-34	11	1.9	1	<1	<1	2	2	3	3	3
35-49	56	2.0	2	1	1	2	2	3	4	11
50-64	420	2.4	24	1	1	2	2	3	4	8
65+	2136	2.4	10	1	1	2	2	3	4	11
GRAND TOTAL	2631	2.4	12	1	1	2	2	3	4	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.5	7	1	2	4	5	8	11	13
20-34	116	4.2	9	1	2	4	5	6	8	18
35-49	155	4.3	7	2	2	4	5	8	11	14
50-64	429	4.0	5	1	2	4	5	7	8	10
65+	363	4.5	4	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	31	4.6	4	2	2	4	5	7	9	11
20-34	75	5.1	10	2	2	4	6	8	14	18
35-49	93	5.8	31	2	2	4	7	11	15	35
50-64	472	4.9	10	2	2	4	6	8	10	19
65+	548	5.4	11	2	2	5	6	9	11	16
TOT. SINGLE DX	1110	4.2	6	1	2	4	5	7	8	13
" MULTIPLE DX	1219	5.2	13	2	2	4	6	9	11	18
TOTAL 0-19 YRS	78	4.5	6	2	2	4	5	8	10	13
20-34	191	4.5	10	2	2	4	5	7	10	18
35-49	248	4.9	17	2	2	4	6	9	12	19
50-64	901	4.5	8	1	2	4	5	7	9	15
65+	911	5.0	9	2	2	4	6	8	10	16
GRAND TOTAL	2329	4.7	10	2	2	4	6	8	10	16

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.5	1	1	1	2	3	4	5	5
20-34	24	4.2	9	1	1	3	6	8	12	13
35-49	14	3.0	2	2	2	2	4	5	7	7
50-64	75	3.7	8	<1	<1	3	5	9	10	11
65+	127	3.3	11	<1	1	2	4	7	8	23
2. MULTIPLE DX										
0-19 YRS	15	4.8	8	1	1	4	7	9	10	10
20-34	47	6.2	64	2	2	4	6	10	19	50
35-49	53	6.9	118	2	2	4	6	11	22	75
50-64	159	5.0	23	2	2	3	6	9	14	30
65+	393	4.6	58	2	2	3	4	8	11	43
TOT. SINGLE DX	253	3.5	9	<1	1	2	4	7	10	13
" MULTIPLE DX	667	5.0	54	2	2	3	5	9	12	40
TOTAL 0-19 YRS	28	3.8	6	1	1	3	5	8	9	10
20-34	71	5.5	47	2	2	4	6	10	14	46
35-49	67	6.1	96	2	2	4	6	10	15	68
50-64	234	4.6	19	1	2	3	6	9	11	27
65+	520	4.3	47	1	2	3	4	7	10	39
GRAND TOTAL	**920**	**4.6**	**42**	**1**	**2**	**3**	**5**	**8**	**11**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1231	1.4		<1	<1	1	2	2	2	2
20-34	200	1.8		<1	<1	2	2	2	3	3
35-49	91	1.8		<1	1	2	2	2	3	4
50-64	34	1.6		<1	1	2	2	2	2	2
65+	27	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	330	1.4		<1	<1	1	2	2	2	3
20-34	74	1.9		<1	1	2	2	2	3	7
35-49	47	2.0		<1	1	2	2	3	3	4
50-64	33	2.2	5	1	1	2	2	3	3	15
65+	36	3.2	33	1	1	2	3	5	26	99+
TOT. SINGLE DX	1583	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	520	1.7	3	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	1561	1.4		<1	<1	1	2	2	2	3
20-34	274	1.8		<1	1	2	2	2	3	4
35-49	138	1.9		<1	1	2	2	2	3	4
50-64	67	1.9	3	<1	1	2	2	2	3	13
65+	63	2.7	20	1	1	2	3	3	7	91
GRAND TOTAL	**2103**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	2.6	5	<1	<1	2	4	6	7	7
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	3	4.7	14	2	2	3	7	9	9	9
TOT. SINGLE DX	2	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	19	3.5	6	<1	1	2	5	7	8	9
TOTAL 0-19 YRS	8	2.4	5	<1	<1	2	3	6	7	7
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	3	4.7	14	2	2	3	7	9	9	9
GRAND TOTAL	**21**	**3.3**	**6**	**<1**	**1**	**2**	**5**	**7**	**8**	**9**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	3.0	5	<1	1	2	4	6	9	12
20-34	60	2.6	5	<1	1	2	3	5	6	14
35-49	42	3.7	16	<1	1	2	4	8	13	20
50-64	46	3.7	14	1	1	2	4	6	13	21
65+	58	3.4	12	1	1	2	3	8	11	21
2. MULTIPLE DX										
0-19 YRS	61	4.4	16	<1	1	3	5	10	12	22
20-34	77	6.1	149	1	2	3	6	9	13	85
35-49	62	5.1	16	1	2	4	7	10	15	19
50-64	70	7.5	161	1	2	3	7	11	35	77
65+	193	6.7	82	1	2	4	8	14	21	74
TOT. SINGLE DX	288	3.2	10	1	1	2	4	6	10	19
" MULTIPLE DX	463	6.2	88	1	2	3	7	12	18	59
TOTAL 0-19 YRS	143	3.6	11	<1	1	2	4	8	11	16
20-34	137	4.6	89	1	1	3	5	8	10	55
35-49	104	4.5	17	1	1	3	6	10	14	19
50-64	116	6.0	106	1	2	3	6	10	19	66
65+	251	5.9	68	1	2	3	7	13	19	59
GRAND TOTAL	**751**	**5.1**	**60**	**1**	**1**	**3**	**6**	**10**	**14**	**48**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	1	<1	<1	2	2	4	4	7
20-34	108	1.9	1	<1	<1	2	2	3	4	9
35-49	97	2.6	17	<1	<1	2	2	4	6	27
50-64	82	2.7	11	<1	<1	2	2	5	7	21
65+	91	3.3	18	<1	<1	2	3	8	9	27
2. MULTIPLE DX										
0-19 YRS	167	2.8	5	1	1	2	3	5	7	17
20-34	121	5.1	48	<1	1	3	6	11	13	41
35-49	83	4.0	13	<1	<1	3	5	10	12	15
50-64	106	6.7	61	1	1	4	8	16	27	39
65+	182	10.5	203	<1	1	5	13	28	41	99
TOT. SINGLE DX	696	2.3	7	<1	<1	2	2	4	6	14
" MULTIPLE DX	659	6.1	87	<1	1	3	7	14	24	63
TOTAL 0-19 YRS	485	2.2	3	<1	<1	2	3	4	6	8
20-34	229	3.6	29	<1	<1	2	4	8	11	27
35-49	180	3.3	16	<1	<1	2	4	7	12	18
50-64	188	4.9	44	<1	1	2	5	12	19	35
65+	273	8.1	153	<1	1	3	10	20	33	91
GRAND TOTAL	**1355**	**4.2**	**50**	**<1**	**<1**	**2**	**4**	**9**	**15**	**37**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.1		1	1	2	3	3	3	3
20-34	158	2.7	1	1	2	3	3	4	4	5
35-49	232	2.4		1	2	2	3	3	4	6
50-64	219	2.5		1	1	2	3	4	4	6
65+	77	2.4		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	36	2.5	2	1	1	2	3	3	7	9
20-34	57	2.7	3	1	2	2	3	4	5	13
35-49	71	2.6	1	1	2	2	3	4	4	7
50-64	104	2.7	1	1	2	3	3	4	5	8
65+	49	3.1	1	2	2	3	4	5	5	99+
TOT. SINGLE DX	713	2.5	1	1	1	2	3	3	4	6
" MULTIPLE DX	317	2.7	2	1	2	3	3	4	5	9
TOTAL 0-19 YRS	63	2.3	2	1	1	2	3	3	4	9
20-34	215	2.7	2	1	2	3	3	4	4	7
35-49	303	2.5	1	1	2	2	3	3	4	6
50-64	323	2.6	1	1	1	2	3	4	4	7
65+	126	2.7	1	1	2	3	3	4	5	28
GRAND TOTAL	**1030**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	2.0	1	<1	1	2	2	3	3	5
20-34	197	2.0		1	1	2	2	3	4	5
35-49	189	2.1	1	1	1	2	2	3	3	7
50-64	165	2.2		1	1	2	3	3	3	4
65+	68	2.1		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	274	2.0	1	1	1	2	2	3	3	7
20-34	175	2.4	3	1	1	2	3	3	4	10
35-49	169	2.4	4	1	1	2	3	3	4	7
50-64	207	2.6	3	1	1	2	3	4	4	12
65+	90	3.1	7	1	2	3	3	5	7	18
TOT. SINGLE DX	922	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	915	2.4	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS	577	2.0	1	1	1	2	2	3	3	6
20-34	372	2.2	2	1	1	2	3	3	4	6
35-49	358	2.3	3	1	1	2	3	3	4	7
50-64	372	2.4	2	1	1	2	3	3	4	6
65+	158	2.7	5	1	1	2	3	4	5	9
GRAND TOTAL	**1837**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3119	1.0		<1	<1	<1	<1	1	1	2
20-34	87	1.4		<1	<1	1	2	2	3	5
35-49	67	1.7	2	<1	<1	1	2	3	5	9
50-64	86	1.5	1	<1	<1	1	2	2	3	7
65+	47	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	2134	1.5	8	<1	<1	1	1	2	3	10
20-34	81	4.2	129	<1	<1	2	2	6	19	74
35-49	67	3.4	29	<1	1	2	3	10	13	33
50-64	79	4.3	32	<1	1	2	3	13	15	29
65+	68	6.9	88	<1	1	2	9	21	24	49
TOT. SINGLE DX	3406	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	2429	1.9	17	<1	<1	1	1	2	5	20
TOTAL 0-19 YRS	5253	1.2	4	<1	<1	<1	1	1	2	6
20-34	168	2.8	64	<1	<1	1	2	3	6	37
35-49	134	2.6	17	<1	<1	1	2	6	10	19
50-64	165	2.9	18	<1	<1	2	2	6	12	21
65+	115	4.6	59	<1	<1	2	3	14	22	37
GRAND TOTAL	**5835**	**1.4**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	2.5	1	1	1	2	3	4	5	8
20-34	98	2.8	1	1	1	3	3	4	6	8
35-49	62	3.1	4	1	1	3	4	5	6	14
50-64	77	2.8	2	1	1	3	3	4	5	9
65+	31	3.1	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	222	3.6	10	1	1	3	3	7	10	20
20-34	155	3.4	13	1	1	3	3	6	8	17
35-49	141	3.6	15	1	1	3	3	5	9	28
50-64	190	4.2	44	1	2	3	4	5	10	43
65+	120	5.0	30	1	2	3	5	10	22	99+
TOT. SINGLE DX	389	2.8	2	1	1	3	3	4	5	9
" MULTIPLE DX	828	3.9	23	1	2	3	4	7	10	33
TOTAL 0-19 YRS	343	3.2	8	1	1	3	3	5	8	14
20-34	253	3.2	9	1	1	3	3	5	7	11
35-49	203	3.4	12	1	1	3	3	5	7	22
50-64	267	3.8	32	1	1	3	3	5	7	39
65+	151	4.6	25	1	2	3	5	9	17	98
GRAND TOTAL	**1217**	**3.6**	**16**	**1**	**1**	**3**	**3**	**5**	**9**	**26**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	1.7	4	<1	<1	<1	2	3	3	9
20-34	82	2.8	4	1	1	2	3	5	7	12
35-49	74	3.4	8	1	1	3	4	6	10	16
50-64	75	2.9	3	1	1	3	3	4	5	12
65+	38	2.7	4	1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	152	2.1	2	<1	<1	2	2	3	4	10
20-34	89	3.3	8	1	2	2	3	6	9	68
35-49	77	3.7	20	1	1	2	3	7	14	28
50-64	87	3.6	6	1	1	3	4	6	10	13
65+	62	4.2	26	1	2	3	3	10	14	29
TOT. SINGLE DX	434	2.5	5	<1	<1	2	3	4	6	13
" MULTIPLE DX	467	3.1	11	<1	1	2	3	5	10	19
TOTAL 0-19 YRS	317	1.9	4	<1	<1	1	2	3	4	10
20-34	171	3.1	6	1	1	2	3	5	8	18
35-49	151	3.6	15	1	1	3	3	6	11	19
50-64	162	3.2	5	1	1	3	3	5	9	13
65+	100	3.6	18	1	1	2	3	6	11	27
GRAND TOTAL	**901**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	2.3		1	1	2	3	4	4	5
20-34	794	2.3	1	1	1	2	3	4	4	6
35-49	329	2.2		1	1	2	3	3	4	4
50-64	137	2.4		1	1	2	3	4	4	5
65+	21	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	658	2.4	1	1	1	2	3	3	4	5
20-34	1545	2.4	1	1	1	2	3	4	4	5
35-49	770	2.6	2	1	1	2	3	4	4	7
50-64	426	2.8	3	1	1	3	3	4	5	11
65+	132	3.3	6	1	2	3	4	5	10	14
TOT. SINGLE DX	1674	2.3	1	1	1	2	3	4	4	5
" MULTIPLE DX	3531	2.5	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	1051	2.3	1	1	1	2	3	3	4	5
20-34	2339	2.4	1	1	1	2	3	4	4	5
35-49	1099	2.5	2	1	1	2	3	4	4	6
50-64	563	2.7	3	1	1	3	3	4	5	10
65+	153	3.3	5	1	2	3	3	5	9	14
GRAND TOTAL	**5205**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	674	2.3	1	1	1	2	3	4	4	7
20-34	1276	2.1	1	1	1	2	3	3	4	5
35-49	520	2.1		1	1	2	3	3	4	5
50-64	223	2.1		1	1	2	3	3	4	5
65+	50	2.2	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	1005	2.4	2	1	1	2	3	4	5	7
20-34	2060	2.5	6	1	1	2	3	4	4	8
35-49	1052	2.4	2	1	1	2	3	4	4	8
50-64	580	2.7	4	1	1	2	3	4	5	14
65+	218	5.1	50	1	1	3	5	12	22	68
TOT. SINGLE DX	2743	2.2	1	1	1	2	3	3	4	6
" MULTIPLE DX	4915	2.6	7	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1679	2.3	2	1	1	2	3	4	5	7
20-34	3336	2.3	5	1	1	2	3	3	4	7
35-49	1572	2.3	2	1	1	2	3	4	4	7
50-64	803	2.5	4	1	1	2	3	4	5	11
65+	268	4.6	42	1	1	2	4	11	17	52
GRAND TOTAL	**7658**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	1.9	2	<1	<1	1	2	3	5	8
20-34	114	1.8		<1	<1	2	2	3	3	5
35-49	118	1.9	2	<1	<1	2	2	4	4	8
50-64	177	2.2	7	<1	<1	2	2	4	5	11
65+	192	2.6	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	132	3.0	10	<1	1	2	3	5	6	20
20-34	231	2.7	6	<1	<1	2	3	5	6	14
35-49	288	2.8	8	<1	1	2	3	4	5	16
50-64	419	3.3	23	<1	1	2	3	5	8	21
65+	465	6.2	88	1	1	3	7	13	21	76
TOT. SINGLE DX	672	2.2	5	<1	<1	2	2	4	5	9
" MULTIPLE DX	1535	4.0	39	<1	1	2	4	7	12	33
TOTAL 0-19 YRS	203	2.6	8	<1	<1	2	3	5	6	18
20-34	345	2.4	5	<1	<1	2	3	4	5	10
35-49	406	2.5	7	<1	<1	2	3	4	5	13
50-64	596	3.0	19	<1	1	2	3	5	7	20
65+	657	5.1	67	1	1	3	5	11	16	61
GRAND TOTAL	**2207**	**3.4**	**29**	**<1**	**1**	**2**	**3**	**6**	**10**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	622	1.6	1	<1	<1	1	2	3	4	5
20-34	489	1.9	1	<1	<1	1	2	4	4	6
35-49	138	3.2	6	<1	<1	2	4	7	7	11
50-64	131	4.2	5	1	1	4	5	7	8	13
65+	88	4.3	7	1	1	4	6	7	8	15
2. MULTIPLE DX										
0-19 YRS	335	3.0	9	<1	1	2	3	6	8	15
20-34	407	3.7	10	1	1	3	4	7	9	16
35-49	244	5.1	39	1	1	4	6	10	12	46
50-64	284	5.8	25	1	2	5	7	9	12	25
65+	488	7.4	54	1	2	5	9	14	19	38
TOT. SINGLE DX	1468	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	1758	5.1	32	1	1	4	6	10	13	30
TOTAL 0-19 YRS	957	2.1	4	<1	<1	1	2	4	5	10
20-34	896	2.7	6	<1	<1	2	3	5	7	12
35-49	382	4.4	28	<1	1	3	5	8	11	21
50-64	415	5.3	20	1	2	5	6	9	11	18
65+	576	6.9	49	1	2	5	8	13	18	36
GRAND TOTAL	**3226**	**3.8**	**21**	**<1**	**<1**	**2**	**5**	**8**	**11**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.0	7	1	1	2	3	6	9	14
20-34	132	2.7	5	1	1	2	3	4	5	15
35-49	121	2.9	2	1	1	3	4	5	6	9
50-64	91	3.0	2	1	2	3	3	5	5	10
65+	52	3.3	5	1	1	3	3	5	10	13
2. MULTIPLE DX										
0-19 YRS	48	5.5	160	1	1	3	4	7	20	80
20-34	156	3.7	18	1	1	3	4	6	11	22
35-49	165	3.9	17	1	1	3	4	6	9	30
50-64	181	5.0	41	1	1	3	5	11	17	36
65+	112	5.9	56	1	2	3	6	13	20	39
TOT. SINGLE DX	426	2.9	4	1	1	3	3	5	6	13
" MULTIPLE DX	662	4.6	42	1	1	3	4	9	15	36
TOTAL 0-19 YRS	78	4.6	103	1	1	2	3	7	12	70
20-34	288	3.2	13	1	1	2	3	5	9	21
35-49	286	3.5	12	1	1	3	4	5	8	14
50-64	272	4.3	29	1	1	3	4	8	15	34
65+	164	5.1	42	1	2	3	5	11	16	25
GRAND TOTAL	**1088**	**3.9**	**28**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.5	8	<1	1	2	5	8	11	12
20-34	93	3.5	8	<1	<1	3	4	7	9	17
35-49	95	4.0	49	<1	1	2	4	7	10	45
50-64	76	3.3	6	1	1	3	4	6	9	13
65+	36	4.0	11	<1	1	3	5	8	9	18
2. MULTIPLE DX										
0-19 YRS	78	4.6	38	<1	1	3	5	11	17	82
20-34	151	4.4	39	1	1	3	4	8	14	39
35-49	172	4.8	30	1	1	3	5	10	17	28
50-64	188	5.6	40	1	2	3	7	11	16	32
65+	150	7.3	70	1	2	4	8	18	25	46
TOT. SINGLE DX	348	3.6	19	<1	1	3	4	7	10	18
" MULTIPLE DX	739	5.4	45	1	1	3	6	12	18	36
TOTAL 0-19 YRS	126	4.2	27	<1	1	3	5	10	12	53
20-34	244	4.1	28	<1	1	3	4	7	12	35
35-49	267	4.5	37	1	1	3	5	10	14	28
50-64	264	4.9	32	1	1	3	6	10	14	29
65+	186	6.7	61	1	1	4	8	17	22	42
GRAND TOTAL	**1087**	**4.8**	**37**	**1**	**1**	**3**	**5**	**10**	**16**	**34**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1808	1.4		<1	<1	1	2	2	2	3
20-34	1504	1.5		<1	<1	1	2	2	2	3
35-49	298	1.7		<1	<1	2	2	2	3	6
50-64	188	1.9	1	<1	<1	2	2	3	4	7
65+	152	2.1	5	<1	1	2	2	3	3	7
2. MULTIPLE DX										
0-19 YRS	1012	2.1	16	<1	<1	2	2	3	4	17
20-34	1211	3.2	33	<1	1	2	2	4	10	38
35-49	690	4.0	53	<1	1	2	3	7	15	48
50-64	794	4.3	44	1	1	2	3	11	19	47
65+	927	7.6	166	1	1	3	8	22	44	99+
TOT. SINGLE DX	3950	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	4634	4.1	65	<1	1	2	3	8	18	61
TOTAL 0-19 YRS	2820	1.7	6	<1	<1	1	2	2	2	7
20-34	2715	2.2	16	<1	<1	2	2	2	4	26
35-49	988	3.3	38	<1	1	2	2	5	11	40
50-64	982	3.8	37	1	1	2	3	8	16	39
65+	1079	6.9	147	1	1	2	7	20	38	99+
GRAND TOTAL	**8584**	**2.9**	**37**	**<1**	**<1**	**2**	**2**	**4**	**10**	**40**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	1.2		<1	<1	1	1	2	2	5
20-34	16	1.5		<1	<1	1	2	2	4	4
35-49	11	1.8		<1	<1	2	2	3	3	3
50-64	5	4.2		3	3	4	5	5	5	5
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	225	1.6	6	<1	<1	1	2	2	3	12
20-34	92	3.5	94	<1	1	2	2	3	9	66
35-49	12	5.6	98	1	1	2	3	20	33	35
50-64	5	4.8	20	<1	<1	3	9	11	11	11
65+	9	11.4	337	<1	1	4	11	44	55	55
TOT. SINGLE DX	174	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	343	2.6	44	<1	<1	1	2	2	5	35
TOTAL 0-19 YRS	363	1.5	4	<1	<1	1	1	2	2	8
20-34	108	3.2	81	<1	<1	2	2	3	5	59
35-49	23	3.8	53	<1	1	2	2	5	21	35
50-64	10	4.5	9	<1	<1	4	5	9	11	11
65+	13	8.4	248	<1	1	2	4	33	51	55
GRAND TOTAL	**517**	**2.2**	**30**	**<1**	**<1**	**1**	**2**	**2**	**4**	**27**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.9	1	<1	<1	1	2	4	5	6
20-34	92	2.4	4	<1	<1	2	3	5	8	10
35-49	155	1.9	1	<1	<1	1	2	3	4	8
50-64	115	2.3	4	<1	<1	2	3	4	5	13
65+	35	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	137	3.6	127	<1	<1	2	2	4	9	99
20-34	130	3.4	31	1	1	2	3	4	10	34
35-49	97	3.0	10	<1	1	2	3	5	8	19
50-64	140	5.1	72	1	1	3	4	10	16	49
65+	108	5.9	83	1	1	3	6	15	20	53
TOT. SINGLE DX	448	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	612	4.2	69	<1	1	2	3	7	14	48
TOTAL 0-19 YRS	188	3.1	94	<1	<1	2	2	4	7	95
20-34	222	3.0	20	<1	<1	2	3	5	8	26
35-49	252	2.3	5	<1	<1	2	2	4	6	15
50-64	255	3.8	44	<1	<1	2	3	6	12	39
65+	143	5.1	65	1	1	2	5	11	19	43
GRAND TOTAL	**1060**	**3.3**	**42**	**<1**	**<1**	**2**	**3**	**5**	**9**	**33**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.1	8	<1	<1	2	4	6	7	17
20-34	241	3.6	14	1	1	3	4	5	6	27
35-49	288	3.4	3	1	1	3	4	5	6	9
50-64	316	3.6	3	1	2	3	4	6	7	9
65+	223	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	32	4.8	26	1	1	3	5	11	14	26
20-34	88	4.3	13	1	1	3	5	8	11	23
35-49	159	4.8	30	1	2	3	5	9	12	27
50-64	269	5.2	21	2	2	4	6	9	13	27
65+	359	7.1	56	2	2	5	8	13	19	44
TOT. SINGLE DX	1155	3.6	6	1	1	3	4	6	7	12
" MULTIPLE DX	907	5.8	37	2	2	4	6	11	15	37
TOTAL 0-19 YRS	119	3.6	13	<1	<1	3	4	6	10	20
20-34	329	3.8	14	1	1	3	4	6	8	26
35-49	447	3.9	13	1	2	3	4	6	8	15
50-64	585	4.4	12	1	2	4	5	7	9	20
65+	582	5.9	39	2	2	4	6	11	15	40
GRAND TOTAL	**2062**	**4.6**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	199	3.5	2	1	1	4	4	6	6	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	4.8	3	2	2	5	6	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	175	4.7	6	2	2	4	5	7	9	14
20-34	8	4.0	1	2	2	4	5	5	5	5
35-49	8	8.1	178	1	1	3	8	32	40	40
50-64	7	8.3	118	2	2	3	11	28	31	31
65+	2	7.5	5	6	6	7	9	9	9	9
TOT. SINGLE DX	209	3.6	3	1	1	4	5	6	7	9
" MULTIPLE DX	200	4.9	17	2	2	4	5	8	10	26
TOTAL 0-19 YRS	374	4.1	5	1	2	4	5	6	8	11
20-34	9	4.2	2	2	2	5	5	6	6	6
35-49	14	6.7	100	1	1	4	6	15	34	40
50-64	9	7.4	93	2	2	3	9	24	31	31
65+	3	6.7	4	5	5	6	8	9	9	9
GRAND TOTAL	**409**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	437	3.1	4	<1	<1	2	5	7	7	8
20-34	132	3.2	15	<1	<1	2	3	7	8	26
35-49	114	3.7	23	<1	<1	2	4	9	14	26
50-64	221	4.6	36	<1	1	2	5	10	15	33
65+	203	4.7	52	<1	1	2	5	9	14	34
2. MULTIPLE DX										
0-19 YRS	364	4.2	37	1	1	3	4	7	10	33
20-34	299	5.1	49	1	1	3	6	11	14	52
35-49	218	6.9	66	<1	1	4	8	19	23	34
50-64	379	8.8	128	1	1	4	11	23	31	72
65+	579	10.3	190	1	2	5	12	24	38	75
TOT. SINGLE DX	1107	3.7	24	<1	<1	2	5	7	10	24
" MULTIPLE DX	1839	7.5	116	1	1	4	9	18	27	60
TOTAL 0-19 YRS	801	3.6	20	<1	1	2	5	7	8	20
20-34	431	4.5	40	<1	1	3	5	9	12	45
35-49	332	5.8	54	<1	1	3	6	16	22	30
50-64	600	7.2	99	1	1	3	9	18	27	57
65+	782	8.8	160	1	1	4	10	20	33	63
GRAND TOTAL	**2946**	**6.1**	**84**	**<1**	**1**	**3**	**7**	**14**	**22**	**51**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4535	1.6		1	1	2	2	2	3	4
20-34	2673	1.8		1	1	2	2	3	3	4
35-49	238	1.9		1	1	2	2	3	3	5
50-64	36	2.3	1	1	1	2	3	4	4	5
65+	18	2.4	7	1	1	2	2	3	9	13
2. MULTIPLE DX										
0-19 YRS	850	2.0	1	1	1	2	2	3	4	9
20-34	401	2.5	3	1	1	2	3	4	5	11
35-49	55	3.2	8	1	1	2	3	5	10	18
50-64	24	5.3	95	1	1	2	4	14	27	47
65+	12	4.4	12	1	1	3	7	10	11	11
TOT. SINGLE DX	7500	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	1342	2.2	5	1	1	2	2	3	5	11
TOTAL 0-19 YRS	5385	1.7	1	1	1	2	2	2	3	4
20-34	3074	1.9	1	1	1	2	2	3	3	5
35-49	293	2.2	2	1	1	2	2	3	4	10
50-64	60	3.5	40	1	1	2	3	5	9	44
65+	30	3.2	10	1	1	2	3	9	11	13
GRAND TOTAL	**8842**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6284	1.4	1	<1	1	1	2	2	2	3
20-34	190	1.7		1	1	2	2	2	3	3
35-49	7	1.7		1	1	2	2	2	2	2
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	4265	1.6	1	<1	1	1	2	2	3	5
20-34	71	2.7	12	1	1	2	3	4	5	25
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64	2	1.0		1	1	1	1	1	1	1
65+	6	1.8	1	1	1	2	3	3	3	3
TOT. SINGLE DX	6490	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4347	1.6	2	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	10549	1.5	1	<1	1	1	2	2	2	4
20-34	261	2.0	4	1	1	2	2	3	3	6
35-49	10	2.5	6	1	1	2	2	6	9	9
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	12	1.5	1	1	1	1	2	3	3	3
GRAND TOTAL	**10837**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	549	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5		<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1456	1.4	2	<1	<1	1	2	2	2	3
20-34	12	2.5	9	<1	<1	2	2	5	11	12
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	558	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	1472	1.4	2	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2005	1.4	2	<1	<1	1	2	2	2	3
20-34	20	2.1	6	<1	<1	2	2	2	7	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**2030**	**1.4**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	431	2.4	2	<1	1	2	3	4	5	8
20-34	256	2.9	3	1	1	2	4	5	6	10
35-49	98	3.3	11	<1	1	2	3	5	10	22
50-64	102	3.5	20	1	1	2	3	6	9	29
65+	86	4.8	38	<1	1	2	6	12	15	37
2. MULTIPLE DX										
0-19 YRS	136	4.5	62	1	1	3	4	8	11	50
20-34	62	4.3	31	1	1	3	5	7	8	39
35-49	73	6.0	65	<1	1	3	6	16	26	41
50-64	155	7.9	91	1	1	4	11	19	29	69
65+	219	10.5	199	1	2	5	13	23	34	84
TOT. SINGLE DX	973	2.9	9	<1	1	2	3	5	7	15
" MULTIPLE DX	645	7.5	119	1	1	4	9	17	27	61
TOTAL 0-19 YRS	567	2.9	18	<1	1	2	3	5	6	14
20-34	318	3.2	10	1	1	3	4	6	6	14
35-49	171	4.4	36	<1	1	2	4	10	17	33
50-64	257	6.2	68	1	1	3	7	15	23	42
65+	305	8.9	160	1	2	4	11	21	31	70
GRAND TOTAL	**1618**	**4.8**	**58**	**1**	**1**	**2**	**5**	**10**	**16**	**42**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	1.6	2	<1	<1	1	2	3	5	9
20-34	21	2.0	1	<1	<1	2	2	4	5	6
35-49	27	2.6	1	<1	1	2	3	4	5	7
50-64	51	3.9	8	<1	1	3	5	7	9	17
65+	30	3.0	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	72	3.4	7	1	1	3	4	5	6	19
20-34	24	5.1	12	1	1	5	6	11	13	14
35-49	48	6.3	75	<1	1	4	6	13	16	56
50-64	91	5.6	35	1	1	4	6	11	15	37
65+	234	6.1	54	1	2	4	7	13	17	86
TOT. SINGLE DX	200	2.6	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	469	5.6	44	1	1	4	6	11	15	46
TOTAL 0-19 YRS	143	2.5	5	<1	<1	2	3	5	6	12
20-34	45	3.6	10	<1	1	2	5	7	11	14
35-49	75	5.0	52	<1	1	3	6	9	14	48
50-64	142	5.0	27	1	1	4	6	10	14	26
65+	264	5.8	50	1	1	4	7	12	16	78
GRAND TOTAL	**669**	**4.7**	**34**	**<1**	**1**	**3**	**5**	**10**	**14**	**30**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.0	2	<1	<1	2	2	2	4	11
20-34	240	1.6	1	<1	<1	2	2	2	2	4
35-49	433	1.7	1	<1	<1	2	2	2	2	5
50-64	661	2.0	3	<1	<1	2	2	2	3	13
65+	378	2.4	22	<1	1	2	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	48	3.0	6	<1	1	2	3	7	8	14
20-34	74	2.9	17	<1	<1	2	2	4	13	24
35-49	208	3.4	34	<1	1	2	2	7	13	22
50-64	549	4.5	79	1	1	2	3	10	16	54
65+	523	5.1	85	1	1	2	3	12	24	72
TOT. SINGLE DX	1850	1.9	7	<1	<1	2	2	2	3	10
" MULTIPLE DX	1402	4.4	70	1	1	2	3	10	18	55
TOTAL 0-19 YRS	186	2.3	4	<1	1	2	2	3	6	13
20-34	314	1.9	6	<1	<1	2	2	2	3	16
35-49	641	2.2	13	<1	<1	2	2	3	4	19
50-64	1210	3.1	40	<1	1	2	2	4	11	34
65+	901	4.0	61	1	1	2	2	8	16	55
GRAND TOTAL	**3252**	**3.0**	**35**	**<1**	**1**	**2**	**2**	**4**	**10**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0		1	1	2	3	3	3	3
20-34	9	2.7	3	<1	<1	2	3	6	6	6
35-49	16	4.3	31	1	1	2	5	12	18	21
50-64	29	10.0	151	1	1	3	14	28	35	51
65+	31	10.7	86	1	2	11	17	21	25	40
2. MULTIPLE DX										
0-19 YRS	13	7.7	121	1	1	3	8	20	38	42
20-34	5	15.2	460	2	2	9	21	53	53	53
35-49	21	9.0	99	<1	<1	3	13	27	29	31
50-64	65	15.6	157	1	2	14	20	29	38	63
65+	70	15.1	245	2	3	11	19	40	58	99+
TOT. SINGLE DX	89	8.1	94	1	1	2	13	21	25	47
" MULTIPLE DX	174	14.0	194	1	2	11	19	31	49	97
TOTAL 0-19 YRS	17	6.4	97	1	1	2	7	13	32	42
20-34	14	7.1	182	<1	<1	2	6	14	44	53
35-49	37	6.9	74	<1	1	2	9	22	27	31
50-64	94	13.9	161	1	2	12	19	29	35	61
65+	101	13.7	199	2	2	11	18	33	53	99+
GRAND TOTAL	**263**	**12.0**	**168**	**1**	**1**	**9**	**17**	**29**	**40**	**85**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	11.5	13	9	9	11	14	14	14	14
50-64	45	17.5	49	10	12	16	21	30	35	99+
65+	27	18.4	83	10	11	16	21	30	35	54
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	22	25.9	215	4	9	21	34	50	51	53
50-64	109	24.0	173	11	12	20	30	46	57	99+
65+	122	26.3	287	12	13	22	34	61	99	99+
TOT. SINGLE DX	74	17.7	61	9	11	15	21	31	33	88
" MULTIPLE DX	253	25.3	231	11	13	21	33	49	71	99+
TOTAL 0-19 YRS										
20-34										
35-49	24	24.7	214	5	9	20	33	50	51	53
50-64	154	22.1	146	11	12	18	28	40	53	99+
65+	149	24.9	259	11	12	21	32	47	96	99+
GRAND TOTAL	**327**	**23.6**	**203**	**11**	**12**	**19**	**30**	**45**	**67**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	14.0	111	4	4	13	22	25	25	25
50-64	1	49.0		49	49	49	49	49	49	49
65+	4	8.8	29	2	2	9	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	3	41.0	292	25	25	49	79	99+	99+	99+
20-34	5	44.8	1302	6	6	61	87	99	99+	99+
35-49	9	25.7	264	4	6	26	36	49	52	52
50-64	41	30.7	567	7	8	31	77	99+	99+	99+
65+	73	37.3	561	6	11	38	67	99+	99+	99+
TOT. SINGLE DX	10	15.6	207	2	3	11	25	37	49	49
" MULTIPLE DX	131	34.8	566	7	8	36	68	99+	99+	99+
TOTAL 0-19 YRS	4	37.3	251	25	25	39	69	99+	99+	99+
20-34	6	38.0	1320	4	4	59	81	97	99+	99+
35-49	12	22.8	240	4	4	25	30	46	51	52
50-64	42	31.1	562	7	8	32	76	99+	99+	99+
65+	77	35.9	574	4	10	36	65	99+	99+	99+
GRAND TOTAL	**141**	**33.5**	**563**	**5**	**8**	**34**	**67**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	5.4	16	<1	1	5	8	11	11	18
20-34	15	4.6	14	1	1	4	7	12	13	13
35-49	23	8.3	174	1	1	5	9	19	36	63
50-64	25	11.0	324	1	1	5	9	55	75	99+
65+	31	7.8	168	<1	<1	2	9	22	46	54
2. MULTIPLE DX										
0-19 YRS	86	16.9	497	1	2	10	20	64	95	99+
20-34	68	27.3	570	3	5	22	52	81	99+	99+
35-49	81	27.8	656	1	2	25	54	99+	99+	99+
50-64	216	33.8	711	2	3	35	66	99+	99+	99+
65+	368	37.6	685	3	5	45	76	99+	99+	99+
TOT. SINGLE DX	127	7.5	143	1	1	4	8	15	45	76
" MULTIPLE DX	819	32.6	699	2	3	35	66	99+	99+	99+
TOTAL 0-19 YRS	119	13.7	389	1	2	7	16	43	84	99+
20-34	83	23.2	546	2	3	13	41	78	99+	99+
35-49	104	23.5	613	1	2	17	44	94	99+	99+
50-64	241	31.5	719	2	2	32	61	99+	99+	99+
65+	399	35.3	709	2	3	42	73	99+	99+	99+
GRAND TOTAL	**946**	**29.3**	**698**	**2**	**2**	**28**	**61**	**99+**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.4	8	<1	1	2	4	9	10	10
20-34	125	5.6	50	1	1	3	7	12	15	39
35-49	193	6.7	113	<1	1	3	8	14	22	63
50-64	391	6.5	41	1	1	4	9	15	18	32
65+	445	7.1	60	1	1	4	10	16	20	38
2. MULTIPLE DX										
0-19 YRS	29	9.8	85	2	2	5	15	27	31	99+
20-34	294	15.9	208	2	2	12	22	36	50	78
35-49	658	14.2	178	2	2	11	19	31	41	78
50-64	1760	12.3	122	2	2	10	16	25	34	56
65+	3282	14.4	162	2	3	11	18	30	41	72
TOT. SINGLE DX	1171	6.6	61	1	1	4	9	15	20	38
" MULTIPLE DX	6023	13.8	156	2	2	11	18	29	40	71
TOTAL 0-19 YRS	46	7.4	66	1	1	3	10	24	30	99+
20-34	419	12.9	183	1	2	8	18	31	44	67
35-49	851	12.5	173	1	2	8	17	27	38	76
50-64	2151	11.3	112	1	2	9	15	24	31	54
65+	3727	13.6	156	2	2	10	18	29	39	70
GRAND TOTAL	**7194**	**12.7**	**147**	**1**	**2**	**10**	**17**	**27**	**37**	**67**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	24.0	800	4	4	24	44	44	44	44
20-34	3	17.3	134	4	4	23	24	25	25	25
35-49										
50-64	4	10.5	115	1	1	8	18	25	25	25
65+	2	31.0	512	15	15	31	47	47	47	47
TOT. SINGLE DX	1	15.0		15	15	15	15	15	15	15
" MULTIPLE DX	11	18.5	256	1	3	15	25	45	47	47
TOTAL 0-19 YRS	2	24.0	800	4	4	24	44	44	44	44
20-34	3	17.3	134	4	4	23	24	25	25	25
35-49										
50-64	4	10.5	115	1	1	8	18	25	25	25
65+	3	25.7	341	15	15	15	39	47	47	47
GRAND TOTAL	**12**	**18.3**	**234**	**1**	**3**	**15**	**25**	**45**	**47**	**47**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	18.3	371	4	5	11	18	48	65	71
20-34	67	11.6	150	2	4	8	13	25	27	81
35-49	99	[illegible]	39	2	3	9	13	20	23	30
50-64	216	[illegible]	52	2	3	9	13	19	24	41
65+	186	[illegible]	109	1	2	10	15	21	27	60
2. MULTIPLE DX										
0-19 YRS	51	15.5	224	5	6	10	16	38	55	64
20-34	153	15.4	139	4	6	11	22	32	37	58
35-49	239	17.7	208	4	6	13	23	34	41	92
50-64	777	15.6	131	2	4	12	20	31	38	58
65+	1254	17.1	195	2	4	14	22	34	46	77
TOT. SINGLE DX	583	11.0	89	2	2	9	14	20	26	46
" MULTIPLE DX	2474	16.5	174	2	4	13	22	33	42	72
TOTAL 0-19 YRS	66	16.2	254	5	5	10	17	47	56	70
20-34	220	14.3	145	3	5	10	18	29	36	62
35-49	338	15.5	171	3	5	11	19	31	37	74
50-64	993	14.5	119	2	4	11	18	30	37	55
65+	1440	16.3	188	2	3	13	21	32	45	76
GRAND TOTAL	**3057**	**15.5**	**162**	**2**	**4**	**12**	**20**	**31**	**40**	**67**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.5	33	7	7	9	15	20	20	20
20-34	7	14.0	92	7	7	8	18	30	33	33
35-49	26	13.4	52	7	7	11	16	23	31	37
50-64	121	14.3	43	8	8	12	17	23	26	42
65+	103	14.5	40	8	8	12	18	23	29	34
2. MULTIPLE DX										
0-19 YRS	5	23.4	164	9	9	22	32	42	42	42
20-34	22	19.7	173	6	7	15	26	36	47	61
35-49	98	18.2	144	7	8	15	24	33	37	73
50-64	475	17.9	89	8	9	16	21	30	37	56
65+	542	20.8	159	8	9	18	26	36	49	87
TOT. SINGLE DX	261	14.2	44	8	8	12	17	23	28	37
" MULTIPLE DX	1142	19.4	131	8	9	16	24	34	45	71
TOTAL 0-19 YRS	9	18.1	134	7	8	15	24	37	42	42
20-34	29	18.3	156	6	7	14	22	35	39	61
35-49	124	17.2	128	7	8	14	21	32	36	65
50-64	596	17.2	82	8	9	15	21	28	36	55
65+	645	19.8	145	8	9	17	24	35	47	86
GRAND TOTAL	**1403**	**18.4**	**119**	**8**	**9**	**15**	**23**	**32**	**40**	**68**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	4.1	99	<1	1	2	4	8	11	57
20-34	97	5.8	52	1	1	3	8	14	18	40
35-49	154	6.1	60	<1	<1	3	7	16	22	45
50-64	276	5.8	33	<1	1	3	10	13	17	26
65+	283	6.7	48	1	1	4	9	14	19	37
2. MULTIPLE DX										
0-19 YRS	108	11.4	276	1	1	6	12	29	46	84
20-34	220	12.7	181	1	2	9	17	29	49	97
35-49	410	11.8	172	1	2	8	16	28	39	99+
50-64	1273	12.1	141	1	2	9	16	26	37	78
65+	2206	15.6	202	2	3	12	20	32	43	84
TOT. SINGLE DX	928	5.9	53	<1	1	3	8	13	18	36
" MULTIPLE DX	4217	13.9	185	2	2	10	18	30	42	85
TOTAL 0-19 YRS	226	7.6	196	1	1	2	8	17	34	84
20-34	317	10.6	152	1	1	7	14	25	38	73
35-49	564	10.2	148	1	1	6	14	25	36	93
50-64	1549	11.0	128	1	2	8	15	25	33	70
65+	2489	14.6	193	2	2	11	19	31	42	83
GRAND TOTAL	**5145**	**12.5**	**171**	**1**	**2**	**9**	**17**	**28**	**39**	**83**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.7	9	2	3	5	7	11	13	13
20-34	53	6.0	14	2	2	5	7	11	16	18
35-49	21	8.7	58	2	2	6	11	22	28	28
50-64	15	8.5	55	1	2	6	10	17	26	29
65+	5	6.0	21	1	1	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	14	9.1	66	3	3	6	9	20	29	32
20-34	56	13.1	228	3	4	8	13	29	47	79
35-49	35	13.7	81	3	4	12	19	28	29	39
50-64	54	18.8	245	2	3	15	26	38	45	75
65+	81	14.7	148	2	3	12	20	33	40	51
TOT. SINGLE DX	112	6.8	28	2	2	5	8	13	17	29
" MULTIPLE DX	240	14.8	179	2	3	10	19	32	43	67
TOTAL 0-19 YRS	32	7.2	36	3	3	5	7	14	19	32
20-34	109	9.7	136	2	3	6	10	17	29	72
35-49	56	11.8	78	2	3	9	18	27	28	38
50-64	69	16.6	221	2	2	12	22	36	44	73
65+	86	14.2	145	2	2	11	20	32	39	51
GRAND TOTAL	**352**	**12.3**	**144**	**2**	**3**	**8**	**17**	**28**	**37**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	5.6	10	2	2	5	7	10	12	16
20-34	570	6.0	25	2	3	5	7	10	13	20
35-49	209	7.0	22	2	3	6	8	13	16	26
50-64	94	9.5	43	3	3	8	13	18	23	36
65+	81	10.0	49	2	3	8	12	17	23	40
2. MULTIPLE DX										
0-19 YRS	173	14.3	287	3	4	9	15	37	63	99
20-34	478	11.6	135	3	4	8	12	25	35	68
35-49	382	12.7	132	3	4	9	16	29	39	93
50-64	734	14.1	140	3	4	10	18	29	39	88
65+	1089	17.3	189	4	5	13	22	34	48	83
TOT. SINGLE DX	1097	6.7	28	2	3	5	8	12	15	26
" MULTIPLE DX	2856	14.7	171	3	4	11	18	31	43	84
TOTAL 0-19 YRS	316	10.4	180	2	3	6	11	19	39	95
20-34	1048	8.6	84	2	3	6	9	15	25	51
35-49	591	10.7	101	3	3	8	13	22	34	77
50-64	828	13.6	132	3	4	10	17	28	38	84
65+	1170	16.8	183	4	5	13	21	33	46	82
GRAND TOTAL	**3953**	**12.5**	**144**	**3**	**3**	**9**	**15**	**26**	**37**	**79**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	5.9	8	2	3	6	7	7	9	20
20-34	139	6.3	32	<1	1	5	9	13	18	29
35-49	130	6.2	33	<1	1	4	9	14	16	27
50-64	155	7.0	44	<1	1	5	10	18	20	26
65+	126	8.3	79	1	1	6	11	17	25	46
2. MULTIPLE DX										
0-19 YRS	69	8.9	55	1	4	7	9	18	22	48
20-34	184	12.9	114	2	3	9	19	27	36	50
35-49	269	12.9	130	2	2	10	16	26	34	62
50-64	595	14.1	168	2	2	10	19	28	40	74
65+	1037	16.7	191	2	3	13	21	35	48	71
TOT. SINGLE DX	721	6.7	38	<1	1	5	8	13	18	28
" MULTIPLE DX	2154	14.9	170	2	3	11	19	31	42	70
TOTAL 0-19 YRS	240	6.8	24	2	3	7	7	9	15	24
20-34	323	10.1	90	1	2	7	13	23	29	43
35-49	399	10.7	108	1	2	8	14	24	29	57
50-64	750	12.7	151	1	2	9	17	26	37	65
65+	1163	15.7	186	2	3	12	20	33	44	70
GRAND TOTAL	**2875**	**12.9**	**149**	**1**	**2**	**9**	**17**	**27**	**37**	**62**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	10.3	35	5	6	9	11	18	21	32
20-34	27	11.5	27	7	8	10	12	17	26	29
35-49	49	13.5	38	8	8	11	15	23	25	40
50-64	88	14.8	27	9	10	14	17	21	25	35
65+	49	14.6	10	11	11	14	16	19	21	23
2. MULTIPLE DX										
0-19 YRS	309	13.0	121	6	7	10	14	21	43	99+
20-34	100	14.7	72	7	8	12	16	26	38	74
35-49	178	18.8	133	8	9	15	24	32	41	64
50-64	507	20.5	133	10	11	17	24	34	43	77
65+	543	23.5	190	10	11	20	28	43	56	95
TOT. SINGLE DX	390	12.4	34	6	7	11	15	19	24	33
" MULTIPLE DX	1637	19.5	161	8	9	16	24	35	48	91
TOTAL 0-19 YRS	486	12.0	91	6	6	9	13	19	28	96
20-34	127	14.0	65	7	8	11	15	26	32	60
35-49	227	17.6	117	8	9	14	21	30	38	58
50-64	595	19.6	122	9	10	17	23	33	40	71
65+	592	22.7	181	10	11	19	27	42	55	91
GRAND TOTAL	**2027**	**18.1**	**145**	**7**	**8**	**15**	**22**	**33**	**44**	**84**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	10.7	11	7	7	10	13	16	16	16
35-49	115	11.9	18	8	8	11	13	16	20	31
50-64	359	12.8	19	8	9	12	14	18	21	33
65+	176	14.2	24	8	9	13	16	23	25	28
2. MULTIPLE DX										
0-19 YRS	2	15.5	13	13	13	15	18	18	18	18
20-34	25	14.3	63	8	8	11	15	28	34	39
35-49	650	13.2	42	8	8	11	15	20	25	42
50-64	2758	15.3	70	8	9	13	17	24	32	52
65+	1795	19.2	125	9	10	16	23	33	43	70
TOT. SINGLE DX	657	13.0	21	8	9	12	15	18	23	31
" MULTIPLE DX	5230	16.4	90	8	9	13	19	28	36	60
TOTAL 0-19 YRS	3	13.3	20	9	9	13	17	18	18	18
20-34	31	13.6	55	8	8	11	14	24	32	39
35-49	765	13.0	39	8	8	11	14	19	25	38
50-64	3117	15.0	65	8	9	12	17	24	31	51
65+	1971	18.7	118	9	10	15	22	32	42	69
GRAND TOTAL	**5887**	**16.0**	**84**	**8**	**9**	**13**	**18**	**26**	**34**	**58**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	1.9	1	<1	1	2	2	2	4	8
20-34	140	3.1	11	1	1	2	2	6	9	23
35-49	998	3.0	8	1	2	2	2	6	10	16
50-64	2039	2.9	8	1	2	2	2	5	10	15
65+	754	3.1	13	1	2	2	2	5	10	19
2. MULTIPLE DX										
0-19 YRS	703	2.8	31	1	1	2	2	4	8	29
20-34	348	4.6	40	1	2	2	5	12	15	25
35-49	2976	4.6	24	1	2	2	6	11	15	24
50-64	7576	4.9	32	1	2	2	6	12	16	26
65+	4145	7.0	61	1	2	3	10	17	22	37
TOT. SINGLE DX	4239	2.9	9	1	1	2	2	5	9	16
" MULTIPLE DX	15748	5.3	40	1	2	2	7	13	18	29
TOTAL 0-19 YRS	1011	2.6	22	1	1	2	2	3	6	18
20-34	488	4.2	33	1	2	2	4	11	14	24
35-49	3974	4.2	21	1	2	2	4	10	14	22
50-64	9615	4.5	28	1	2	2	5	11	15	25
65+	4899	6.4	56	1	2	2	9	16	21	34
GRAND TOTAL	19987	4.8	34	1	2	2	5	12	16	27

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.4	6	1	1	4	6	8	9	9
20-34	14	4.3	18	1	1	3	4	11	16	17
35-49	35	5.1	12	1	2	4	7	9	13	18
50-64	184	7.0	23	1	2	5	10	15	17	21
65+	739	6.0	25	2	2	5	7	11	15	26
2. MULTIPLE DX										
0-19 YRS	29	6.7	29	2	2	5	7	15	21	23
20-34	40	9.8	82	2	3	6	13	21	30	44
35-49	186	13.0	103	2	3	12	16	22	27	63
50-64	1161	12.4	83	3	4	11	16	23	29	49
65+	6724	13.2	114	3	4	11	17	26	33	68
TOT. SINGLE DX	984	6.1	24	1	2	5	8	12	16	25
" MULTIPLE DX	8140	13.0	110	3	4	11	17	25	32	65
TOTAL 0-19 YRS	41	6.0	24	1	2	5	6	12	18	23
20-34	54	8.4	71	2	2	5	11	18	28	44
35-49	221	11.7	97	2	3	11	15	21	24	52
50-64	1345	11.7	79	2	3	10	15	22	28	43
65+	7463	12.5	110	2	3	10	16	25	32	66
GRAND TOTAL	9124	12.3	105	2	3	10	16	24	31	64

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.9	12	1	2	7	9	11	12	14
20-34	25	6.1	18	1	1	6	8	11	14	19
35-49	105	5.7	19	1	2	4	8	13	14	20
50-64	167	5.5	24	2	2	4	7	12	16	28
65+	43	7.1	43	2	2	4	10	16	22	29
2. MULTIPLE DX										
0-19 YRS	33	12.4	128	1	2	9	15	29	42	46
20-34	69	14.7	117	3	4	13	19	31	39	52
35-49	364	9.5	94	2	3	7	12	20	26	56
50-64	821	10.1	96	2	3	7	12	20	28	54
65+	410	13.1	151	3	3	9	16	29	41	71
TOT. SINGLE DX	361	5.9	24	2	2	4	8	12	16	26
" MULTIPLE DX	1697	10.9	113	3	3	8	13	23	32	55
TOTAL 0-19 YRS	54	10.2	89	1	2	8	11	19	36	46
20-34	94	12.4	105	2	2	10	16	25	34	49
35-49	469	8.7	80	2	3	6	11	18	23	54
50-64	988	9.3	87	2	3	6	11	19	26	46
65+	453	12.5	144	3	3	9	16	28	39	60
GRAND TOTAL	2058	10.0	101	2	3	7	12	21	29	54

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	3.3	11	<1	<1	2	4	7	9	19
20-34	104	3.9	33	<1	<1	2	4	9	10	39
35-49	130	3.9	26	<1	<1	2	5	9	13	26
50-64	162	3.6	17	<1	<1	2	4	10	12	20
65+	160	6.3	71	1	1	3	8	16	21	38
2. MULTIPLE DX										
0-19 YRS	282	6.3	50	1	1	4	7	14	22	34
20-34	190	10.6	110	1	2	8	14	25	34	57
35-49	341	8.9	84	1	1	7	12	18	27	51
50-64	995	11.4	126	1	2	8	15	24	33	60
65+	2555	14.7	186	2	3	11	19	31	43	86
TOT. SINGLE DX	749	4.2	32	<1	<1	2	5	10	15	27
" MULTIPLE DX	4363	12.8	159	1	2	9	16	28	37	78
TOTAL 0-19 YRS	475	5.1	37	<1	1	3	6	11	17	32
20-34	294	8.2	93	1	1	5	10	19	32	52
35-49	471	7.5	73	1	1	5	10	17	25	48
50-64	1157	10.3	118	1	1	7	14	22	31	57
65+	2715	14.2	183	2	2	11	18	31	42	84
GRAND TOTAL	5112	11.5	150	1	2	8	15	26	35	74

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.0	2	<1	1	3	4	5	6	6
20-34	636	3.7	4	1	2	3	5	6	7	12
35-49	958	4.0	5	2	2	4	5	6	8	12
50-64	703	4.6	12	2	2	4	5	7	9	18
65+	171	5.4	13	2	3	4	6	10	14	22
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	<1	<1	4	4	4	4	4
20-34	197	4.5	12	1	2	4	5	7	9	23
35-49	390	6.1	43	2	2	4	6	11	16	33
50-64	512	6.8	40	2	3	5	8	14	19	40
65+	318	10.8	149	2	3	6	13	24	35	63
TOT. SINGLE DX	2492	4.2	8	2	2	4	5	6	8	15
" MULTIPLE DX	1422	7.2	66	2	2	5	8	15	21	43
TOTAL 0-19 YRS	29	3.0	2	<1	1	3	4	5	5	6
20-34	833	3.9	6	1	2	3	5	6	7	15
35-49	1348	4.6	17	2	2	4	5	7	10	22
50-64	1215	5.5	26	2	2	4	6	10	15	27
65+	489	8.9	109	2	3	5	10	19	28	58
GRAND TOTAL	**3914**	**5.3**	**31**	**2**	**2**	**4**	**6**	**9**	**14**	**28**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.3	27	2	2	9	12	13	18	28
20-34	36	8.4	73	<1	1	6	11	19	26	41
35-49	109	9.9	48	2	3	9	11	15	24	42
50-64	347	10.4	32	3	5	10	12	17	20	31
65+	308	12.5	54	4	6	11	15	20	25	41
2. MULTIPLE DX										
0-19 YRS	72	14.7	183	4	5	10	18	30	50	97
20-34	149	14.5	213	2	3	10	19	31	56	80
35-49	445	15.6	155	3	5	12	19	31	44	85
50-64	1942	17.0	183	5	7	13	19	34	49	94
65+	3181	20.5	218	7	8	16	26	42	56	99+
TOT. SINGLE DX	826	11.0	46	2	4	10	13	18	23	34
" MULTIPLE DX	5789	18.7	205	5	7	14	23	39	53	99+
TOTAL 0-19 YRS	98	13.2	147	3	5	10	16	22	42	93
20-34	185	13.3	192	1	2	9	17	29	46	75
35-49	554	14.5	140	3	4	11	17	28	42	69
50-64	2289	16.0	166	4	6	12	18	31	46	88
65+	3489	19.8	209	6	8	15	25	40	54	99+
GRAND TOTAL	**6615**	**17.8**	**192**	**5**	**7**	**14**	**21**	**36**	**50**	**97**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
0-19 YRS										
20-34	1	58.0		58	58	58	58	58	58	58
35-49	4	16.5	29	11	11	15	20	24	24	24
50-64	3	26.3	706	10	10	12	46	57	57	57
65+	9	14.9	100	5	6	12	20	31	37	37
TOT. SINGLE DX	3	17.3	352	6	6	7	31	39	39	39
" MULTIPLE DX	17	19.8	260	6	8	12	23	53	58	58
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	58.0		58	58	58	58	58	58	58
35-49	4	16.5	30	11	11	15	20	24	24	24
50-64	4	21.3	574	6	6	11	34	57	57	57
65+	10	17.3	147	5	6	12	23	38	39	39
GRAND TOTAL	**20**	**19.5**	**256**	**5**	**6**	**12**	**23**	**48**	**57**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	4.3	7	1	1	4	5	7	11	12
35-49	19	6.4	91	<1	1	3	7	10	29	44
50-64	17	8.9	83	1	1	5	11	27	30	30
65+	28	8.2	106	1	1	5	9	18	26	53
2. MULTIPLE DX										
0-19 YRS	30	6.3	31	1	1	5	7	14	19	26
20-34	356	7.1	51	1	2	5	9	14	21	44
35-49	490	7.8	54	1	2	5	10	16	21	42
50-64	938	8.7	79	2	2	6	11	18	24	45
65+	1081	10.5	99	2	3	7	13	22	31	55
TOT. SINGLE DX	80	7.1	78		1	4	8	14	26	50
" MULTIPLE DX	2895	9.0	81	2	2	6	11	19	25	49
TOTAL 0-19 YRS	31	6.2	30	1	1	5	7	14	19	26
20-34	371	7.0	50	1	2	5	9	14	21	43
35-49	509	7.7	56	1	2	5	10	16	21	43
50-64	955	8.7	80	1	2	6	11	18	24	45
65+	1109	10.5	100	2	3	7	13	22	31	55
GRAND TOTAL	**2975**	**9.0**	**81**	**2**	**2**	**6**	**11**	**19**	**25**	**49**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	7.0	28	1	2	6	9	12	15	27
20-34	206	6.1	44	1	1	4	9	14	18	34
35-49	238	8.0	73	1	1	6	10	18	24	35
50-64	712	8.1	42	1	2	7	10	15	20	34
65+	910	9.3	49	2	3	8	12	17	21	34
2. MULTIPLE DX										
0-19 YRS	831	16.7	374	1	3	9	22	48	77	99+
20-34	696	11.2	186	1	1	7	14	28	44	98
35-49	1094	12.0	161	1	2	8	16	28	40	71
50-64	4168	13.1	147	2	3	10	16	27	38	85
65+	7505	15.7	185	3	4	12	20	33	47	99+
TOT. SINGLE DX	2278	8.3	48	1	2	7	11	16	20	34
" MULTIPLE DX	14294	14.5	186	2	3	11	18	31	45	95
TOTAL 0-19 YRS	1043	14.7	320	1	2	8	18	39	69	99+
20-34	902	10.1	158	1	1	6	13	26	36	90
35-49	1332	11.3	148	1	2	8	15	26	35	68
50-64	4880	12.4	135	2	3	9	15	25	35	79
65+	8415	15.0	175	3	4	11	19	31	44	95
GRAND TOTAL	16572	13.7	172	2	3	10	17	29	42	92

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.9	8	<1	<1	2	3	6	9	15
20-34	514	3.9	28	<1	<1	2	4	9	13	27
35-49	331	4.3	28	<1	<1	2	5	10	15	23
50-64	326	5.1	27	<1	<1	3	7	11	16	27
65+	255	5.9	36	<1	1	3	8	13	16	31
2. MULTIPLE DX										
0-19 YRS	162	4.6	17	<1	1	3	6	10	13	19
20-34	372	10.0	145	1	1	6	13	22	31	56
35-49	453	9.6	141	1	1	6	12	22	31	56
50-64	851	10.3	109	1	2	8	13	25	32	59
65+	1136	12.5	145	2	2	9	16	26	36	61
TOT. SINGLE DX	1811	4.3	26	<1	<1	2	5	10	14	25
" MULTIPLE DX	2974	10.7	131	1	2	7	14	24	33	57
TOTAL 0-19 YRS	547	3.4	12	<1	<1	2	4	8	11	17
20-34	886	6.5	86	<1	1	3	8	16	22	51
35-49	784	7.4	101	<1	1	4	9	17	24	50
50-64	1177	8.9	92	1	2	6	11	20	29	51
65+	1391	11.3	132	1	2	8	15	24	33	57
GRAND TOTAL	4785	8.3	101	<1	1	5	11	19	27	51

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.3	8	1	1	3	6	9	10	10
20-34	33	5.4	13	1	2	4	8	8	11	19
35-49	37	5.8	26	<1	<1	4	8	13	19	22
50-64	62	7.4	66	2	3	6	8	13	18	55
65+	45	9.6	62	1	2	8	13	20	24	42
2. MULTIPLE DX										
0-19 YRS	14	7.0	33	1	2	6	8	11	22	25
20-34	63	8.8	22	3	4	8	10	16	18	25
35-49	78	10.2	98	2	3	7	11	23	32	54
50-64	233	12.4	136	3	4	8	15	24	34	70
65+	269	13.5	141	3	4	9	17	28	32	67
TOT. SINGLE DX	195	7.0	46	1	2	5	8	14	19	36
" MULTIPLE DX	657	12.1	123	3	4	8	14	24	31	66
TOTAL 0-19 YRS	32	5.5	20	1	1	5	7	9	10	25
20-34	96	7.6	21	2	3	7	9	13	17	24
35-49	115	8.8	80	<1	2	6	10	20	27	50
50-64	295	11.3	126	3	3	8	13	23	31	66
65+	314	12.9	132	3	4	9	16	26	32	66
GRAND TOTAL	852	10.9	110	2	3	8	13	23	30	63

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	3	24.3	496	10	10	13	41	50	50	50
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	7.8	10	5	5	8	10	11	11	11
65+	2	6.0	32	2	2	6	10	10	10	10
TOT. SINGLE DX	6	5.0	5	3	3	5	7	7	7	7
" MULTIPLE DX	10	11.9	193	2	2	10	11	31	50	50
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	17.4	338	7	7	10	22	50	50	50
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	6.8	10	3	3	6	10	11	11	11
65+	2	6.0	32	2	2	6	10	10	10	10
GRAND TOTAL	16	9.3	129	2	3	7	10	13	39	50

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	41.0	988	7	7	47	63	69	69	69
20-34	4	30.3	47	25	25	28	35	40	40	40
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	62.3	1285	21	21	81	84	85	85	85
20-34	1	70.0		70	70	70	70	70	70	70
35-49	1	46.0		46	46	46	46	46	46	46
50-64										
65+	1	71.0		71	71	71	71	71	71	71
TOT. SINGLE DX	7	34.9	386	7	11	30	45	65	69	69
" MULTIPLE DX	6	62.3	594	21	23	70	81	85	85	85
TOTAL 0-19 YRS	6	51.7	1046	7	8	58	81	85	85	85
20-34	5	38.2	351	25	25	30	47	70	70	70
35-49	1	46.0		46	46	46	46	46	46	46
50-64										
65+	1	71.0		71	71	71	71	71	71	71
GRAND TOTAL	13	47.5	644	9	18	46	70	82	84	85

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	6.6	47	1	1	6	8	11	19	36
20-34	261	8.7	62	2	3	7	9	14	21	39
35-49	163	9.3	80	2	3	6	10	22	29	41
50-64	213	9.8	93	2	3	7	11	21	26	60
65+	302	10.5	94	2	3	8	12	22	30	48
2. MULTIPLE DX										
0-19 YRS	410	11.0	136	<1	1	7	14	25	32	59
20-34	712	13.7	142	3	5	9	16	28	41	62
35-49	805	14.0	142	3	4	10	17	29	40	64
50-64	1734	14.5	166	3	4	11	18	30	40	76
65+	5289	16.1	177	3	5	12	20	32	45	86
TOT. SINGLE DX	1242	8.9	76	1	2	7	10	18	25	44
" MULTIPLE DX	8950	15.2	169	3	4	11	19	31	43	80
TOTAL 0-19 YRS	713	9.1	103	<1	1	6	10	21	29	55
20-34	973	12.3	125	3	4	8	14	26	38	58
35-49	968	13.2	135	3	4	9	16	28	38	61
50-64	1947	14.0	161	2	4	10	17	29	39	70
65+	5591	15.8	175	3	5	12	20	32	44	85
GRAND TOTAL	10192	14.4	162	3	4	11	18	30	41	76

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	10.1	217	1	2	5	11	27	34	88
20-34	41	12.5	161	1	2	6	22	28	42	49
35-49	41	7.9	97	<1	1	3	13	21	38	99+
50-64	50	11.7	232	1	1	5	14	36	49	66
65+	32	12.7	381	1	2	6	11	31	67	88
2. MULTIPLE DX										
0-19 YRS	149	21.0	429	1	3	13	34	63	73	99+
20-34	208	16.3	255	2	2	10	22	40	53	93
35-49	313	14.9	251	2	2	9	20	38	53	99+
50-64	537	15.6	216	2	2	10	22	38	47	71
65+	640	19.1	294	2	3	14	26	44	57	99
TOT. SINGLE DX	226	10.9	211	1	1	5	14	27	45	89
" MULTIPLE DX	1847	17.2	274	2	3	12	24	42	57	99+
TOTAL 0-19 YRS	211	17.8	390	1	2	10	27	55	71	99+
20-34	249	15.7	241	2	2	10	22	39	49	88
35-49	354	14.1	238	2	2	9	19	38	51	99+
50-64	587	15.3	219	2	2	10	22	38	48	71
65+	672	18.8	300	2	3	14	25	43	57	98
GRAND TOTAL	2073	16.5	271	2	2	11	23	41	55	99

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	2.9	9	1	1	2	3	7	9	17
20-34	67	3.9	16	<1	<1	2	5	10	14	86
35-49	100	5.1	59	<1	<1	2	6	12	20	43
50-64	213	5.8	68	<1	1	3	7	13	22	47
65+	247	5.7	47	<1	<1	3	7	13	18	33
2. MULTIPLE DX										
0-19 YRS	119	6.0	40	1	1	3	8	15	20	28
20-34	176	8.1	82	1	1	5	10	17	26	42
35-49	406	10.1	126	1	2	7	12	21	31	56
50-64	1084	10.0	117	1	2	7	13	23	33	60
65+	2211	11.5	149	1	2	8	15	25	38	79
TOT. SINGLE DX	715	5.2	49	<1	<1	2	6	12	18	38
" MULTIPLE DX	3996	10.7	134	1	2	7	14	23	35	70
TOTAL 0-19 YRS	207	4.7	29	1	1	2	6	12	16	27
20-34	243	7.0	68	<1	1	4	9	15	24	44
35-49	506	9.1	117	1	1	6	11	20	28	56
50-64	1297	9.3	112	1	1	6	12	21	31	59
65+	2458	11.0	142	1	2	7	14	24	37	76
GRAND TOTAL	4711	9.8	125	1	1	6	13	22	33	66

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	468	4.1	3	2	2	4	5	6	7	10
20-34	4	9.5	11	7	7	9	12	14	14	14
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	2	21.5	113	14	14	21	29	29	29	29
65+	2	16.5	313	4	4	16	29	29	29	29
2. MULTIPLE DX										
0-19 YRS	117	6.6	21	3	3	5	8	12	16	55
20-34	7	21.3	411	7	7	17	22	57	65	65
35-49	5	16.6	99	7	7	13	22	33	33	33
50-64	20	21.2	114	9	10	19	26	39	44	46
65+	45	27.6	559	6	8	17	37	81	85	99+
TOT. SINGLE DX	478	4.3	7	2	2	4	5	6	8	14
" MULTIPLE DX	194	13.8	251	3	3	8	16	33	51	98
TOTAL 0-19 YRS	585	4.6	8	2	2	4	5	7	9	17
20-34	11	17.0	285	7	7	10	19	40	63	65
35-49	7	14.9	82	6	6	13	17	30	33	33
50-64	22	21.2	108	9	10	19	29	37	44	46
65+	47	27.2	547	5	8	17	35	80	84	99+
GRAND TOTAL	672	7.0	96	2	3	4	6	13	23	76

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.4	83	2	2	8	21	23	23	23
20-34	3	18.7	281	8	8	10	31	38	38	38
35-49	5	11.2	153	1	1	7	19	31	31	31
50-64	16	15.2	115	4	5	11	21	30	38	41
65+	40	14.0	202	2	3	9	17	44	82	99+
2. MULTIPLE DX										
0-19 YRS	49	18.2	249	3	4	15	27	74	99+	99+
20-34	32	25.0	531	3	5	19	37	72	81	99+
35-49	44	19.7	360	2	4	15	25	65	80	99+
50-64	153	24.0	340	5	7	19	36	67	99+	99+
65+	955	25.9	461	4	6	21	42	85	99+	99+
TOT. SINGLE DX	71	14.0	164	2	3	10	18	39	48	99+
" MULTIPLE DX	1233	25.1	438	4	6	20	40	79	99+	99+
TOTAL 0-19 YRS	56	17.4	232	3	4	15	26	66	99+	99+
20-34	35	24.4	505	4	5	18	37	69	81	99+
35-49	49	18.8	342	2	3	15	25	64	75	99+
50-64	169	23.2	325	5	7	19	34	65	99+	99+
65+	995	25.5	456	4	6	20	41	84	99+	99+
GRAND TOTAL	1304	24.5	430	4	5	19	39	77	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.0	22	1	1	4	10	12	16	18
20-34	73	4.6	11	<1	<1	4	7	8	10	19
35-49	147	5.3	46	<1	<1	4	7	10	11	41
50-64	211	5.2	15	<1	<1	5	8	10	11	19
65+	223	6.4	36	<1	<1	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	45	6.6	30	1	2	5	8	12	20	29
20-34	270	7.7	34	2	2	6	10	14	19	34
35-49	584	8.5	63	1	2	7	10	15	22	48
50-64	1395	9.3	54	2	3	8	12	18	24	40
65+	3829	12.3	109	2	4	9	15	24	34	61
TOT. SINGLE DX	671	5.6	29	<1	<1	5	8	11	14	22
" MULTIPLE DX	6123	11.0	92	2	3	8	13	22	29	54
TOTAL 0-19 YRS	62	6.4	28	1	2	5	8	12	19	28
20-34	343	7.0	31	<1	2	6	9	13	16	31
35-49	731	7.9	61	<1	1	6	9	13	20	46
50-64	1606	8.8	52	<1	2	7	11	17	23	38
65+	4052	12.0	108	2	3	9	15	24	33	59
GRAND TOTAL	6794	10.5	88	1	3	8	13	21	28	53

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.8	13	7	7	8	12	15	15	15
20-34	30	12.9	23	7	7	11	16	20	22	25
35-49	77	12.5	29	7	7	11	14	19	24	33
50-64	114	13.0	35	7	8	12	15	21	23	36
65+	102	18.7	72	9	9	17	23	30	34	47
2. MULTIPLE DX										
0-19 YRS	3	10.0	37	3	3	13	14	14	14	14
20-34	59	17.5	129	7	8	14	23	35	55	99+
35-49	214	17.0	107	8	9	14	19	31	39	58
50-64	443	19.9	164	9	10	16	22	36	45	76
65+	910	24.5	218	10	11	21	30	47	62	99+
TOT. SINGLE DX	327	14.6	52	7	8	12	18	23	30	42
" MULTIPLE DX	1629	22.0	195	9	10	18	27	40	54	99
TOTAL 0-19 YRS	7	9.9	19	3	4	9	14	15	15	15
20-34	89	15.9	98	7	8	13	20	32	48	99+
35-49	291	15.8	91	7	8	13	18	28	33	56
50-64	557	18.5	146	8	9	15	21	33	43	75
65+	1012	23.9	207	10	11	20	29	44	59	99+
GRAND TOTAL	1956	20.8	178	8	9	17	25	38	51	96

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	18.7	37	12	12	20	23	24	24	24
50-64	15	23.7	223	12	14	19	27	37	62	71
65+	17	18.8	49	10	10	18	24	29	31	32
2. MULTIPLE DX										
0-19 YRS										
20-34	4	19.5	147	7	7	17	27	36	36	36
35-49	18	24.2	294	7	8	22	30	64	86	99+
50-64	101	29.6	326	12	14	24	38	58	68	84
65+	175	27.5	218	12	13	24	35	48	70	99+
TOT. SINGLE DX	35	20.9	123	10	11	18	24	32	36	71
" MULTIPLE DX	298	27.9	259	11	13	24	35	52	69	99+
TOTAL 0-19 YRS										
20-34	4	19.5	147	7	7	17	27	36	36	36
35-49	21	23.4	258	8	9	21	29	62	81	99+
50-64	116	28.8	315	12	14	23	36	56	68	83
65+	192	26.8	209	11	13	23	33	46	69	99+
GRAND TOTAL	333	27.2	249	11	13	23	33	51	69	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	20	13.6	142	5	6	9	13	31	44	53
35-49	32	10.9	20	7	7	9	12	18	21	25
50-64	26	15.8	143	7	7	12	17	29	47	58
65+	12	11.3	11	7	8	10	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	2	9.0	2	8	8	10	77	99+	99+	99+
20-34	22	11.4	24	6	7	10	14	18	23	26
35-49	59	13.0	38	8	8	11	15	21	26	38
50-64	93	17.1	105	8	8	14	20	30	41	57
65+	105	22.2	205	9	10	18	26	46	58	86
TOT. SINGLE DX	91	13.0	83	7	7	10	14	20	29	56
" MULTIPLE DX	281	17.6	137	8	8	14	21	32	45	74
TOTAL 0-19 YRS	3	11.3	17	8	8	13	58	99+	99+	99+
20-34	42	12.4	80	6	7	9	14	22	30	53
35-49	91	12.2	33	7	8	10	13	20	24	35
50-64	119	16.8	113	7	8	13	19	29	42	60
65+	117	21.1	196	8	9	17	25	43	57	83
GRAND TOTAL	372	16.5	127	7	8	13	19	30	43	71

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	7.8	28	2	3	7	9	12	19	30
20-34	184	7.4	5	5	5	7	8	10	11	14
35-49	188	8.3	11	5	5	8	9	12	14	20
50-64	99	10.1	23	5	6	9	12	15	20	31
65+	89	13.3	57	7	7	11	15	20	29	46
2. MULTIPLE DX										
0-19 YRS	110	18.3	186	3	6	14	28	46	56	99+
20-34	303	10.2	79	5	5	8	10	15	24	66
35-49	501	11.2	96	5	5	8	11	18	29	61
50-64	414	16.2	182	6	7	11	19	31	48	77
65+	806	21.9	221	8	9	17	28	42	58	99
TOT. SINGLE DX	614	9.0	23	5	5	8	10	14	17	31
" MULTIPLE DX	2134	16.4	186	5	6	12	20	35	48	87
TOTAL 0-19 YRS	164	14.8	159	3	4	10	20	34	52	99+
20-34	487	9.1	53	5	5	8	9	13	19	50
35-49	689	10.4	74	5	5	8	10	16	24	57
50-64	513	15.0	157	6	6	11	17	30	44	71
65+	895	21.1	212	7	8	16	26	40	56	97
GRAND TOTAL	2748	14.8	159	5	6	10	17	31	43	77

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	5.9	67	<1	1	4	7	9	13	27
20-34	353	5.9	19	<1	1	5	8	11	14	21
35-49	367	5.0	22	<1	<1	4	7	12	14	21
50-64	632	3.9	18	<1	<1	2	5	10	12	19
65+	769	4.0	21	<1	<1	2	5	10	12	22
2. MULTIPLE DX										
0-19 YRS	163	8.7	107	1	2	6	10	14	22	56
20-34	646	9.0	82	1	2	7	11	18	26	53
35-49	885	9.2	78	1	1	7	12	19	26	48
50-64	2264	8.3	67	1	1	6	11	17	23	43
65+	5657	11.0	120	1	2	8	14	22	31	66
TOT. SINGLE DX	2285	4.6	24	<1	<1	3	7	10	13	22
" MULTIPLE DX	9615	10.0	103	1	2	8	13	20	29	57
TOTAL 0-19 YRS	327	7.3	89	1	1	5	8	13	16	54
20-34	999	7.9	62	1	2	6	10	15	22	43
35-49	1252	8.0	66	<1	1	6	10	16	22	43
50-64	2896	7.4	60	<1	1	5	10	16	21	40
65+	6426	10.2	114	1	2	8	13	21	30	62
GRAND TOTAL	**11900**	**9.0**	**92**	**1**	**1**	**7**	**12**	**19**	**26**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.9	19	6	6	8	11	17	21	23
20-34	32	10.7	18	6	7	9	13	18	19	21
35-49	28	16.8	111	5	8	14	23	31	35	48
50-64	43	12.5	58	6	7	10	15	19	24	51
65+	52	13.0	35	6	7	12	16	18	25	38
2. MULTIPLE DX										
0-19 YRS	59	16.8	308	5	6	10	16	48	64	99
20-34	128	17.2	159	7	8	12	21	37	47	76
35-49	177	18.5	179	7	8	14	22	35	50	91
50-64	318	21.3	226	7	9	16	27	43	61	99+
65+	731	23.4	264	8	10	18	29	49	68	99+
TOT. SINGLE DX	173	12.7	52	6	7	10	15	20	28	46
" MULTIPLE DX	1413	21.5	242	8	9	17	27	45	61	99+
TOTAL 0-19 YRS	77	15.2	248	5	6	9	14	33	60	98
20-34	160	15.9	138	7	8	11	18	30	43	69
35-49	205	18.2	170	7	8	14	22	34	48	85
50-64	361	20.3	214	7	8	15	25	41	60	99+
65+	783	22.7	256	8	9	18	28	47	65	99+
GRAND TOTAL	**1586**	**20.5**	**229**	**7**	**8**	**16**	**25**	**43**	**59**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	13.9	69	6	6	12	15	26	33	42
20-34	108	13.8	52	7	8	11	15	25	28	42
35-49	176	12.2	53	7	8	10	13	17	21	53
50-64	506	12.5	29	7	8	11	13	19	23	34
65+	715	14.4	53	8	9	12	16	22	29	46
2. MULTIPLE DX										
0-19 YRS	83	19.5	288	6	7	13	25	44	64	98
20-34	271	18.1	168	7	8	13	21	37	46	86
35-49	674	16.0	92	8	8	13	19	27	33	51
50-64	2415	17.3	114	8	9	14	20	29	38	69
65+	6462	20.9	168	9	10	17	25	37	50	97
TOT. SINGLE DX	1538	13.5	46	7	8	12	15	21	26	42
" MULTIPLE DX	9905	19.6	155	9	10	16	23	35	46	87
TOTAL 0-19 YRS	116	17.9	231	6	7	12	22	41	55	96
20-34	379	16.9	139	7	8	13	20	31	44	78
35-49	850	15.2	87	8	8	12	18	25	32	51
50-64	2921	16.5	103	8	9	13	19	27	35	64
65+	7177	20.3	161	9	10	17	24	36	49	95
GRAND TOTAL	**11443**	**18.8**	**145**	**8**	**9**	**15**	**22**	**33**	**44**	**83**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.4	39	5	5	13	14	22	24	24
20-34	4	14.8	70	6	6	13	20	26	26	26
35-49	12	8.1	4	5	5	8	9	11	12	12
50-64	27	10.8	25	4	5	11	13	17	22	23
65+	32	13.4	71	2	5	11	16	26	29	39
2. MULTIPLE DX										
0-19 YRS	14	12.3	38	6	7	11	14	17	28	31
20-34	32	18.3	277	5	7	13	20	30	58	89
35-49	56	17.6	144	7	8	14	19	34	44	62
50-64	124	19.7	181	8	9	15	24	39	49	85
65+	312	23.2	250	8	10	19	30	53	75	99+
TOT. SINGLE DX	82	11.7	45	4	5	10	14	22	26	36
" MULTIPLE DX	538	21.2	225	8	9	17	26	44	60	99+
TOTAL 0-19 YRS	21	12.3	37	5	6	12	14	19	27	31
20-34	36	17.9	253	5	7	13	20	26	53	89
35-49	68	15.9	132	6	7	12	18	31	43	61
50-64	151	18.1	165	6	8	14	21	35	47	80
65+	344	22.3	242	8	9	18	29	48	70	99+
GRAND TOTAL	**620**	**20.0**	**212**	**7**	**8**	**15**	**25**	**39**	**59**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	6.7	14	2	3	6	8	12	14	20
20-34	92	9.0	14	5	5	8	10	13	17	23
35-49	113	9.0	16	4	5	8	10	13	17	25
50-64	163	9.9	19	4	6	9	11	14	17	29
65+	218	10.3	23	4	6	10	12	16	18	27
2. MULTIPLE DX										
0-19 YRS	123	10.9	127	3	4	8	11	17	30	71
20-34	198	12.9	77	5	6	10	14	23	31	49
35-49	291	13.6	101	6	7	11	15	25	34	80
50-64	655	14.3	104	5	7	11	16	26	37	69
65+	1231	15.9	130	6	7	12	19	29	41	71
TOT. SINGLE DX	682	9.3	20	3	5	9	11	14	17	25
" MULTIPLE DX	2498	14.7	118	5	7	11	17	27	37	70
TOTAL 0-19 YRS	219	9.1	82	2	3	7	10	14	20	52
20-34	290	11.7	60	5	6	10	13	21	25	42
35-49	404	12.3	82	5	6	10	13	22	31	62
50-64	818	13.4	91	5	6	11	15	24	32	59
65+	1449	15.0	118	5	7	12	17	27	39	68
GRAND TOTAL	**3180**	**13.5**	**102**	**5**	**6**	**11**	**15**	**24**	**33**	**64**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	17.3	50	9	9	16	25	26	26	26
20-34	9	9.1	26	1	1	12	12	14	14	14
35-49	17	15.2	202	3	5	11	16	25	51	65
50-64	29	16.9	116	8	8	13	20	30	35	58
65+	49	17.8	72	8	10	16	21	28	33	51
2. MULTIPLE DX										
0-19 YRS	39	18.9	221	5	7	13	23	39	54	70
20-34	40	23.8	530	8	8	16	28	92	99+	99+
35-49	68	21.4	282	7	9	15	26	38	75	98
50-64	325	23.5	234	9	10	19	30	46	58	96
65+	785	26.0	262	9	11	22	34	55	76	99+
TOT. SINGLE DX	110	16.4	101	6	8	14	20	27	33	61
" MULTIPLE DX	1257	24.8	266	8	10	20	32	52	72	99+
TOTAL 0-19 YRS	45	18.7	198	6	8	13	23	37	47	70
20-34	49	21.1	469	6	8	14	24	86	99+	99+
35-49	85	20.2	271	6	8	14	25	38	67	96
50-64	354	22.9	227	8	10	18	29	44	57	95
65+	834	25.5	255	9	11	21	33	54	74	99+
GRAND TOTAL	**1367**	**24.1**	**257**	**8**	**10**	**20**	**31**	**51**	**71**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5439	4.4	5	2	2	4	5	7	9	12
20-34	3455	4.5	4	2	3	4	5	7	8	12
35-49	1095	5.5	7	3	3	5	7	9	11	15
50-64	541	6.9	14	3	3	6	8	12	14	22
65+	203	8.5	21	4	4	8	11	13	15	24
2. MULTIPLE DX										
0-19 YRS	1445	6.8	23	3	3	5	8	13	16	25
20-34	1197	7.1	32	3	3	6	8	12	15	27
35-49	629	9.1	38	3	4	8	11	16	21	34
50-64	577	10.9	51	4	4	10	13	19	24	37
65+	510	13.9	121	5	6	11	16	25	34	75
TOT. SINGLE DX	10733	4.8	7	2	3	4	6	8	10	14
" MULTIPLE DX	4358	8.6	49	3	3	7	10	15	20	36
TOTAL 0-19 YRS	6884	4.9	10	2	3	4	6	8	11	17
20-34	4652	5.2	13	2	3	4	6	8	10	18
35-49	1724	6.8	22	3	3	6	8	12	15	25
50-64	1118	9.0	37	3	4	7	11	15	19	31
65+	713	12.3	99	4	5	10	14	22	29	67
GRAND TOTAL	**15091**	**5.9**	**22**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.5	8	2	2	4	5	7	9	20
20-34	32	4.5	2	3	3	4	6	7	8	9
35-49	14	5.6	2	3	4	5	7	8	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	10.0	50	3	3	9	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	25	5.4	19	2	3	4	6	8	13	25
20-34	23	6.8	17	3	3	5	9	12	18	19
35-49	9	8.0	34	3	4	6	8	17	23	23
50-64	11	12.2	44	4	4	11	19	21	22	22
65+	12	23.1	587	7	7	13	38	90	98	99+
TOT. SINGLE DX	107	4.9	8	2	3	4	5	7	9	20
" MULTIPLE DX	80	9.7	138	3	3	7	10	21	29	96
TOTAL 0-19 YRS	81	4.8	12	2	3	4	5	7	9	24
20-34	55	5.5	10	3	3	4	7	9	11	19
35-49	23	6.6	16	3	4	6	7	9	14	23
50-64	12	11.6	45	4	4	10	18	21	22	22
65+	16	19.8	475	4	6	13	25	80	95	99+
GRAND TOTAL	**187**	**6.9**	**69**	**3**	**3**	**5**	**7**	**12**	**20**	**74**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.6	26	5	6	11	14	21	22	22
20-34	22	9.3	15	4	5	9	11	13	17	22
35-49	8	14.9	23	7	8	15	17	21	23	23
50-64	10	12.5	15	8	8	12	14	18	21	21
65+	7	8.6	20	2	2	9	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	9	12.4	24	6	6	13	15	20	20	20
20-34	14	12.2	14	7	8	12	15	17	19	20
35-49	7	15.1	20	11	11	14	15	23	25	25
50-64	19	17.6	83	6	7	17	22	31	35	37
65+	11	15.9	59	6	8	15	19	27	33	34
TOT. SINGLE DX	61	11.0	23	4	6	10	14	17	21	23
" MULTIPLE DX	60	15.0	49	6	7	14	18	24	31	37
TOTAL 0-19 YRS	23	12.0	24	5	6	12	14	20	21	22
20-34	36	10.4	17	5	6	9	13	15	19	22
35-49	15	15.0	21	8	10	14	17	23	24	25
50-64	29	15.8	65	7	7	14	20	29	32	37
65+	18	13.1	55	3	5	12	16	22	30	34
GRAND TOTAL	**121**	**13.0**	**39**	**5**	**6**	**12**	**15**	**21**	**24**	**35**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.4	8	<1	<1	3	4	7	10	15
20-34	134	4.1	30	<1	1	3	5	8	10	21
35-49	78	3.8	10	<1	1	3	4	8	10	17
50-64	183	5.0	54	<1	1	3	5	12	16	40
65+	311	5.5	47	<1	1	3	6	12	19	28
2. MULTIPLE DX										
0-19 YRS	65	6.2	71	1	2	4	6	14	16	57
20-34	137	7.9	96	1	1	5	10	16	23	51
35-49	183	7.4	45	1	2	6	10	16	17	30
50-64	416	7.4	51	1	2	5	9	17	23	32
65+	1199	10.5	113	2	2	8	14	22	32	68
TOT. SINGLE DX	793	4.8	39	<1	1	3	5	10	14	29
" MULTIPLE DX	2000	9.3	94	1	2	6	12	20	27	56
TOTAL 0-19 YRS	152	4.6	37	<1	1	3	5	10	14	18
20-34	271	6.0	67	1	1	4	7	12	16	44
35-49	261	6.3	37	1	1	5	8	13	16	27
50-64	599	6.6	53	1	1	4	8	15	21	34
65+	1510	9.5	104	1	2	6	13	21	29	60
GRAND TOTAL	**2793**	**8.0**	**83**	**1**	**1**	**5**	**10**	**18**	**25**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.7	8	1	1	3	4	6	10	16
20-34	184	3.1	6	1	1	3	4	5	7	14
35-49	120	3.2	3	1	1	3	4	6	7	10
50-64	73	3.7	7	1	1	3	5	6	8	16
65+	28	5.6	25	2	2	4	7	9	13	27
2. MULTIPLE DX										
0-19 YRS	22	4.5	10	<1	1	4	6	9	12	13
20-34	124	5.2	17	1	2	4	6	11	14	22
35-49	126	6.4	81	1	1	4	7	11	18	54
50-64	108	8.9	110	2	2	5	10	21	29	59
65+	97	11.2	138	2	2	7	13	25	41	56
TOT. SINGLE DX	449	3.4	8	1	1	3	4	6	8	16
" MULTIPLE DX	477	7.5	85	1	2	5	8	16	24	53
TOTAL 0-19 YRS	66	3.9	9	1	1	3	4	8	11	16
20-34	308	4.0	12	1	1	3	5	7	10	19
35-49	246	4.8	46	1	1	3	5	9	11	33
50-64	181	6.8	75	1	2	4	7	16	22	49
65+	125	9.9	118	2	2	6	12	24	30	55
GRAND TOTAL	**926**	**5.5**	**51**	**1**	**1**	**3**	**6**	**11**	**17**	**42**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.6	57	2	6	11	13	25	31	33
20-34	13	17.8	176	6	7	12	26	35	50	53
35-49	41	13.3	36	7	8	12	16	19	21	41
50-64	159	14.3	27	9	9	13	17	22	25	32
65+	220	16.6	93	8	9	15	19	26	33	65
2. MULTIPLE DX										
0-19 YRS	20	14.9	89	5	7	12	20	37	66	99+
20-34	35	20.5	180	8	9	16	26	36	54	65
35-49	130	17.4	89	8	9	15	20	29	36	55
50-64	614	19.2	116	10	11	16	22	32	39	81
65+	1357	22.6	168	10	11	19	27	40	51	99+
TOT. SINGLE DX	451	15.4	68	8	9	14	18	24	28	53
" MULTIPLE DX	2156	21.2	152	9	11	18	25	37	47	92
TOTAL 0-19 YRS	38	13.8	73	5	7	11	16	31	38	99+
20-34	48	19.8	177	8	8	15	26	35	53	65
35-49	171	16.4	80	8	9	14	19	27	34	54
50-64	773	18.2	102	9	10	16	21	30	37	73
65+	1577	21.7	163	9	11	18	26	38	49	93
GRAND TOTAL	**2607**	**20.2**	**142**	**9**	**10**	**17**	**24**	**35**	**44**	**87**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	3.9	11	<1	<1	3	5	8	10	17
20-34	465	5.0	17	<1	1	4	6	9	12	16
35-49	563	4.7	17	<1	<1	4	6	9	12	22
50-64	603	4.6	23	<1	<1	4	6	9	11	18
65+	642	5.8	34	<1	<1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	249	6.8	55	1	1	5	8	14	20	33
20-34	1168	6.7	37	2	2	5	8	12	16	32
35-49	1933	7.7	44	2	2	6	9	14	19	36
50-64	3257	8.2	54	1	2	6	10	15	20	38
65+	7200	10.8	93	2	3	8	13	20	29	61
TOT. SINGLE DX	2424	5.0	23	<1	<1	4	7	10	12	21
" MULTIPLE DX	13807	9.3	75	2	3	7	11	18	25	49
TOTAL 0-19 YRS	400	5.7	41	<1	1	4	7	11	17	32
20-34	1633	6.2	33	1	2	5	8	11	15	29
35-49	2496	7.0	40	1	2	5	9	13	17	34
50-64	3860	7.6	52	1	2	6	9	14	19	36
65+	7842	10.4	91	2	3	8	13	20	28	59
GRAND TOTAL	**16231**	**8.7**	**70**	**1**	**2**	**7**	**11**	**17**	**23**	**45**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.6	3	<1	<1	2	4	4	5	10
20-34	312	3.2	1	1	2	3	4	5	6	8
35-49	334	3.2	3	1	2	3	4	5	6	10
50-64	176	3.6	4	1	2	3	4	6	6	12
65+	61	3.8	4	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	20	4.9	29	<1	1	3	5	13	18	22
20-34	257	4.4	12	1	2	4	5	7	11	21
35-49	347	3.9	6	1	2	4	4	6	8	16
50-64	285	4.5	15	2	2	4	5	7	10	26
65+	170	5.6	28	2	2	4	6	11	14	27
TOT. SINGLE DX	930	3.3	3	1	2	3	4	5	6	10
" MULTIPLE DX	1079	4.4	15	1	2	4	5	7	11	21
TOTAL 0-19 YRS	67	3.3	12	<1	<1	2	4	5	10	21
20-34	569	3.7	7	1	2	3	4	6	7	15
35-49	681	3.6	5	1	2	3	4	5	7	13
50-64	461	4.2	11	2	2	4	4	6	9	20
65+	231	5.1	23	2	2	4	6	9	12	27
GRAND TOTAL	**2009**	**3.9**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.7	4	1	1	2	4	4	6	12
20-34	334	2.8	5	1	1	2	3	4	5	8
35-49	166	3.0	3	<1	1	3	4	5	6	7
50-64	97	3.3	4	1	1	3	4	5	7	13
65+	38	4.9	29	1	2	3	4	9	16	31
2. MULTIPLE DX										
0-19 YRS	20	9.1	346	1	2	4	5	17	55	85
20-34	279	3.9	20	1	1	3	4	6	8	13
35-49	325	3.9	5	1	2	3	5	6	9	12
50-64	283	4.6	14	2	2	4	5	7	11	22
65+	241	7.1	64	2	2	5	8	13	19	58
TOT. SINGLE DX	673	3.0	6	1	1	3	4	5	6	13
" MULTIPLE DX	1148	4.8	31	1	2	4	5	8	12	26
TOTAL 0-19 YRS	58	4.9	127	1	1	3	4	6	10	80
20-34	613	3.3	12	1	1	3	4	5	6	12
35-49	491	3.6	5	1	1	3	4	6	7	12
50-64	380	4.2	12	1	2	3	5	7	10	20
65+	279	6.8	60	2	2	4	8	13	19	54
GRAND TOTAL	**1821**	**4.2**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.8	2	1	1	4	5	6	6	6
20-34	293	4.1	3	2	2	4	5	6	7	11
35-49	449	4.3	3	2	2	4	5	6	8	10
50-64	305	4.1	3	1	2	4	5	6	7	9
65+	93	4.6	5	2	3	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	37	3.5	2	1	1	4	4	5	6	8
20-34	1246	4.3	4	2	2	4	5	7	8	12
35-49	1930	4.8	9	2	2	4	6	8	10	17
50-64	1649	5.3	16	2	2	4	6	9	11	20
65+	1004	7.2	45	2	2	5	8	14	19	38
TOT. SINGLE DX	1159	4.2	3	2	2	4	5	6	8	10
" MULTIPLE DX	5866	5.2	18	2	2	4	6	9	12	22
TOTAL 0-19 YRS	56	3.6	2	1	1	4	5	5	6	8
20-34	1539	4.2	5	2	2	4	5	7	8	12
35-49	2379	4.7	8	2	2	4	5	7	9	16
50-64	1954	5.1	15	2	2	4	6	8	11	18
65+	1097	7.0	43	2	2	5	8	14	18	37
GRAND TOTAL	**7025**	**5.1**	**15**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.6	7	1	1	3	4	7	9	14
20-34	349	3.1	3	1	1	3	4	5	7	12
35-49	288	3.5	6	1	1	3	4	6	8	14
50-64	160	3.8	8	1	1	3	5	6	8	18
65+	86	4.8	11	1	2	4	5	10	12	16
2. MULTIPLE DX										
0-19 YRS	50	7.5	72	2	2	4	10	14	21	48
20-34	234	5.1	30	1	2	4	6	9	13	21
35-49	294	5.2	19	1	2	4	7	10	13	22
50-64	291	7.1	73	1	2	4	8	14	22	50
65+	285	9.6	118	2	3	6	12	19	28	66
TOT. SINGLE DX	962	3.5	6	1	1	3	4	6	8	14
" MULTIPLE DX	1154	6.9	65	1	2	4	8	14	18	44
TOTAL 0-19 YRS	129	5.1	36	1	1	3	5	10	14	39
20-34	583	3.9	15	1	1	3	5	7	9	16
35-49	582	4.4	14	1	1	3	5	8	11	20
50-64	451	5.9	53	1	2	4	6	12	17	48
65+	371	8.5	98	2	2	5	10	17	25	49
GRAND TOTAL	**2116**	**5.4**	**41**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	11.0	56	1	2	9	17	21	22	22
35-49	4	6.0	4	4	4	5	7	9	9	9
50-64	6	10.7	94	1	1	8	15	27	28	28
65+	5	13.2	140	1	1	15	21	29	29	29
2. MULTIPLE DX										
0-19 YRS	3	26.0	259	8	8	31	37	39	39	39
20-34	9	24.1	372	8	8	19	33	56	65	65
35-49	19	19.4	175	3	6	16	30	41	46	46
50-64	41	19.1	174	2	2	18	26	37	45	54
65+	39	20.6	252	2	7	16	28	43	54	74
TOT. SINGLE DX	23	10.3	66	1	1	8	15	23	28	29
" MULTIPLE DX	111	20.3	214	2	5	16	28	42	47	69
TOTAL 0-19 YRS	5	19.0	223	7	7	10	33	39	39	39
20-34	15	18.9	277	2	7	11	23	43	59	65
35-49	23	17.1	171	3	5	15	20	38	45	46
50-64	47	18.0	170	2	2	16	26	36	44	54
65+	44	19.8	242	2	3	15	27	42	52	74
GRAND TOTAL	**134**	**18.6**	**202**	**2**	**4**	**16**	**26**	**39**	**46**	**66**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.7	13	1	1	2	5	8	12	16
20-34	200	3.7	17	1	1	2	5	9	12	19
35-49	209	3.4	39	<1	1	2	3	7	12	22
50-64	248	3.9	25	<1	1	2	4	11	15	23
65+	131	6.1	59	1	1	2	8	17	24	33
2. MULTIPLE DX										
0-19 YRS	80	14.5	275	1	2	8	22	32	40	87
20-34	345	10.6	145	1	1	7	14	25	37	79
35-49	589	11.7	152	1	2	8	15	27	34	69
50-64	1137	11.1	118	1	2	8	15	25	33	51
65+	1286	14.9	186	1	2	12	19	31	41	82
TOT. SINGLE DX	826	4.1	32	<1	1	2	4	10	15	25
" MULTIPLE DX	3437	12.7	159	1	2	10	17	28	36	74
TOTAL 0-19 YRS	118	11.1	216	1	1	6	14	28	36	82
20-34	545	8.1	109	1	1	4	11	20	27	67
35-49	798	9.5	136	1	1	5	13	24	32	66
50-64	1385	9.8	110	1	1	7	14	23	31	48
65+	1417	14.1	181	1	2	11	19	30	39	79
GRAND TOTAL	**4263**	**11.0**	**146**	**1**	**1**	**8**	**15**	**25**	**34**	**68**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	6.6	7	4	4	6	7	9	13	17
20-34	2801	6.7	7	4	4	6	8	10	11	16
35-49	2749	7.0	6	4	5	6	8	10	11	16
50-64	2494	7.7	8	5	5	7	9	11	13	18
65+	1331	9.5	20	5	6	8	11	15	18	27
2. MULTIPLE DX										
0-19 YRS	186	9.7	31	4	5	8	11	16	20	35
20-34	2292	8.7	22	4	5	7	10	14	17	29
35-49	3430	9.3	34	5	5	8	11	15	19	33
50-64	5334	10.8	44	5	6	9	13	18	23	36
65+	7106	15.2	108	6	7	12	18	26	35	69
TOT. SINGLE DX	9600	7.4	10	4	5	7	8	11	13	19
" MULTIPLE DX	18348	11.9	72	5	6	9	14	21	27	51
TOTAL 0-19 YRS	411	8.0	20	4	5	7	9	13	16	26
20-34	5093	7.6	15	4	5	7	9	12	14	22
35-49	6179	8.3	23	4	5	7	9	13	16	28
50-64	7828	9.8	35	5	5	8	11	16	20	33
65+	8437	14.3	99	6	6	12	17	25	32	65
GRAND TOTAL	**27948**	**10.4**	**55**	**5**	**5**	**8**	**12**	**18**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	14.8	10	10	10	15	18	18	18	18
20-34	32	8.1	65	<1	1	6	10	16	28	38
35-49	56	10.0	55	2	2	9	13	21	23	37
50-64	80	12.5	103	1	2	10	17	25	33	49
65+	138	14.4	145	1	2	11	19	33	40	55
2. MULTIPLE DX										
0-19 YRS	10	22.8	286	5	6	21	22	51	61	61
20-34	44	14.4	113	2	4	10	20	32	40	42
35-49	103	16.7	131	3	5	14	21	34	37	57
50-64	329	18.4	147	4	6	16	24	34	48	62
65+	1034	20.4	185	3	6	18	27	38	50	83
TOT. SINGLE DX	312	12.5	111	1	2	10	17	26	35	51
" MULTIPLE DX	1520	19.6	174	3	6	17	25	37	49	80
TOTAL 0-19 YRS	16	19.8	191	6	7	17	22	40	55	61
20-34	76	11.7	102	1	1	9	15	25	36	42
35-49	159	14.3	114	2	3	11	19	29	36	51
50-64	409	17.2	144	3	4	15	22	32	46	60
65+	1172	19.7	185	3	5	17	26	38	50	82
GRAND TOTAL	**1832**	**18.4**	**171**	**2**	**4**	**16**	**24**	**36**	**46**	**73**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.8	67	1	1	3	5	19	27	27
20-34	80	5.6	34	1	1	4	8	12	18	30
35-49	136	6.0	60	<1	<1	3	9	12	17	51
50-64	141	6.5	51	<1	1	3	9	15	20	32
65+	132	8.8	151	1	1	4	10	24	33	62
2. MULTIPLE DX										
0-19 YRS	24	19.9	401	1	2	17	27	42	65	87
20-34	171	14.9	189	2	3	10	20	38	46	96
35-49	357	15.8	195	1	2	12	22	36	48	99
50-64	552	15.6	192	2	3	12	22	32	49	75
65+	920	16.1	191	2	3	12	22	34	46	81
TOT. SINGLE DX	498	6.8	79	<1	1	3	9	16	25	44
" MULTIPLE DX	2024	15.8	194	2	3	12	22	34	47	87
TOTAL 0-19 YRS	33	16.1	346	1	2	11	25	35	53	87
20-34	251	11.9	159	1	2	8	15	31	41	85
35-49	493	13.1	177	1	1	9	17	31	44	85
50-64	693	13.7	177	1	2	10	19	30	45	65
65+	1052	15.2	192	2	2	12	21	33	44	81
GRAND TOTAL	**2522**	**14.1**	**184**	**1**	**2**	**10**	**19**	**32**	**44**	**78**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	3.9	14	<1	<1	3	5	8	9	15
20-34	455	5.5	41	<1	1	4	7	10	14	23
35-49	436	4.9	21	<1	<1	4	7	10	13	21
50-64	604	4.5	20	<1	<1	3	6	9	12	21
65+	783	5.2	34	<1	<1	4	7	11	14	32
2. MULTIPLE DX										
0-19 YRS	211	6.6	44	1	2	5	8	12	20	48
20-34	799	7.0	45	1	2	5	9	13	19	36
35-49	1145	7.9	59	1	2	6	9	15	21	47
50-64	2544	8.3	66	1	2	6	10	16	22	43
65+	7845	10.1	90	2	2	8	12	20	28	64
TOT. SINGLE DX	2463	4.9	29	<1	<1	4	7	10	13	23
" MULTIPLE DX	12544	9.3	80	1	2	7	11	18	25	55
TOTAL 0-19 YRS	396	5.3	32	<1	1	4	7	10	14	37
20-34	1254	6.4	45	1	2	5	8	12	16	35
35-49	1581	7.1	51	<1	1	5	9	14	19	36
50-64	3148	7.5	60	<1	1	6	9	15	20	41
65+	8628	9.7	88	1	2	7	12	19	27	60
GRAND TOTAL	**15007**	**8.6**	**75**	**1**	**2**	**6**	**11**	**17**	**23**	**51**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2760	1.9	1	<1	<1	2	2	3	4	5
20-34	3228	3.0	2	1	1	3	4	4	5	7
35-49	2760	3.2	1	1	2	3	4	5	5	8
50-64	3979	3.5	2	1	2	3	4	5	6	9
65+	2954	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	1351	2.4	14	<1	<1	2	2	4	5	11
20-34	1146	3.6	4	1	2	3	4	5	7	11
35-49	1688	4.1	8	1	2	4	5	6	8	15
50-64	3981	4.6	13	2	2	4	5	7	10	18
65+	6069	6.6	44	2	3	5	7	12	18	39
TOT. SINGLE DX	15681	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	14235	5.1	27	1	2	4	6	9	13	27
TOTAL 0-19 YRS	4111	2.0	6	<1	<1	2	2	3	4	8
20-34	4374	3.1	3	1	2	3	4	5	5	8
35-49	4448	3.5	5	1	2	3	4	5	6	11
50-64	7960	4.0	8	2	2	4	5	6	8	15
65+	9023	5.8	33	2	2	4	6	10	15	34
GRAND TOTAL	**29916**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	963	1.5	1	<1	<1	1	2	2	3	5
20-34	178	3.6	2	2	2	4	4	5	6	8
35-49	292	4.0	2	2	2	4	5	6	7	9
50-64	465	4.2	2	2	3	4	5	6	7	9
65+	253	4.7	4	2	3	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	744	3.0	84	<1	<1	1	2	3	7	81
20-34	106	4.0	7	1	2	4	4	6	7	17
35-49	232	4.5	4	2	2	4	5	7	8	12
50-64	518	5.1	9	2	3	5	6	8	10	17
65+	608	7.0	40	3	3	5	8	11	17	38
TOT. SINGLE DX	2151	3.0	4	<1	<1	3	4	5	6	9
" MULTIPLE DX	2208	4.8	45	<1	<1	4	6	8	11	40
TOTAL 0-19 YRS	1707	2.2	38	<1	<1	1	2	3	4	34
20-34	284	3.7	4	1	2	4	4	5	6	10
35-49	524	4.2	4	2	2	4	5	6	8	11
50-64	983	4.7	6	2	3	4	5	7	9	15
65+	861	6.3	31	2	3	5	7	10	14	31
GRAND TOTAL	**4359**	**3.9**	**26**	**<1**	**<1**	**3**	**5**	**7**	**9**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.5	4	<1	1	2	3	5	5	12
20-34	68	3.2	2	1	1	3	4	5	5	8
35-49	128	3.4	2	1	1	3	4	6	6	9
50-64	174	4.5	8	2	2	4	5	7	8	13
65+	222	5.7	12	2	3	5	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	6	6.7	55	<1	<1	5	7	20	21	21
20-34	38	3.8	3	1	2	3	4	7	7	8
35-49	79	4.2	5	1	2	4	5	8	10	12
50-64	155	6.2	25	2	3	5	7	11	16	30
65+	532	9.8	78	2	3	7	12	18	26	43
TOT. SINGLE DX	622	4.5	9	1	2	4	5	7	9	16
" MULTIPLE DX	810	8.3	62	2	3	6	10	16	22	38
TOTAL 0-19 YRS	36	3.2	14	<1	<1	2	4	6	10	21
20-34	106	3.4	3	1	1	3	4	5	7	8
35-49	207	3.7	4	1	2	3	4	6	8	11
50-64	329	5.3	17	2	2	4	6	9	11	28
65+	754	8.6	63	2	3	6	10	16	22	38
GRAND TOTAL	**1432**	**6.6**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	2.0	3	<1	<1	2	2	3	4	5
20-34	236	2.9	1	1	1	3	4	5	5	7
35-49	357	3.2	2	1	1	3	4	5	6	10
50-64	270	3.7	3	1	2	3	5	6	7	10
65+	133	5.5	31	2	2	4	7	9	10	28
2. MULTIPLE DX										
0-19 YRS	100	3.2	17	<1	<1	2	4	6	7	26
20-34	113	4.2	5	1	2	4	5	7	8	11
35-49	303	5.0	14	1	2	4	6	8	11	20
50-64	425	6.4	24	2	2	5	8	13	17	27
65+	404	9.7	102	2	3	7	11	17	28	71
TOT. SINGLE DX	1438	3.1	6	<1	1	3	4	5	6	10
" MULTIPLE DX	1345	6.7	48	1	2	5	8	13	17	42
TOTAL 0-19 YRS	542	2.2	6	<1	<1	2	3	3	5	9
20-34	349	3.3	3	1	1	3	4	5	7	9
35-49	660	4.0	9	1	2	3	5	7	8	16
50-64	695	5.3	18	1	2	4	6	10	14	25
65+	537	8.7	88	2	3	6	10	16	23	69
GRAND TOTAL	**2783**	**4.8**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	2.4	2	<1	<1	2	3	4	5	10
20-34	409	3.7	3	1	1	3	5	6	7	9
35-49	557	4.7	5	2	2	4	6	8	9	12
50-64	613	5.2	5	2	3	5	6	8	10	13
65+	431	6.1	8	2	3	6	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	38	4.4	27	<1	<1	3	4	8	18	27
20-34	239	6.0	19	2	2	5	7	10	15	25
35-49	615	7.0	25	2	3	6	8	12	16	27
50-64	1089	8.5	50	3	4	7	10	15	20	40
65+	1264	10.9	95	3	4	8	13	20	26	76
TOT. SINGLE DX	2110	4.8	7	1	2	4	6	8	10	13
" MULTIPLE DX	3245	8.9	64	3	3	7	10	16	22	45
TOTAL 0-19 YRS	138	3.0	10	<1	<1	2	3	5	7	23
20-34	648	4.5	11	1	2	4	6	7	9	18
35-49	1172	5.9	17	2	2	5	7	10	13	21
50-64	1702	7.3	37	2	3	6	8	12	16	32
65+	1695	9.7	78	3	4	8	11	18	24	57
GRAND TOTAL	**5355**	**7.3**	**45**	**2**	**3**	**6**	**9**	**13**	**18**	**35**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	18	7.6	17	2	2	7	9	15	16	16
35-49	26	7.2	15	2	2	7	10	12	15	17
50-64	29	7.7	9	3	4	7	10	12	13	15
65+	36	11.6	40	3	5	10	14	21	23	34
2. MULTIPLE DX										
0-19 YRS	10	12.2	77	3	4	11	13	27	31	31
20-34	35	11.5	84	4	6	9	11	21	33	48
35-49	53	11.5	54	4	5	10	15	20	27	98
50-64	112	12.0	37	6	7	10	15	21	25	61
65+	184	16.6	119	7	8	13	19	32	43	99+
TOT. SINGLE DX	111	8.7	26	2	3	8	11	15	17	27
" MULTIPLE DX	394	14.0	88	5	7	11	17	25	35	99+
TOTAL 0-19 YRS	12	10.7	77	2	3	9	12	26	30	31
20-34	53	10.2	64	2	4	8	11	16	30	48
35-49	79	10.1	45	2	4	9	13	19	22	84
50-64	141	11.1	35	4	6	9	13	20	23	43
65+	220	15.8	110	6	8	13	19	28	41	99+
GRAND TOTAL	**505**	**12.9**	**79**	**4**	**6**	**10**	**16**	**23**	**33**	**86**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	4.0	13	<1	<1	3	5	8	11	19
20-34	261	4.5	12	<1	1	4	6	8	11	21
35-49	194	5.7	32	<1	1	4	7	13	17	24
50-64	206	7.0	36	1	1	5	9	13	19	28
65+	162	8.7	49	1	2	7	12	17	20	33
2. MULTIPLE DX										
0-19 YRS	137	8.0	59	1	2	6	10	17	24	59
20-34	321	9.8	125	1	2	6	11	23	34	67
35-49	572	11.6	132	1	2	8	14	25	32	66
50-64	1094	12.8	131	2	3	9	17	27	38	65
65+	1673	15.4	176	2	4	12	20	30	42	82
TOT. SINGLE DX	1001	5.8	30	<1	1	4	8	12	17	25
" MULTIPLE DX	3797	13.4	153	2	3	10	18	28	38	75
TOTAL 0-19 YRS	315	5.7	37	<1	1	4	7	12	17	32
20-34	582	7.4	82	1	1	5	8	16	27	52
35-49	766	10.1	114	1	2	7	13	22	29	56
50-64	1300	11.9	121	2	2	9	15	24	36	63
65+	1835	14.8	169	2	3	11	19	29	40	80
GRAND TOTAL	**4798**	**11.8**	**137**	**1**	**2**	**8**	**15**	**26**	**35**	**70**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	5.8	13	1	2	5	8	11	14	18
20-34	236	5.8	11	1	2	5	7	10	13	19
35-49	103	7.7	28	1	3	7	10	14	17	32
50-64	56	11.1	88	3	4	8	13	18	33	54
65+	67	13.0	35	4	6	12	18	21	23	26
2. MULTIPLE DX										
0-19 YRS	147	10.1	100	3	3	8	11	16	35	62
20-34	374	9.9	96	2	3	7	11	19	32	53
35-49	244	14.5	234	3	5	9	16	34	51	79
50-64	339	17.3	181	5	6	13	21	34	49	79
65+	503	21.1	230	7	8	17	26	43	57	99+
TOT. SINGLE DX	579	7.5	32	1	2	6	9	15	18	26
" MULTIPLE DX	1607	15.7	198	3	5	11	19	34	48	84
TOTAL 0-19 YRS	264	8.2	66	2	3	6	9	15	18	47
20-34	610	8.3	68	2	2	6	9	16	24	48
35-49	347	12.5	183	2	4	8	13	26	41	79
50-64	395	16.4	173	5	5	12	20	33	48	76
65+	570	20.2	215	7	8	16	25	39	54	99+
GRAND TOTAL	**2186**	**13.5**	**167**	**2**	**4**	**9**	**17**	**29**	**41**	**77**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	306	2.7	4	<1	1	2	3	6	7	10
20-34	1636	2.1	3	<1	<1	2	2	4	6	9
35-49	366	2.3	4	<1	<1	2	2	4	7	12
50-64	44	2.4	3	<1	<1	2	3	5	6	9
65+	16	2.6	3	<1	1	2	3	4	7	9
2. MULTIPLE DX										
0-19 YRS	255	3.6	8	<1	1	2	5	8	9	14
20-34	1943	2.5	7	<1	<1	2	2	5	7	13
35-49	520	2.8	12	<1	<1	2	2	5	9	19
50-64	64	4.8	27	<1	1	2	6	11	14	30
65+	65	13.0	139	1	2	10	21	25	31	65
TOT. SINGLE DX	2368	2.2	3	<1	<1	2	2	5	6	9
" MULTIPLE DX	2847	2.9	15	<1	<1	2	3	6	9	19
TOTAL 0-19 YRS	561	3.1	6	<1	1	2	4	7	8	12
20-34	3579	2.3	6	<1	<1	2	2	5	7	11
35-49	886	2.6	9	<1	<1	2	2	5	8	16
50-64	108	3.8	19	<1	<1	2	4	10	12	23
65+	81	10.9	130	1	2	7	17	24	31	59
GRAND TOTAL	**5215**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	7.5	49	1	2	6	8	12	18	47
20-34	291	6.2	20	<1	1	6	8	11	15	25
35-49	200	8.0	26	<1	2	8	10	13	15	31
50-64	165	9.1	21	2	3	9	11	15	17	23
65+	166	11.8	41	4	5	11	14	19	26	33
2. MULTIPLE DX										
0-19 YRS	132	11.0	231	1	2	7	11	22	38	94
20-34	835	7.2	57	1	1	6	8	13	19	39
35-49	654	11.5	116	1	2	8	14	23	32	63
50-64	674	15.4	131	3	5	12	20	29	38	65
65+	1087	19.6	194	6	8	16	24	38	54	99+
TOT. SINGLE DX	895	8.3	32	1	2	7	11	15	18	28
" MULTIPLE DX	3382	13.8	158	2	3	10	18	28	39	78
TOTAL 0-19 YRS	205	9.8	169	1	2	7	10	16	25	89
20-34	1126	6.9	48	<1	1	6	8	13	17	36
35-49	854	10.7	98	1	2	8	13	21	28	61
50-64	839	14.2	116	3	4	11	18	27	35	61
65+	1253	18.6	181	5	7	15	23	35	51	97
GRAND TOTAL	**4277**	**12.6**	**137**	**1**	**2**	**9**	**16**	**26**	**35**	**68**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	8.7	12	3	3	9	11	13	14	15
20-34	26	8.8	9	6	6	8	10	13	15	20
35-49	53	10.9	27	6	7	9	11	17	21	35
50-64	95	11.2	16	7	7	10	12	16	18	25
65+	116	13.1	25	8	8	12	15	19	23	32
2. MULTIPLE DX										
0-19 YRS	74	11.3	78	4	5	9	13	20	34	47
20-34	89	13.8	185	6	7	10	13	22	35	91
35-49	134	14.8	77	6	8	12	18	24	40	46
50-64	403	15.7	91	7	8	13	18	26	38	54
65+	623	18.6	128	8	9	16	22	33	47	99+
TOT. SINGLE DX	306	11.5	23	6	7	10	13	17	21	26
" MULTIPLE DX	1323	16.6	118	7	8	14	20	30	40	80
TOTAL 0-19 YRS	90	10.9	67	4	5	9	12	18	24	46
20-34	115	12.6	150	6	6	9	13	21	29	88
35-49	187	13.7	66	6	7	11	16	22	33	45
50-64	498	14.8	81	7	8	12	17	25	34	50
65+	739	17.8	117	8	9	15	21	31	42	99+
GRAND TOTAL	**1629**	**15.7**	**104**	**7**	**8**	**13**	**18**	**27**	**38**	**72**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	7.2	26	2	2	7	11	13	16	19
20-34	225	8.2	27	2	2	8	11	14	17	26
35-49	243	8.0	24	2	2	8	10	13	16	26
50-64	218	8.6	27	2	2	8	11	15	17	21
65+	134	8.4	34	2	2	8	10	13	19	36
2. MULTIPLE DX										
0-19 YRS	199	12.9	99	2	3	10	18	26	31	58
20-34	349	11.6	82	2	3	10	15	23	27	42
35-49	376	13.0	105	2	3	10	16	23	34	50
50-64	613	14.4	143	2	3	11	17	28	38	66
65+	721	16.3	175	2	4	13	21	33	46	85
TOT. SINGLE DX	978	8.1	28	2	2	8	10	14	16	26
" MULTIPLE DX	2258	14.2	137	2	3	11	18	28	38	70
TOTAL 0-19 YRS	357	10.4	75	2	2	8	13	21	27	48
20-34	574	10.3	64	2	2	9	13	19	25	40
35-49	619	11.0	80	2	2	9	14	20	28	46
50-64	831	12.9	120	2	3	10	15	24	33	64
65+	855	15.1	162	2	3	12	19	31	42	80
GRAND TOTAL	**3236**	**12.4**	**112**	**2**	**3**	**10**	**15**	**24**	**33**	**63**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.7	6	2	3	7	8	10	11	11
20-34	146	7.7	11	2	3	7	10	12	13	19
35-49	199	9.0	14	3	5	9	11	13	15	19
50-64	174	8.7	13	2	4	9	11	13	15	17
65+	70	9.7	22	3	4	9	11	16	20	25
2. MULTIPLE DX										
0-19 YRS	13	8.0	16	<1	2	8	10	13	15	15
20-34	129	11.8	92	4	5	10	14	19	21	95
35-49	190	10.8	36	3	4	10	13	17	21	37
50-64	323	11.9	64	3	5	10	15	19	24	40
65+	325	14.6	95	3	5	13	18	27	32	75
TOT. SINGLE DX	603	8.6	15	3	4	8	11	13	15	20
" MULTIPLE DX	980	12.5	75	3	5	11	15	21	27	49
TOTAL 0-19 YRS	27	7.3	11	2	3	8	9	12	13	15
20-34	275	9.6	54	3	4	8	12	15	19	43
35-49	389	9.9	27	3	4	9	12	15	18	34
50-64	497	10.8	49	3	4	10	13	17	20	36
65+	395	13.7	86	3	5	12	17	25	30	64
GRAND TOTAL	**1583**	**11.0**	**55**	**3**	**4**	**10**	**13**	**18**	**23**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	7.9	6	5	5	7	9	10	12	19
20-34	18	11.6	28	3	8	10	13	20	24	25
35-49	11	12.4	18	3	7	13	15	17	19	19
50-64	6	9.8	19	2	3	11	13	14	14	14
65+	11	16.2	107	2	2	18	23	28	35	36
2. MULTIPLE DX										
0-19 YRS	146	11.9	77	6	6	9	14	21	25	44
20-34	41	15.5	180	5	7	11	17	26	41	81
35-49	36	17.9	74	8	9	16	21	29	35	48
50-64	62	18.6	222	4	7	13	24	35	48	82
65+	105	21.2	158	8	10	18	26	33	52	88
TOT. SINGLE DX	202	9.0	19	5	5	8	10	14	19	24
" MULTIPLE DX	390	16.4	146	6	7	13	21	29	38	80
TOTAL 0-19 YRS	302	9.8	45	5	6	8	10	16	21	38
20-34	59	14.3	136	5	7	11	16	24	33	78
35-49	47	16.6	66	8	9	15	19	26	31	48
50-64	68	17.8	210	4	7	13	21	35	41	81
65+	116	20.7	155	6	9	18	26	33	48	85
GRAND TOTAL	**592**	**13.9**	**115**	**5**	**6**	**10**	**17**	**26**	**33**	**68**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	5.1	16	<1	<1	3	8	11	14	16
20-34	292	4.7	11	1	2	4	6	8	10	16
35-49	418	4.5	7	1	2	4	6	8	10	14
50-64	288	4.7	9	1	2	4	6	8	11	15
65+	114	5.5	18	2	2	4	7	11	13	24
2. MULTIPLE DX										
0-19 YRS	58	10.1	62	1	2	9	13	18	20	51
20-34	168	6.7	39	2	2	5	8	12	14	43
35-49	301	6.8	29	2	2	5	9	13	18	32
50-64	373	7.4	44	2	2	6	9	14	19	38
65+	323	9.9	78	2	2	7	13	20	27	47
TOT. SINGLE DX	1167	4.7	11	1	2	4	6	9	11	16
" MULTIPLE DX	1223	7.9	52	2	2	6	10	15	21	39
TOTAL 0-19 YRS	113	7.6	46	<1	<1	7	10	15	18	35
20-34	460	5.4	22	1	2	4	7	10	12	21
35-49	719	5.5	18	1	2	4	7	10	13	24
50-64	661	6.2	31	2	2	5	8	12	15	28
65+	437	8.8	67	2	2	6	11	18	26	41
GRAND TOTAL	**2390**	**6.4**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	409	1.9	3	<1	<1	1	2	4	6	10
20-34	668	3.4	9	<1	<1	2	5	7	10	15
35-49	857	3.3	8	<1	<1	2	5	7	9	14
50-64	979	3.4	12	<1	<1	2	4	7	10	17
65+	942	4.2	17	<1	1	3	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	454	3.2	13	<1	<1	2	4	7	10	20
20-34	1085	6.1	42	<1	1	4	8	12	17	34
35-49	1670	6.4	55	<1	1	4	8	13	19	38
50-64	3451	6.8	77	1	1	4	8	15	22	46
65+	7528	10.4	150	1	2	7	13	24	35	92
TOT. SINGLE DX	3855	3.4	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	14188	8.5	114	1	1	5	11	19	28	71
TOTAL 0-19 YRS	863	2.6	9	<1	<1	1	3	6	8	17
20-34	1753	5.1	32	<1	1	3	7	11	15	30
35-49	2527	5.4	42	<1	1	3	7	11	16	32
50-64	4430	6.0	65	<1	1	3	7	14	19	42
65+	8470	9.7	140	1	1	6	12	23	33	86
GRAND TOTAL	**18043**	**7.4**	**96**	**<1**	**1**	**4**	**9**	**17**	**25**	**62**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.4	14	2	2	2	6	11	12	12
20-34	45	2.5	3	<1	1	2	3	5	6	9
35-49	200	3.1	5	<1	1	2	4	6	8	12
50-64	846	3.8	10	1	1	3	5	7	9	16
65+	1598	4.3	9	1	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	15	10.3	172	1	1	6	12	34	44	47
20-34	91	5.2	58	<1	1	3	7	10	13	49
35-49	287	5.1	33	<1	1	3	6	11	15	29
50-64	1626	5.4	44	1	1	3	6	11	16	33
65+	5130	7.8	80	2	2	5	9	17	24	50
TOT. SINGLE DX	2697	4.0	10	1	1	3	5	7	9	16
" MULTIPLE DX	7149	7.1	72	1	2	4	8	15	21	47
TOTAL 0-19 YRS	23	8.2	122	1	2	4	9	17	39	47
20-34	136	4.3	42	<1	1	3	5	9	11	30
35-49	487	4.3	23	<1	1	3	5	9	13	25
50-64	2472	4.9	33	1	1	3	6	10	14	27
65+	6728	7.0	66	1	2	5	8	14	21	45
GRAND TOTAL	**9846**	**6.3**	**57**	**1**	**2**	**4**	**7**	**13**	**19**	**41**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	6.5	47	1	1	4	8	13	23	35
20-34	71	5.9	61	<1	1	4	7	10	15	52
35-49	135	5.9	31	<1	1	4	8	13	16	31
50-64	217	6.2	32	1	1	4	9	14	17	27
65+	334	7.2	51	1	2	5	9	16	21	34
2. MULTIPLE DX										
0-19 YRS	182	11.6	188	2	2	7	14	28	43	96
20-34	150	11.2	155	1	2	7	15	26	35	84
35-49	239	11.0	135	2	2	8	14	23	30	76
50-64	669	10.8	121	1	2	8	14	23	31	59
65+	1813	13.7	165	2	2	10	18	30	44	99+
TOT. SINGLE DX	821	6.6	44	1	1	4	9	14	19	32
" MULTIPLE DX	3053	12.6	156	2	2	9	17	27	40	88
TOTAL 0-19 YRS	246	10.3	156	1	2	6	12	26	40	89
20-34	221	9.5	131	1	2	6	11	23	30	70
35-49	374	9.2	104	1	2	6	12	19	26	58
50-64	886	9.7	104	1	2	7	13	20	28	49
65+	2147	12.6	153	2	2	9	17	28	41	94
GRAND TOTAL	**3874**	**11.3**	**138**	**1**	**2**	**8**	**15**	**25**	**35**	**74**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	1.3	3	<1	<1	<1	1	2	2	9
20-34	12	1.8	2	<1	<1	1	2	4	6	6
35-49	9	3.7	13	<1	<1	2	4	10	11	11
50-64	12	2.3	5	<1	<1	1	2	7	7	7
65+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	82	1.8	2	<1	<1	1	2	4	5	7
20-34	15	3.3	11	1	1	2	4	7	12	14
35-49	20	2.2	3	<1	<1	2	2	4	7	9
50-64	32	4.1	25	1	1	2	4	10	13	26
65+	28	7.2	36	1	2	6	10	15	21	24
TOT. SINGLE DX	221	1.5	4	<1	<1	<1	1	2	3	11
" MULTIPLE DX	177	3.2	16	<1	<1	2	3	7	12	23
TOTAL 0-19 YRS	264	1.5	3	<1	<1	<1	1	2	3	7
20-34	27	2.7	7	<1	1	2	3	6	8	14
35-49	29	2.7	7	<1	<1	2	2	7	9	11
50-64	44	3.6	20	<1	1	2	4	8	12	26
65+	34	6.4	33	1	1	4	9	14	20	24
GRAND TOTAL	**398**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**5**	**8**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	426	6.1	22	<1	1	5	9	12	13	19
20-34	164	3.2	9	<1	<1	2	4	8	10	15
35-49	106	4.0	8	<1	1	3	5	8	9	15
50-64	83	4.4	11	<1	1	3	6	10	12	15
65+	81	4.4	16	1	1	3	5	9	11	25
2. MULTIPLE DX										
0-19 YRS	199	7.0	39	<1	1	6	10	14	17	29
20-34	105	6.0	69	<1	1	3	7	13	23	44
35-49	93	6.8	32	1	1	6	9	14	18	28
50-64	143	5.2	26	1	1	3	6	12	17	26
65+	270	8.3	82	1	2	5	10	17	30	48
TOT. SINGLE DX	860	5.0	18	<1	1	3	8	11	12	17
" MULTIPLE DX	810	7.0	56	1	1	4	9	14	20	39
TOTAL 0-19 YRS	625	6.4	28	<1	1	5	9	12	14	24
20-34	269	4.3	35	<1	<1	2	4	10	13	36
35-49	199	5.3	22	<1	1	4	8	11	14	22
50-64	226	4.9	21	1	1	3	6	11	14	22
65+	351	7.4	70	1	2	4	8	16	26	43
GRAND TOTAL	**1670**	**5.9**	**37**	**<1**	**1**	**4**	**8**	**12**	**16**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	1.5	1	<1	<1	1	1	2	4	7
20-34	92	2.9	6	<1	<1	2	4	5	8	16
35-49	74	3.1	8	<1	<1	2	3	7	9	14
50-64	78	3.7	18	<1	1	2	4	7	11	27
65+	111	3.1	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	190	2.1	7	<1	<1	1	2	4	8	15
20-34	270	4.5	31	<1	<1	2	6	10	13	29
35-49	282	5.8	58	<1	1	3	8	12	18	45
50-64	450	6.2	64	1	1	3	8	14	20	40
65+	1213	9.9	101	1	2	7	13	23	30	81
TOT. SINGLE DX	458	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	2405	7.5	81	<1	1	4	10	17	25	53
TOTAL 0-19 YRS	293	1.9	5	<1	<1	1	2	3	7	12
20-34	362	4.1	25	<1	1	2	5	9	13	21
35-49	356	5.3	50	<1	1	3	7	11	15	39
50-64	528	5.8	59	1	1	3	7	13	17	39
65+	1324	9.4	97	1	2	6	12	22	29	75
GRAND TOTAL	**2863**	**6.8**	**72**	**<1**	**1**	**4**	**9**	**16**	**23**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	1.9	3	<1	<1	1	2	4	6	10
20-34	124	3.3	7	<1	<1	3	4	6	9	15
35-49	83	3.4	8	<1	1	2	4	7	10	14
50-64	103	3.7	10	<1	1	3	5	7	9	17
65+	127	4.0	10	1	1	3	5	7	11	19
2. MULTIPLE DX										
0-19 YRS	78	3.1	14	<1	<1	2	3	8	11	21
20-34	115	3.7	12	<1	1	2	5	8	12	17
35-49	119	5.6	29	<1	1	4	8	12	19	24
50-64	199	5.8	31	1	1	4	7	11	14	33
65+	497	8.6	83	2	2	5	10	19	29	57
TOT. SINGLE DX	530	3.3	9	<1	<1	3	4	7	9	15
" MULTIPLE DX	1008	6.7	58	1	1	4	8	14	21	45
TOTAL 0-19 YRS	171	2.5	9	<1	<1	1	2	6	9	15
20-34	239	3.5	10	<1	<1	2	4	7	11	16
35-49	202	4.7	22	<1	1	3	6	10	15	23
50-64	302	5.1	25	1	1	4	6	10	13	25
65+	624	7.6	72	2	2	5	9	18	24	54
GRAND TOTAL	**1538**	**5.5**	**43**	**<1**	**1**	**4**	**7**	**12**	**17**	**40**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	29	6.4	3	3	4	6	8	9	10	10
35-49	150	7.7	4	4	5	7	9	11	12	13
50-64	149	7.8	5	5	6	7	9	11	12	16
65+	60	9.6	11	6	6	9	11	13	16	23
2. MULTIPLE DX										
0-19 YRS										
20-34	56	7.6	13	4	5	7	8	11	13	25
35-49	249	8.4	15	5	5	8	9	12	14	19
50-64	289	9.5	25	5	6	9	10	14	16	24
65+	181	10.9	50	5	6	9	12	16	21	48
TOT. SINGLE DX	390	7.9	7	5	5	8	9	11	12	16
" MULTIPLE DX	775	9.3	28	5	6	8	10	14	17	28
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	85	7.2	10	3	5	7	8	10	11	23
35-49	399	8.1	12	5	5	8	9	11	13	18
50-64	438	8.9	19	5	6	8	10	13	15	23
65+	241	10.5	41	5	6	9	12	15	20	40
GRAND TOTAL	**1165**	**8.9**	**22**	**5**	**5**	**8**	**10**	**13**	**15**	**24**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	6.6	5	3	4	6	8	10	11	11
35-49	35	5.4	2	3	3	6	7	7	8	9
50-64	29	6.8	3	4	4	7	8	9	9	10
65+	18	8.5	10	5	5	8	9	12	16	18
2. MULTIPLE DX										
0-19 YRS	5	7.4	38	1	1	8	11	16	16	16
20-34	17	6.8	4	4	5	7	8	9	11	12
35-49	52	7.9	15	4	5	7	8	11	15	29
50-64	70	7.9	15	4	5	7	9	11	12	25
65+	75	9.5	30	4	5	8	11	16	22	83
TOT. SINGLE DX	100	6.6	6	3	4	6	8	9	10	15
" MULTIPLE DX	219	8.4	20	4	5	8	10	12	17	31
TOTAL 0-19 YRS	6	7.0	31	1	1	6	10	15	16	16
20-34	34	6.7	4	3	5	6	8	9	11	12
35-49	87	6.9	12	3	4	6	8	10	11	24
50-64	99	7.6	12	4	5	7	9	10	12	25
65+	93	9.3	26	4	5	8	11	15	21	71
GRAND TOTAL	**319**	**7.8**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**29**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0		<1	<1	2	3	3	3	3
20-34	22	5.0	9	1	2	5	7	8	11	14
35-49	31	6.3	12	2	2	6	9	11	12	15
50-64	33	6.2	32	1	1	5	8	11	22	25
65+	15	6.0	16	1	2	5	9	10	14	16
2. MULTIPLE DX										
0-19 YRS	8	11.5	327	<1	<1	3	15	44	52	52
20-34	32	6.7	24	1	2	6	8	14	18	23
35-49	39	9.1	46	1	2	7	12	19	24	30
50-64	75	10.5	141	1	2	7	13	21	30	69
65+	105	11.7	145	1	2	8	16	26	31	65
TOT. SINGLE DX	105	5.8	19	1	2	5	8	10	13	24
" MULTIPLE DX	259	10.3	121	1	2	7	13	21	29	63
TOTAL 0-19 YRS	12	8.3	230	<1	<1	2	5	32	49	52
20-34	54	6.0	19	1	2	5	8	11	15	23
35-49	70	7.9	33	2	2	6	10	15	19	29
50-64	108	9.2	112	1	2	6	11	20	25	63
65+	120	11.0	133	1	2	8	15	23	30	65
GRAND TOTAL	**364**	**9.0**	**95**	**1**	**2**	**6**	**11**	**19**	**26**	**55**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.3	186	4	4	7	23	29	29	29
20-34	9	6.8	18	2	2	6	8	13	16	16
35-49	6	6.8	14	1	1	8	10	10	10	10
50-64	8	8.9	23	1	3	8	11	16	17	17
65+	9	10.4	68	2	2	8	16	24	26	26
2. MULTIPLE DX										
0-19 YRS	4	12.5	27	7	7	12	16	19	19	19
20-34	12	12.0	233	2	2	10	13	28	54	58
35-49	18	14.2	63	1	4	12	20	27	28	28
50-64	26	17.8	205	2	4	17	25	30	43	68
65+	52	13.1	74	1	4	11	17	24	30	44
TOT. SINGLE DX	35	8.8	42	1	2	8	10	17	25	29
" MULTIPLE DX	112	14.2	118	2	3	11	19	27	30	62
TOTAL 0-19 YRS	7	12.9	76	4	5	10	18	27	29	29
20-34	21	9.8	143	2	2	8	11	16	35	58
35-49	24	12.3	60	1	2	11	16	26	28	28
50-64	34	15.7	175	1	4	12	24	28	36	68
65+	61	12.7	74	1	3	11	17	24	29	43
GRAND TOTAL	**147**	**12.9**	**105**	**2**	**2**	**10**	**18**	**26**	**29**	**58**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.3	1	6	6	7	8	9	9	9
20-34	4	7.5	23	3	3	6	11	14	14	14
35-49	44	5.6	7	2	2	5	7	9	12	13
50-64	1258	6.2	7	4	4	6	7	9	10	14
65+	2720	6.9	10	4	4	6	8	10	12	18
2. MULTIPLE DX										
0-19 YRS	8	17.8	297	7	7	12	18	47	59	59
20-34	3	3.3	4	1	1	4	52	99+	99+	99+
35-49	97	8.3	42	3	4	7	10	13	16	43
50-64	3226	8.8	44	4	4	7	10	15	20	35
65+	12560	11.6	102	4	5	8	13	22	31	64
TOT. SINGLE DX	4030	6.7	10	4	4	6	7	10	12	17
" MULTIPLE DX	15894	11.0	92	4	5	8	12	20	29	59
TOTAL 0-19 YRS	12	14.3	216	6	6	9	16	30	55	59
20-34	7	5.7	18	1	2	5	11	74	99+	99+
35-49	141	7.4	33	2	3	6	9	12	14	32
50-64	4484	8.1	36	4	4	6	9	13	17	32
65+	15280	10.8	89	4	5	8	12	20	28	59
GRAND TOTAL	**19924**	**10.1**	**78**	**4**	**5**	**7**	**11**	**18**	**26**	**55**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	6.5	18	1	1	7	10	11	11	11
50-64	135	11.4	13	7	8	11	13	16	20	24
65+	301	12.0	22	7	8	11	14	18	21	30
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	19.2	159	11	11	14	20	40	51	51
50-64	404	13.7	47	7	8	12	16	21	25	39
65+	1404	15.6	71	8	9	13	18	25	31	47
TOT. SINGLE DX	443	11.7	20	7	8	11	14	17	21	28
" MULTIPLE DX	1819	15.2	68	8	8	13	18	24	31	46
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	15	14.1	139	1	2	12	17	24	44	51
50-64	539	13.1	40	7	8	12	15	20	24	38
65+	1705	15.0	65	8	8	13	17	24	31	45
GRAND TOTAL	**2262**	**14.5**	**60**	**8**	**8**	**12**	**17**	**23**	**29**	**44**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	3.9	6	1	1	4	6	7	8	8
35-49	42	2.7	3	1	1	2	3	6	7	8
50-64	346	2.3	5	<1	1	2	3	4	5	11
65+	497	3.1	16	1	1	2	3	5	8	17
2. MULTIPLE DX										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	9	2.9	7	<1	<1	2	3	7	10	10
35-49	65	4.2	11	1	1	3	5	10	13	14
50-64	540	5.0	30	1	1	3	6	12	16	27
65+	1337	7.6	84	1	2	4	10	18	25	51
TOT. SINGLE DX	893	2.8	12	<1	1	2	3	5	7	14
" MULTIPLE DX	1955	6.7	68	1	1	4	9	15	22	47
TOTAL 0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	17	3.4	7	<1	1	2	5	8	9	10
35-49	107	3.6	9	1	1	2	5	7	11	14
50-64	886	4.0	22	<1	1	2	4	10	14	24
65+	1834	6.4	70	1	1	3	8	15	21	48
GRAND TOTAL	**2848**	**5.5**	**54**	**1**	**1**	**3**	**6**	**13**	**19**	**41**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.4	3	<1	<1	2	3	4	5	13
20-34	106	2.9	4	<1	1	2	3	5	6	12
35-49	79	3.3	9	<1	1	3	4	6	9	17
50-64	78	3.2	5	1	1	3	3	5	9	13
65+	38	3.8	7	1	2	3	4	5	9	17
2. MULTIPLE DX										
0-19 YRS	47	2.7	5	<1	1	2	3	6	8	13
20-34	65	5.6	47	1	1	3	6	13	18	41
35-49	76	5.9	25	1	2	5	8	12	16	27
50-64	116	8.3	231	1	2	4	6	12	37	89
65+	128	7.7	60	1	2	5	10	16	21	99+
TOT. SINGLE DX	415	3.0	6	<1	1	2	3	5	7	15
" MULTIPLE DX	432	6.7	95	1	1	4	7	14	18	76
TOTAL 0-19 YRS	161	2.5	4	<1	<1	2	3	4	6	13
20-34	171	3.9	22	1	1	3	4	7	11	25
35-49	155	4.6	19	<1	1	3	6	10	15	17
50-64	194	6.2	146	1	2	3	5	10	14	82
65+	166	6.8	51	1	2	5	8	15	18	93
GRAND TOTAL	**847**	**4.9**	**55**	**1**	**1**	**3**	**5**	**10**	**14**	**44**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	2.7	4	1	1	2	3	5	6	10
20-34	216	4.2	11	1	2	3	5	7	10	21
35-49	106	3.5	3	1	2	3	5	6	7	8
50-64	68	4.8	22	1	1	4	6	10	14	26
65+	183	4.1	9	1	2	3	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	137	3.0	11	<1	1	2	3	5	6	17
20-34	117	6.9	69	1	2	4	7	17	24	44
35-49	93	7.7	110	2	2	4	9	17	20	68
50-64	206	9.0	102	2	2	5	11	19	27	60
65+	950	10.6	126	2	2	7	14	23	32	68
TOT. SINGLE DX	732	3.8	10	1	1	3	4	7	9	17
" MULTIPLE DX	1503	9.2	113	1	2	5	12	20	30	62
TOTAL 0-19 YRS	296	2.8	8	<1	1	2	3	5	6	14
20-34	333	5.1	33	1	2	4	5	9	15	36
35-49	199	5.5	57	1	2	4	6	10	17	47
50-64	274	7.9	85	1	2	5	10	17	22	58
65+	1133	9.6	114	2	2	6	13	21	30	64
GRAND TOTAL	**2235**	**7.4**	**85**	**1**	**2**	**4**	**9**	**17**	**24**	**53**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	2.1	1	<1	<1	2	3	4	4	6
20-34	121	2.4	1	1	1	2	3	4	5	7
35-49	18	2.7	2	<1	1	3	4	5	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	646	2.3	2	<1	<1	2	3	4	5	8
20-34	46	3.0	5	1	1	3	3	5	6	15
35-49	11	4.1	3	1	2	4	5	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
TOT. SINGLE DX	1019	2.2	2	<1	<1	2	3	4	4	7
" MULTIPLE DX	707	2.3	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1522	2.2	2	<1	<1	2	3	4	4	7
20-34	167	2.6	3	1	1	2	3	4	5	7
35-49	29	3.2	3	1	1	3	4	6	6	8
50-64	3	1.7		1	1	2	2	2	2	2
65+	5	2.8	2	<1	<1	3	4	5	5	5
GRAND TOTAL	1726	2.2	2	<1	<1	2	3	4	5	7

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	2.0	1	1	1	2	2	3	4	7
20-34	155	2.2	7	<1	<1	2	2	3	5	7
35-49	60	2.4	3	<1	<1	2	3	4	6	10
50-64	11	2.4	2	1	1	2	3	4	6	6
65+	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	75	3.4	11	1	1	2	4	6	11	18
20-34	67	3.2	8	<1	1	2	4	6	7	19
35-49	31	4.1	23	1	1	3	4	9	9	27
50-64	24	5.8	43	1	1	3	5	20	22	25
65+	10	14.6	153	1	2	10	26	33	35	35
TOT. SINGLE DX	422	2.2	4	<1	1	2	3	3	5	8
" MULTIPLE DX	207	4.3	28	1	1	2	4	8	17	29
TOTAL 0-19 YRS	266	2.4	5	1	1	2	3	4	5	14
20-34	222	2.5	8	<1	<1	2	3	4	6	15
35-49	91	3.0	11	<1	1	2	3	5	9	20
50-64	35	4.7	33	1	1	3	5	9	21	25
65+	15	10.3	139	1	1	4	17	31	34	35
GRAND TOTAL	629	2.8	13	<1	1	2	3	5	7	22

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	135	1.0		<1	<1	<1	<1	1	1	2
35-49	115	1.1		<1	<1	<1	<1	1	2	3
50-64	11	3.1	13	<1	<1	<1	4	10	12	12
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	26	2.3	9	<1	<1	1	2	6	9	15
35-49	38	2.1	2	<1	<1	2	2	4	7	8
50-64	6	7.0	32	2	2	6	10	15	16	16
65+	5	5.6	36	<1	<1	4	8	16	16	16
TOT. SINGLE DX	264	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	75	2.8	11	<1	<1	2	3	7	10	16
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	161	1.2	2	<1	<1	<1	<1	1	2	7
35-49	153	1.3	1	<1	<1	<1	1	2	3	8
50-64	17	4.5	22	<1	<1	2	8	12	15	16
65+	7	5.0	27	<1	<1	4	6	14	16	16
GRAND TOTAL	339	1.5	4	<1	<1	<1	1	2	4	12

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	2.0	1	<1	1	2	2	3	4	6
20-34	748	2.2	1	<1	1	2	3	3	4	5
35-49	545	2.3	1	1	1	2	3	4	4	6
50-64	339	2.8	1	1	1	3	4	4	5	7
65+	165	3.0	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	283	2.1	1	<1	<1	2	3	3	4	7
20-34	450	2.5	2	1	1	2	3	4	5	9
35-49	293	3.3	16	1	1	3	3	6	7	21
50-64	394	4.1	13	1	2	3	5	7	10	24
65+	274	5.7	61	2	2	4	5	9	21	51
TOT. SINGLE DX	2287	2.4	2	<1	1	2	3	4	4	6
" MULTIPLE DX	1694	3.5	18	1	1	3	4	6	8	25
TOTAL 0-19 YRS	773	2.0	1	<1	<1	2	2	3	4	6
20-34	1198	2.4	2	<1	1	2	3	4	4	7
35-49	838	2.7	7	1	1	2	3	4	5	10
50-64	733	3.5	8	1	1	3	4	6	7	14
65+	439	4.7	41	1	2	3	5	7	11	41
GRAND TOTAL	3981	2.8	9	<1	1	2	3	4	6	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	279	1.5	3	<1	<1	1	2	2	2	10
20-34	84	1.5		<1	<1	1	2	2	3	3
35-49	63	1.6		<1	<1	2	2	2	3	5
50-64	69	1.8		<1	<1	2	2	2	3	6
65+	31	2.2	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	76	3.2	17	<1	<1	2	3	11	14	19
20-34	49	2.8	9	<1	1	2	2	8	10	15
35-49	95	3.0	14	<1	1	2	2	7	11	23
50-64	134	3.3	44	<1	1	2	2	6	9	30
65+	178	5.7	93	1	1	2	6	12	22	55
TOT. SINGLE DX	1732	1.7	4	<1	<1	1	2	2	3	12
" MULTIPLE DX	1135	4.6	61	<1	1	2	4	10	16	40
TOTAL 0-19 YRS	1329	2.5	21	<1	<1	1	2	4	11	27
20-34	375	2.2	14	<1	<1	2	2	3	4	13
35-49	370	2.6	11	<1	<1	2	2	4	9	19
50-64	416	2.8	19	<1	1	2	3	5	8	15
65+	377	5.2	88	1	1	2	4	10	19	56
GRAND TOTAL	**2867**	**2.9**	**28**	**<1**	**<1**	**2**	**2**	**5**	**10**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	93	2.7	8	<1	<1	1	3	7	10	14
20-34	102	2.6	12	<1	<1	2	3	5	6	23
35-49	76	4.7	16	1	1	4	6	11	13	20
50-64	141	4.3	5	2	2	4	5	7	8	15
65+	68	5.3	15	2	2	4	6	9	12	25
2. MULTIPLE DX										
0-19 YRS	67	3.9	23	<1	<1	2	5	10	13	25
20-34	95	6.2	51	<1	1	4	8	13	18	41
35-49	156	6.7	58	1	2	5	7	11	15	46
50-64	338	5.7	13	2	2	5	7	10	12	22
65+	206	7.5	90	2	2	5	8	15	24	58
TOT. SINGLE DX	480	3.8	12	<1	<1	3	5	7	10	18
" MULTIPLE DX	862	6.2	46	1	2	5	7	11	16	41
TOTAL 0-19 YRS	160	3.2	15	<1	<1	2	3	9	11	18
20-34	197	4.3	34	<1	<1	2	5	9	15	29
35-49	232	6.1	45	1	2	4	7	11	15	43
50-64	479	5.3	11	2	2	5	7	9	12	19
65+	274	7.0	73	2	2	5	7	13	21	51
GRAND TOTAL	**1342**	**5.4**	**35**	**<1**	**1**	**4**	**6**	**10**	**14**	**30**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	236	5.4	3	3	4	5	6	7	9	11
20-34	946	5.4	3	3	3	5	6	7	8	12
35-49	147	5.6	5	2	3	6	7	8	9	14
50-64	20	6.6	4	1	3	7	8	9	10	11
65+	16	8.6	22	1	2	9	12	13	17	19
2. MULTIPLE DX										
0-19 YRS	257	6.1	7	3	4	6	7	8	11	15
20-34	1883	5.9	7	2	4	6	7	8	10	17
35-49	435	6.8	15	2	4	6	7	10	15	19
50-64	71	13.0	110	2	3	10	15	26	29	57
65+	99	15.4	95	5	7	12	19	29	32	52
TOT. SINGLE DX	1365	5.5	4	2	3	5	6	7	9	12
" MULTIPLE DX	2745	6.6	19	2	4	6	7	9	13	27
TOTAL 0-19 YRS	493	5.7	6	3	4	5	7	8	10	13
20-34	2829	5.7	6	2	4	6	7	8	9	15
35-49	582	6.5	14	2	3	6	7	9	14	19
50-64	91	11.6	94	2	3	8	15	23	28	55
65+	115	14.4	90	4	6	12	19	28	31	51
GRAND TOTAL	**4110**	**6.2**	**14**	**2**	**4**	**6**	**7**	**9**	**11**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.8	4	3	4	6	6	8	9	16
20-34	490	5.7	4	3	4	6	6	7	9	13
35-49	286	6.2	5	4	4	6	7	8	10	15
50-64	52	6.7	9	4	4	6	7	10	14	19
65+	28	8.5	17	4	5	7	10	14	16	24
2. MULTIPLE DX										
0-19 YRS	135	6.0	5	3	4	5	7	9	10	16
20-34	1304	6.4	6	4	4	6	7	9	11	17
35-49	870	7.3	32	4	5	6	8	10	13	28
50-64	121	11.3	72	5	6	8	14	21	27	75
65+	159	15.0	101	5	6	13	18	28	37	51
TOT. SINGLE DX	942	6.0	6	3	4	6	7	8	10	15
" MULTIPLE DX	2589	7.4	29	4	4	6	8	11	15	29
TOTAL 0-19 YRS	221	5.9	5	3	4	6	7	8	10	16
20-34	1794	6.2	6	3	4	6	7	9	11	16
35-49	1156	7.1	26	4	4	6	7	10	13	26
50-64	173	9.9	58	4	5	7	11	20	25	60
65+	187	14.0	94	5	6	11	17	27	34	49
GRAND TOTAL	**3531**	**7.1**	**23**	**4**	**4**	**6**	**7**	**10**	**14**	**27**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	35	5.8	3	3	4	6	6	7	8	14
35-49	74	6.3	4	3	4	6	7	9	10	13
50-64	56	8.3	15	5	5	7	9	14	17	21
65+	34	9.2	20	5	6	8	10	17	21	24
2. MULTIPLE DX										
0-19 YRS	5	9.6	47	5	5	6	13	21	21	21
20-34	144	6.6	8	3	4	6	7	9	11	21
35-49	415	8.2	25	5	5	7	9	12	17	28
50-64	226	11.1	78	5	6	8	12	20	26	46
65+	202	15.4	83	6	7	13	19	31	37	99+
TOT. SINGLE DX	203	7.2	12	4	4	6	8	10	14	21
" MULTIPLE DX	992	10.1	56	5	5	8	11	18	25	43
TOTAL 0-19 YRS	9	7.6	30	4	4	5	7	17	21	21
20-34	179	6.4	8	3	4	6	7	8	11	19
35-49	489	7.9	23	4	5	7	8	12	16	25
50-64	282	10.6	67	5	6	8	11	19	24	42
65+	236	14.5	79	6	6	12	18	28	35	99+
GRAND TOTAL	**1195**	**9.6**	**50**	**4**	**5**	**7**	**10**	**18**	**23**	**39**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.6	4	<1	<1	2	3	5	6	13
20-34	239	3.1	5	<1	<1	2	5	7	7	9
35-49	47	2.9	8	<1	<1	2	4	6	7	15
50-64	3	4.7	16	1	1	4	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	67	4.2	7	<1	1	4	6	7	9	13
20-34	733	4.1	7	<1	1	4	6	7	8	11
35-49	208	4.9	14	<1	<1	5	7	9	14	17
50-64	22	8.1	68	<1	1	4	10	23	26	28
65+	10	17.3	157	5	6	14	19	37	48	48
TOT. SINGLE DX	346	3.0	5	<1	<1	2	5	6	7	10
" MULTIPLE DX	1040	4.5	13	<1	1	4	6	8	9	17
TOTAL 0-19 YRS	123	3.5	6	<1	1	3	5	7	8	13
20-34	972	3.8	7	<1	<1	4	6	7	8	10
35-49	255	4.5	14	<1	<1	4	6	9	13	16
50-64	25	7.7	62	<1	1	4	10	22	26	28
65+	11	15.8	166	1	3	12	19	35	47	48
GRAND TOTAL	**1386**	**4.1**	**12**	**<1**	**<1**	**4**	**6**	**7**	**9**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.6	2	<1	<1	<1	1	4	5	5
20-34	1747	1.4		<1	<1	1	2	2	2	4
35-49	840	1.4		<1	<1	1	2	2	2	4
50-64	5	1.6		<1	<1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	1578	1.6	1	<1	<1	1	2	3	4	7
35-49	996	1.6	1	<1	<1	1	2	3	4	5
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	2600	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	2581	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	13	1.5	1	<1	<1	<1	1	3	5	5
20-34	3325	1.5	1	<1	<1	1	2	2	3	5
35-49	1836	1.5	1	<1	<1	1	2	2	3	5
50-64	7	1.6		<1	<1	2	2	2	2	2
65+										
GRAND TOTAL	**5181**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.1	1	<1	<1	2	3	4	4	4
20-34	1824	2.3	1	<1	<1	2	3	4	5	6
35-49	839	2.4	1	<1	<1	2	3	4	4	7
50-64	6	2.3	2	1	1	2	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	21	4.2	10	1	2	3	4	8	13	14
20-34	4088	3.6	2	1	2	3	4	5	6	8
35-49	1369	3.5	4	1	1	3	4	5	6	9
50-64	5	6.6	32	1	1	6	9	16	16	16
65+										
TOT. SINGLE DX	2677	2.3	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	5483	3.5	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	29	3.6	8	<1	1	3	4	6	12	14
20-34	5912	3.2	3	1	1	3	4	5	5	7
35-49	2208	3.0	4	<1	1	3	4	5	6	8
50-64	11	4.3	19	1	1	3	6	10	16	16
65+										
GRAND TOTAL	8160	3.1	3	<1	1	3	4	5	6	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	4.9	4	2	3	5	6	6	8	15
20-34	1764	5.0	2	2	3	5	6	7	7	9
35-49	305	5.0	3	1	2	5	6	7	8	10
50-64	3	6.7	9	4	4	6	9	10	10	10
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	123	5.5	3	3	4	5	6	8	9	12
20-34	2020	5.3	7	2	2	5	6	7	8	12
35-49	451	5.5	7	1	2	5	7	8	9	16
50-64	2	27.5	5	26	26	27	29	29	29	29
65+	7	18.6	157	2	3	18	31	35	35	35
TOT. SINGLE DX	2168	5.0	3	2	3	5	6	7	8	9
" MULTIPLE DX	2603	5.4	9	2	2	5	6	8	8	14
TOTAL 0-19 YRS	217	5.2	4	2	3	5	6	7	8	14
20-34	3784	5.1	5	2	3	5	6	7	8	11
35-49	756	5.3	6	1	2	5	6	7	8	14
50-64	5	15.0	136	4	4	10	27	29	29	29
65+	9	15.9	146	2	4	12	24	35	35	35
GRAND TOTAL	4771	5.2	6	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.2	4	<1	<1	2	2	4	7	9
20-34	678	2.0	1	<1	1	2	2	3	4	5
35-49	334	2.2	2	<1	1	2	3	3	4	6
50-64	83	2.2		<1	1	2	3	3	4	5
65+	32	2.4	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	10	3.2	17	<1	<1	2	3	9	15	15
20-34	461	2.5	22	<1	1	2	3	4	5	9
35-49	296	2.2	3	<1	1	2	3	3	4	9
50-64	124	2.4	3	<1	1	2	3	3	6	12
65+	61	6.7	185	1	2	2	5	13	32	88
TOT. SINGLE DX	1143	2.1	2	<1	1	2	3	3	4	5
" MULTIPLE DX	952	2.7	25	<1	1	2	3	4	5	14
TOTAL 0-19 YRS	26	2.6	9	<1	<1	2	2	4	10	15
20-34	1139	2.2	10	<1	1	2	3	3	4	7
35-49	630	2.2	3	<1	1	2	3	3	4	8
50-64	207	2.3	3	<1	1	2	3	3	4	11
65+	93	5.2	126	1	2	2	4	8	14	71
GRAND TOTAL	2095	2.4	13	<1	1	2	3	3	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.7		<1	<1	1	2	3	4	4
20-34	401	1.6		<1	<1	1	2	2	3	5
35-49	651	1.7	1	<1	<1	2	2	2	3	7
50-64	382	1.9	2	<1	<1	2	2	2	4	10
65+	146	3.2	8	<1	1	2	3	7	10	14
2. MULTIPLE DX										
0-19 YRS	35	1.9	1	<1	<1	2	2	3	5	8
20-34	665	2.2	7	<1	<1	2	2	4	6	9
35-49	1682	2.1	4	<1	<1	2	2	3	5	11
50-64	914	2.8	14	<1	1	2	2	5	8	20
65+	511	5.6	62	1	2	3	6	12	17	45
TOT. SINGLE DX	1604	1.9	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	3807	2.7	16	<1	<1	2	2	5	8	20
TOTAL 0-19 YRS	59	1.8	1	<1	<1	2	2	3	4	8
20-34	1066	2.0	5	<1	<1	2	2	3	5	8
35-49	2333	2.0	3	<1	<1	2	2	3	4	10
50-64	1296	2.5	11	<1	<1	2	2	4	8	17
65+	657	5.1	52	1	1	2	6	11	16	44
GRAND TOTAL	5411	2.5	12	<1	<1	2	2	4	7	17

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.5	30	1	2	3	5	8	10	33
20-34	702	2.8	3	1	1	3	3	4	5	7
35-49	80	2.8	2	1	1	3	4	5	6	9
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	12	4.0	2	2	2	4	5	6	7	7
20-34	219	4.2	34	1	1	3	4	7	10	29
35-49	38	3.5	10	1	1	3	4	6	9	19
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	816	2.8	4	1	1	3	3	4	6	8
" MULTIPLE DX	270	4.1	30	1	1	3	4	7	9	28
TOTAL 0-19 YRS	45	4.4	23	1	2	3	5	7	9	33
20-34	921	3.1	11	1	1	3	3	5	6	16
35-49	118	3.0	5	1	1	3	4	5	6	14
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
GRAND TOTAL	**1086**	**3.1**	**11**	**1**	**1**	**3**	**3**	**5**	**6**	**16**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.9	2	<1	1	4	5	6	7	7
20-34	283	4.9	6	<1	1	6	7	8	8	10
35-49	184	4.6	6	<1	1	5	7	8	8	10
50-64	45	2.6	7	<1	1	2	3	5	6	17
65+	17	2.9	8	1	1	2	3	7	11	12
2. MULTIPLE DX										
0-19 YRS	14	3.4	6	<1	1	3	5	7	9	9
20-34	501	6.0	31	<1	1	6	7	8	11	19
35-49	396	5.3	14	<1	1	6	7	8	10	21
50-64	147	3.6	14	<1	1	2	4	8	12	18
65+	88	8.5	166	1	2	3	11	20	27	90
TOT. SINGLE DX	543	4.5	7	<1	1	5	6	8	8	10
" MULTIPLE DX	1146	5.6	34	<1	1	5	7	9	13	25
TOTAL 0-19 YRS	28	3.6	4	<1	1	4	5	7	7	9
20-34	784	5.6	22	<1	1	6	7	8	9	16
35-49	580	5.0	12	<1	1	6	7	8	9	17
50-64	192	3.4	13	<1	1	2	4	7	12	18
65+	105	7.6	144	1	1	3	8	19	25	86
GRAND TOTAL	**1689**	**5.2**	**26**	**<1**	**1**	**5**	**7**	**8**	**10**	**21**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	3	6	6	7	9	10	10	10
20-34	562	6.5	2	4	5	6	7	8	9	11
35-49	1817	7.0	3	5	5	7	8	9	10	14
50-64	630	7.7	7	5	6	7	8	10	11	17
65+	233	9.0	16	6	6	8	9	13	17	27
2. MULTIPLE DX										
0-19 YRS	23	8.5	11	5	5	8	10	12	15	20
20-34	2689	7.2	7	5	5	7	8	10	12	18
35-49	11496	7.6	10	5	5	7	8	10	12	21
50-64	3556	8.7	25	5	6	7	9	12	16	28
65+	1577	12.1	66	6	7	9	14	21	27	50
TOT. SINGLE DX	3246	7.2	5	5	5	7	8	9	10	16
" MULTIPLE DX	19341	8.1	19	5	6	7	8	11	15	26
TOTAL 0-19 YRS	27	8.4	10	5	5	8	10	12	13	20
20-34	3251	7.1	7	5	5	7	8	9	11	17
35-49	13313	7.5	9	5	5	7	8	10	12	20
50-64	4186	8.5	23	5	6	7	9	12	15	27
65+	1810	11.7	61	6	6	9	13	20	26	47
GRAND TOTAL	**22587**	**8.0**	**17**	**5**	**5**	**7**	**8**	**11**	**14**	**25**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	239	5.5	3	4	4	5	6	7	9	11
35-49	378	6.0	3	4	4	6	7	8	10	12
50-64	322	7.3	4	4	5	7	8	10	11	15
65+	288	7.7	5	5	5	7	9	10	12	16
2. MULTIPLE DX										
0-19 YRS										
20-34	754	6.0	5	4	4	6	7	8	10	14
35-49	2044	6.7	5	4	4	6	7	9	11	17
50-64	1105	7.9	8	5	5	7	9	11	13	18
65+	1151	8.8	23	5	6	8	10	12	16	29
TOT. SINGLE DX	1228	6.6	5	4	4	6	8	9	11	15
" MULTIPLE DX	5054	7.3	11	4	5	7	8	10	13	19
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	993	5.9	5	4	4	6	7	8	9	14
35-49	2422	6.6	5	4	4	6	7	9	11	16
50-64	1427	7.7	8	5	5	7	9	11	13	18
65+	1439	8.6	20	5	6	8	9	12	15	27
GRAND TOTAL	**6282**	**7.2**	**10**	**4**	**5**	**7**	**8**	**10**	**12**	**18**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	8.3	5	6	6	8	10	12	12	12
35-49	17	11.2	13	6	8	11	13	14	19	22
50-64	12	11.3	17	7	8	9	14	18	19	19
65+	6	11.7	18	6	6	12	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	21	15.2	62	6	7	14	20	26	30	34
35-49	40	14.3	72	6	7	12	18	23	34	45
50-64	33	17.4	81	8	9	15	20	29	41	44
65+	29	22.6	445	8	9	17	25	30	91	98
TOT. SINGLE DX	41	10.9	14	6	7	10	13	17	19	22
" MULTIPLE DX	125	17.3	166	7	8	15	20	27	37	93
TOTAL 0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	27	13.7	58	6	7	11	18	26	28	34
35-49	57	13.4	57	6	7	11	15	21	26	45
50-64	45	15.8	71	7	8	14	19	24	37	44
65+	35	20.7	387	7	8	17	23	28	76	98
GRAND TOTAL	**166**	**15.7**	**136**	**6**	**8**	**13**	**18**	**26**	**32**	**84**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	1.1		<1	<1	<1	<1	1	2	3
20-34	1844	1.1		<1	<1	<1	<1	1	1	3
35-49	251	1.1		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	30	2.2	6	<1	<1	1	2	5	10	11
20-34	302	2.5	8	<1	<1	2	2	6	7	17
35-49	127	1.9	2	<1	<1	1	2	3	5	10
50-64										
65+										
TOT. SINGLE DX	2524	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	459	2.3	7	<1	<1	1	2	5	7	13
TOTAL 0-19 YRS	459	1.2	1	<1	<1	<1	<1	1	2	4
20-34	2146	1.3	2	<1	<1	<1	<1	2	2	7
35-49	378	1.3	1	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**2983**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**7**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	1.6	1	<1	<1	1	2	3	4	6
20-34	13632	1.4		<1	<1	1	2	2	3	5
35-49	6113	1.4		<1	<1	1	2	2	3	5
50-64	1976	1.6	1	<1	<1	1	2	2	2	5
65+	479	2.5	9	<1	1	2	2	4	7	13
2. MULTIPLE DX										
0-19 YRS	470	2.5	4	<1	1	2	3	5	7	13
20-34	6375	2.2	5	<1	<1	2	2	4	6	11
35-49	7799	2.1	8	<1	<1	2	2	3	6	14
50-64	3386	2.5	14	<1	<1	2	2	4	8	18
65+	1427	4.8	56	1	1	2	5	11	17	41
TOT. SINGLE DX	23820	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	19457	2.4	12	<1	<1	2	2	4	7	17
TOTAL 0-19 YRS	2090	1.8	2	<1	<1	1	2	3	4	8
20-34	20007	1.7	2	<1	<1	1	2	3	4	8
35-49	13912	1.8	5	<1	<1	1	2	3	4	10
50-64	5362	2.2	10	<1	<1	2	2	3	6	15
65+	1906	4.2	45	1	1	2	4	9	14	35
GRAND TOTAL	**43277**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1721	1.0		<1	<1	<1	<1	1	1	2
20-34	6124	1.0		<1	<1	<1	<1	1	1	2
35-49	754	1.1		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	795	1.5	23	<1	<1	<1	<1	<1	2	8
20-34	2679	1.4	3	<1	<1	<1	<1	2	3	7
35-49	542	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
TOT. SINGLE DX	8599	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	4016	1.5	7	<1	<1	<1	1	2	3	8
TOTAL 0-19 YRS	2516	1.2	8	<1	<1	<1	<1	1	1	4
20-34	8803	1.2	1	<1	<1	<1	<1	1	2	4
35-49	1296	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**12615**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**4**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	1.3		<1	<1	1	1	2	3	4
20-34	2223	1.2		<1	<1	1	1	2	2	4
35-49	405	1.3	1	<1	<1	1	1	2	2	4
50-64	3	1.7		1	1	2	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	41	2.6	4	<1	<1	2	3	6	7	11
20-34	376	2.2	5	<1	<1	1	2	5	7	12
35-49	113	2.0	2	<1	<1	1	2	4	6	8
50-64	7	14.7	430	<1	<1	2	31	48	50	50
65+	8	20.6	1062	3	3	8	21	78	98	98
TOT. SINGLE DX	2965	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	545	2.6	30	<1	<1	1	2	5	7	18
TOTAL 0-19 YRS	373	1.5	1	<1	<1	1	2	2	3	6
20-34	2599	1.4	1	<1	<1	1	1	2	3	7
35-49	518	1.4	2	<1	<1	1	1	2	3	7
50-64	10	10.8	326	<1	<1	2	8	44	50	50
65+	10	17.0	885	2	2	5	10	64	98	98
GRAND TOTAL	3510	1.5	5	<1	<1	1	1	2	3	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	3.4	4	<1	<1	3	5	6	7	7
35-49	12	4.5	7	<1	1	5	7	8	8	8
50-64	4	6.8	2	6	6	6	8	9	9	9
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	61	5.2	10	<1	1	5	6	8	9	19
35-49	17	4.6	6	<1	1	5	6	8	9	9
50-64	13	9.6	22	4	6	9	10	19	20	20
65+	21	10.1	33	3	5	7	14	19	22	24
TOT. SINGLE DX	35	4.5	6	<1	<1	5	6	7	9	10
" MULTIPLE DX	113	6.5	20	1	2	6	8	11	18	22
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	77	4.8	10	<1	1	5	6	8	8	19
35-49	29	4.6	6	<1	1	5	7	8	8	9
50-64	17	8.9	19	5	6	8	9	17	20	20
65+	23	9.9	31	3	5	7	13	18	22	24
GRAND TOTAL	148	6.0	18	<1	1	6	7	10	17	21

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.6	3	<1	1	2	4	6	6	6
20-34	177	3.0	4	<1	<1	2	5	6	7	9
35-49	74	2.9	5	<1	<1	2	4	7	8	12
50-64	32	3.6	10	<1	<1	3	4	5	11	17
65+	17	3.6	1	1	2	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	4.2	21	<1	<1	3	5	10	16	19
20-34	266	3.9	8	<1	<1	3	6	7	8	14
35-49	108	4.5	28	<1	1	3	6	8	10	31
50-64	82	3.9	4	1	2	4	4	6	8	13
65+	56	5.1	12	2	3	4	5	10	11	21
TOT. SINGLE DX	333	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	530	4.1	13	<1	1	3	5	7	10	16
TOTAL 0-19 YRS	51	3.2	10	<1	<1	2	4	6	6	19
20-34	443	3.5	7	<1	<1	3	5	7	7	14
35-49	182	3.8	20	<1	<1	3	5	7	9	15
50-64	114	3.8	6	<1	1	3	4	6	8	15
65+	73	4.7	10	2	2	4	5	10	10	20
GRAND TOTAL	863	3.7	10	<1	<1	3	5	7	8	14

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	48	5.1	7	<1	1	5	7	8	9	14
35-49	164	5.8	5	3	3	5	7	9	10	13
50-64	356	6.7	6	4	4	6	8	10	11	17
65+	296	7.0	6	4	4	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS										
20-34	127	6.4	5	3	3	6	8	10	11	13
35-49	501	7.4	8	4	4	7	8	11	13	18
50-64	755	7.4	8	4	5	7	8	11	12	19
65+	675	8.7	31	5	5	7	9	13	16	32
TOT. SINGLE DX	864	6.5	7	3	4	6	8	10	11	16
" MULTIPLE DX	2058	7.8	16	4	5	7	9	11	14	21
TOTAL 0-19 YRS										
20-34	175	6.0	6	2	3	6	7	9	11	13
35-49	665	7.0	8	3	4	7	8	10	13	17
50-64	1111	7.2	8	4	4	7	8	10	12	18
65+	971	8.2	25	4	5	7	9	12	15	25
GRAND TOTAL	2922	7.4	14	4	4	7	8	11	13	19

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.7	9	<1	<1	1	3	8	9	14
20-34	122	3.6	7	<1	1	3	5	7	8	13
35-49	43	3.5	7	1	1	3	4	7	10	13
50-64	31	4.9	16	1	1	4	7	10	15	16
65+	21	5.0	8	<1	1	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	28	7.3	69	1	1	4	11	16	22	38
20-34	75	4.2	13	1	1	3	6	8	11	21
35-49	56	6.5	27	1	2	5	8	15	18	26
50-64	54	9.5	65	2	2	7	11	19	32	97
65+	72	9.9	105	2	3	7	11	17	33	94
TOT. SINGLE DX	260	3.7	9	<1	1	3	5	8	9	15
" MULTIPLE DX	285	7.4	59	1	1	6	9	16	21	63
TOTAL 0-19 YRS	71	4.5	37	<1	<1	2	6	12	15	34
20-34	197	3.8	10	<1	1	3	5	8	9	17
35-49	99	5.2	21	1	1	3	7	10	16	24
50-64	85	7.8	52	1	2	6	10	18	25	79
65+	93	8.8	87	1	2	7	10	16	26	89
GRAND TOTAL	**545**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**38**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.1	14	<1	<1	2	3	7	12	20
20-34	328	2.8	6	<1	<1	2	3	6	8	12
35-49	120	3.7	42	<1	<1	2	3	8	12	35
50-64	72	4.2	12	<1	1	3	5	9	12	18
65+	103	5.1	15	1	2	4	7	8	13	23
2. MULTIPLE DX										
0-19 YRS	88	3.9	14	<1	1	2	5	9	11	18
20-34	279	4.5	21	<1	1	3	5	10	13	26
35-49	176	6.5	56	<1	1	4	8	15	21	40
50-64	199	5.8	28	<1	1	5	7	11	17	29
65+	353	8.7	85	2	2	6	10	17	32	99+
TOT. SINGLE DX	730	3.5	16	<1	<1	2	4	7	10	19
" MULTIPLE DX	1095	6.4	52	<1	1	4	8	14	20	43
TOTAL 0-19 YRS	195	3.5	15	<1	<1	2	4	9	12	18
20-34	607	3.6	14	<1	<1	2	4	7	11	21
35-49	296	5.4	53	<1	1	2	7	13	17	39
50-64	271	5.4	25	<1	1	4	7	10	15	24
65+	456	7.9	72	2	2	6	9	15	27	97
GRAND TOTAL	**1825**	**5.2**	**39**	**<1**	**1**	**3**	**7**	**11**	**15**	**38**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.0	1	<1	<1	2	2	3	5	7
20-34	897	1.9	1	<1	<1	2	2	3	4	5
35-49	399	1.9	1	<1	<1	2	2	3	4	7
50-64	153	2.0	1	<1	<1	2	2	3	4	7
65+	53	4.0	36	<1	1	2	3	6	14	32
2. MULTIPLE DX										
0-19 YRS	70	3.8	31	1	1	3	4	6	7	40
20-34	266	3.2	9	<1	1	2	4	6	8	14
35-49	207	3.7	49	<1	1	2	4	7	12	56
50-64	155	5.6	82	1	1	2	4	14	22	40
65+	196	7.8	86	1	2	4	9	19	29	81
TOT. SINGLE DX	1687	2.0	3	<1	<1	2	2	3	4	7
" MULTIPLE DX	894	4.8	53	<1	1	3	5	10	17	46
TOTAL 0-19 YRS	255	2.5	11	<1	1	2	3	4	6	11
20-34	1163	2.2	4	<1	<1	2	3	4	5	10
35-49	606	2.5	19	<1	<1	2	3	4	6	14
50-64	308	3.8	45	<1	1	2	3	7	14	38
65+	249	7.0	78	1	2	3	8	17	25	60
GRAND TOTAL	**2581**	**3.0**	**22**	**<1**	**<1**	**2**	**3**	**5**	**9**	**24**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	<1	<1	3	3	3	3	3
20-34	5	6.6	29	<1	<1	7	9	15	15	15
35-49	17	6.8	29	<1	<1	6	11	16	16	16
50-64	10	10.1	70	3	3	6	20	23	25	25
65+	26	14.0	149	2	2	10	19	26	41	53
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	7.8	85	1	1	3	12	24	26	26
35-49	20	9.3	84	1	2	6	9	25	31	34
50-64	29	15.3	202	2	3	11	20	34	56	57
65+	68	16.9	136	3	5	14	23	33	39	57
TOT. SINGLE DX	62	10.1	96	<1	2	7	15	24	26	51
" MULTIPLE DX	126	14.6	148	2	3	10	21	29	39	58
TOTAL 0-19 YRS	5	2.4	1	<1	<1	3	3	3	3	3
20-34	13	7.3	60	<1	1	4	9	20	25	26
35-49	37	8.2	59	<1	1	6	10	17	27	34
50-64	39	14.0	171	2	3	9	20	25	49	57
65+	94	16.1	140	2	4	14	23	30	39	57
GRAND TOTAL	**188**	**13.1**	**135**	**1**	**2**	**9**	**20**	**26**	**38**	**57**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	10	<1	<1	1	2	4	12	15
20-34	43	2.7	2	<1	<1	2	3	5	6	7
35-49	7	2.7	4	<1	<1	1	5	5	5	5
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	20	2.9	4	<1	1	2	4	6	7	8
20-34	32	3.3	6	<1	1	3	4	6	8	13
35-49	16	6.3	18	2	3	5	7	12	17	19
50-64	7	4.6	22	2	2	3	5	13	15	15
65+	12	4.6	20	<1	1	3	5	10	17	18
TOT. SINGLE DX	102	2.5	6	<1	<1	2	3	5	6	14
" MULTIPLE DX	87	4.0	12	1	1	3	5	7	12	19
TOTAL 0-19 YRS	62	2.5	8	<1	1	1	3	5	9	15
20-34	75	2.9	4	<1	<1	3	4	6	7	12
35-49	23	5.2	17	<1	1	5	6	10	14	19
50-64	15	3.3	12	<1	1	2	3	5	12	15
65+	14	4.4	17	<1	2	3	4	8	16	18
GRAND TOTAL	189	3.2	9	<1	1	2	4	6	8	17

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	7.0	72	<1	<1	6	13	13	13	13
20-34	10	4.0	5	1	1	4	5	7	8	8
35-49	4	9.5	159	1	1	4	17	28	28	28
50-64	9	8.9	73	<1	<1	10	13	22	26	26
65+	9	3.0	4	1	1	3	4	6	7	7
TOT. SINGLE DX	21	1.8	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	34	5.9	44	<1	1	3	7	13	24	28
TOTAL 0-19 YRS	7	3.0	20	<1	<1	1	3	11	13	13
20-34	18	2.8	5	<1	<1	2	5	6	8	8
35-49	9	5.3	76	<1	<1	2	4	20	28	28
50-64	10	8.2	70	<1	<1	6	13	20	26	26
65+	11	3.1	4	1	1	3	5	6	7	7
GRAND TOTAL	55	4.3	32	<1	<1	2	5	11	15	28

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	648	3.2	1	2	2	3	4	4	5	8
20-34	4952	3.2		2	2	3	4	4	4	6
35-49	351	3.3	2	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	677	3.5	2	2	2	3	4	5	5	10
20-34	4968	3.7	2	2	3	3	4	5	6	9
35-49	448	3.9	7	2	3	4	4	5	7	11
50-64										
65+										
TOT. SINGLE DX	5951	3.2	1	2	2	3	4	4	4	6
" MULTIPLE DX	6093	3.7	3	2	3	3	4	5	6	9
TOTAL 0-19 YRS	1325	3.4	2	2	2	3	4	4	5	9
20-34	9920	3.5	2	2	3	3	4	4	5	7
35-49	799	3.7	5	2	3	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	12044	3.5	2	2	2	3	4	4	5	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.7		1	1	3	3	3	4	5
20-34	240	3.0		1	2	3	3	4	4	6
35-49	25	2.7		1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	2.7	2	1	1	3	3	4	5	8
20-34	421	3.4	5	1	2	3	4	5	6	14
35-49	67	3.7	4	1	1	3	4	6	7	14
50-64										
65+										
TOT. SINGLE DX	290	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	525	3.4	5	1	1	3	4	5	6	14
TOTAL 0-19 YRS	62	2.7	2	1	1	3	3	4	5	8
20-34	661	3.2	4	1	2	3	4	5	6	11
35-49	92	3.4	4	1	1	3	4	5	7	13
50-64										
65+										
GRAND TOTAL	815	3.2	4	1	2	3	4	5	6	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	3.3	6	2	2	3	4	4	4	6
20-34	1158	3.2		2	2	3	4	4	5	6
35-49	96	3.2		2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	232	3.5	1	2	2	3	4	5	6	8
20-34	1813	3.7	3	2	2	3	4	5	6	10
35-49	147	3.8	1	3	3	4	4	5	5	8
50-64										
65+										
TOT. SINGLE DX	1414	3.2	2	2	2	3	4	4	5	6
" MULTIPLE DX	2192	3.7	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	392	3.4	4	2	2	3	4	4	5	7
20-34	2971	3.5	2	2	2	3	4	5	5	8
35-49	243	3.6	1	2	3	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	3606	3.5	2	2	2	3	4	5	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7745	3.0	1	2	2	3	3	4	4	5
20-34	55421	3.0	1	2	2	3	3	4	4	5
35-49	3922	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1827	3.3	2	1	2	3	4	5	6	9
20-34	14491	3.4	3	1	2	3	4	5	6	10
35-49	1430	3.6	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	67088	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	17748	3.4	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	9572	3.1	2	2	2	3	3	4	5	7
20-34	69912	3.1	2	2	2	3	3	4	4	6
35-49	5352	3.2	2	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	84836	3.1	2	2	2	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1059	5.8	3	4	4	6	6	8	8	12
20-34	12650	5.8	2	4	4	6	6	7	8	9
35-49	1063	6.2	6	4	5	6	7	8	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2116	6.5	7	4	4	6	7	9	11	19
20-34	23201	6.3	10	4	4	6	7	8	9	17
35-49	3114	6.8	12	4	5	6	7	8	11	21
50-64										
65+										
TOT. SINGLE DX	14772	5.8	3	4	4	6	6	7	8	10
" MULTIPLE DX	28431	6.4	10	4	4	6	7	8	10	18
TOTAL 0-19 YRS	3175	6.3	6	4	4	6	7	8	10	17
20-34	35851	6.1	7	4	4	6	7	8	9	15
35-49	4177	6.6	11	4	5	6	7	8	10	20
50-64										
65+										
GRAND TOTAL	43203	6.2	8	4	4	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	5.6	1	3	4	6	7	7	8	8
20-34	254	5.6	2	4	4	5	7	7	8	11
35-49	20	6.9	9	4	5	6	7	9	14	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	57	7.8	48	4	4	6	8	11	16	52
20-34	582	6.9	19	4	4	6	7	9	12	31
35-49	94	7.8	26	4	5	6	8	13	16	35
50-64										
65+										
TOT. SINGLE DX	298	5.7	3	4	4	5	7	7	8	12
" MULTIPLE DX	733	7.1	23	4	4	6	7	10	14	32
TOTAL 0-19 YRS	81	7.2	36	4	4	6	7	9	12	44
20-34	836	6.5	14	4	4	6	7	8	11	24
35-49	114	7.6	23	4	5	6	8	12	16	32
50-64										
65+										
GRAND TOTAL	1031	6.7	17	4	4	6	7	9	12	26

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.8	1	4	4	5	5	7	7	7
20-34	56	5.0	2	3	3	5	6	7	7	8
35-49	8	7.6	33	4	4	5	8	18	21	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	90	5.2	4	2	3	5	6	8	9	15
35-49	12	6.2	2	4	4	6	8	8	8	8
50-64										
65+										
TOT. SINGLE DX	70	5.3	6	3	3	5	6	7	8	19
" MULTIPLE DX	105	5.4	4	3	3	5	6	8	9	14
TOTAL 0-19 YRS	9	5.1	2	4	4	5	6	7	7	7
20-34	146	5.1	4	3	3	5	6	7	8	13
35-49	20	6.8	14	4	4	6	8	9	15	21
50-64										
65+										
GRAND TOTAL	175	5.3	5	3	3	5	6	8	8	15

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	991	1.7		1	1	2	2	2	3	4
20-34	1351	1.7		1	1	2	2	3	3	5
35-49	117	1.9		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	51	2.8	4	1	1	2	3	5	8	11
20-34	135	3.3	9	1	1	2	4	6	10	16
35-49	24	2.7	4	<1	1	2	3	5	8	10
50-64										
65+										
TOT. SINGLE DX	2459	1.7	1	1	1	2	2	3	3	5
" MULTIPLE DX	210	3.1	8	1	1	2	3	6	9	15
TOTAL 0-19 YRS	1042	1.8	1	1	1	2	2	2	3	5
20-34	1486	1.9	2	1	1	2	2	3	3	7
35-49	141	2.0	1	1	1	2	2	3	4	7
50-64										
65+										
GRAND TOTAL	2669	1.8	1	1	1	2	2	3	3	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	4.5	15	<1	<1	4	5	10	14	15
20-34	108	3.7	9	<1	<1	2	5	8	9	14
35-49	32	2.3	12	<1	<1	<1	<1	7	9	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	9.5	45	<1	1	9	11	19	23	25
20-34	397	2.2	14	<1	<1	<1	<1	5	9	21
35-49	588	1.1	1	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	161	3.5	11	<1	<1	2	5	8	10	15
" MULTIPLE DX	1000	1.7	8	<1	<1	<1	<1	2	6	15
TOTAL 0-19 YRS	36	6.6	33	<1	<1	5	9	15	19	25
20-34	505	2.5	14	<1	<1	<1	2	6	9	16
35-49	620	1.2	2	<1	<1	<1	<1	<1	<1	8
50-64										
65+										
GRAND TOTAL	1161	1.9	9	<1	<1	<1	<1	4	7	15

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1004	2.5	2	<1	<1	3	3	4	5	8
20-34	6508	2.8	2	<1	<1	3	3	4	4	7
35-49	468	2.8	2	<1	1	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	440	3.0	5	<1	<1	3	4	5	6	15
20-34	3004	3.3	7	<1	1	3	4	5	6	12
35-49	305	3.6	7	1	1	3	4	6	8	16
50-64										
65+										
TOT. SINGLE DX	7980	2.7	3	<1	<1	3	3	4	4	7
" MULTIPLE DX	3749	3.3	8	<1	1	3	4	5	6	13
TOTAL 0-19 YRS	1444	2.7	4	<1	<1	3	3	4	5	9
20-34	9512	2.9	5	<1	<1	3	3	4	5	9
35-49	773	3.1	4	<1	1	3	4	4	6	13
50-64										
65+										
GRAND TOTAL	11729	2.9	4	<1	<1	3	3	4	5	9

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1486	2.9		2	2	3	3	4	4	5
20-34	11424	2.9		1	2	3	3	4	4	5
35-49	902	2.9		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1129	3.2	1	2	2	3	4	4	5	9
20-34	9587	3.3	3	2	2	3	4	4	5	8
35-49	962	3.5	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	13812	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	11678	3.3	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	2615	3.1	1	2	2	3	3	4	5	7
20-34	21011	3.1	2	2	2	3	3	4	5	7
35-49	1864	3.2	3	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**25490**	**3.1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.0	8	<1	<1	2	3	6	10	13
20-34	35	3.2	8	<1	1	2	4	6	10	15
35-49	30	2.8	3	1	1	2	3	5	7	10
50-64	26	5.8	59	<1	1	3	6	14	21	38
65+	30	5.1	16	1	1	3	7	12	14	15
2. MULTIPLE DX										
0-19 YRS	43	3.9	3	2	2	4	4	5	7	11
20-34	46	3.8	3	1	2	4	5	6	8	9
35-49	42	6.1	51	1	2	4	5	16	24	34
50-64	55	10.3	165	1	1	6	14	22	35	61
65+	63	12.5	161	1	2	7	19	26	40	55
TOT. SINGLE DX	141	4.0	19	<1	1	2	4	9	13	19
" MULTIPLE DX	249	7.8	99	1	2	4	8	20	26	56
TOTAL 0-19 YRS	63	3.6	5	1	1	4	4	5	8	13
20-34	81	3.5	5	<1	1	3	4	6	8	14
35-49	72	4.7	34	1	1	3	5	9	21	32
50-64	81	8.9	134	1	1	4	11	22	35	60
65+	93	10.1	126	1	2	5	15	25	36	54
GRAND TOTAL	**390**	**6.4**	**74**	**1**	**1**	**4**	**6**	**16**	**24**	**47**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	4.4	10	2	3	4	5	7	9	13
20-34	398	3.5	2	1	2	3	4	5	6	10
35-49	180	3.3	6	1	2	3	4	5	6	12
50-64	73	2.6		1	2	3	3	4	5	5
65+	14	5.0	15	2	2	3	6	10	15	16
2. MULTIPLE DX										
0-19 YRS	250	5.4	29	2	3	4	5	9	13	37
20-34	377	4.3	6	2	3	4	5	6	7	14
35-49	141	4.1	7	1	2	3	5	7	10	15
50-64	92	5.4	55	1	2	3	5	12	18	45
65+	31	5.1	31	2	2	3	5	16	26	99+
TOT. SINGLE DX	892	3.6	6	2	2	3	4	6	7	11
" MULTIPLE DX	891	4.7	19	2	2	4	5	7	11	29
TOTAL 0-19 YRS	477	4.9	20	2	3	4	5	8	11	32
20-34	775	3.9	5	2	2	3	4	6	7	11
35-49	321	3.6	7	1	2	3	4	6	8	15
50-64	165	4.2	33	1	2	3	4	6	12	39
65+	45	5.1	26	2	2	3	5	15	20	99+
GRAND TOTAL	**1783**	**4.2**	**13**	**2**	**2**	**3**	**5**	**6**	**8**	**18**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	3.0	6	1	1	2	3	5	6	17
20-34	249	3.1	3	1	1	3	4	6	7	10
35-49	45	3.6	6	1	1	3	4	7	9	14
50-64	7	4.3	13	1	1	3	6	10	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	191	5.3	46	1	1	3	6	10	17	35
20-34	277	5.5	23	1	2	4	6	11	13	29
35-49	82	6.0	23	2	2	4	8	14	17	76
50-64	27	7.3	106	1	2	3	6	21	32	47
65+	37	8.2	42	2	3	5	9	22	22	22
TOT. SINGLE DX	447	3.1	5	1	1	3	4	5	8	11
" MULTIPLE DX	614	5.7	36	1	2	4	7	12	17	31
TOTAL 0-19 YRS	337	4.3	31	1	1	3	5	8	11	26
20-34	526	4.3	15	1	2	3	5	9	11	19
35-49	127	5.2	19	1	2	4	7	12	15	43
50-64	34	6.6	87	1	1	3	6	14	28	47
65+	37	8.2	42	2	3	5	9	22	22	22
GRAND TOTAL	**1061**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.4	6	1	1	3	4	6	9	13
20-34	318	3.5	6	1	1	3	4	7	9	13
35-49	98	3.9	9	1	1	3	5	7	10	19
50-64	35	4.0	9	1	2	3	5	8	12	14
65+	11	3.5	4	<1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	166	7.1	62	1	2	5	8	15	19	46
20-34	436	6.9	45	1	2	5	9	13	20	32
35-49	169	8.5	78	2	2	6	11	17	23	57
50-64	75	9.8	191	2	2	6	10	32	59	99+
65+	64	12.3	82	2	3	10	17	24	32	43
TOT. SINGLE DX	564	3.6	7	1	1	3	4	7	9	14
" MULTIPLE DX	910	7.9	71	2	2	6	9	16	22	56
TOTAL 0-19 YRS	268	5.7	44	1	1	4	7	11	16	41
20-34	754	5.5	32	1	1	4	7	11	15	24
35-49	267	6.8	58	1	2	4	8	14	20	52
50-64	110	8.0	140	2	2	5	8	14	41	99+
65+	75	11.1	80	2	2	9	15	24	31	41
GRAND TOTAL	1474	6.2	51	1	2	4	7	12	18	43

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.6	7	1	1	3	5	8	9	10
20-34	23	4.2	12	<1	1	3	6	9	12	15
35-49	27	3.7	10	<1	1	3	5	7	9	17
50-64	23	2.5	3	1	1	2	3	3	6	10
65+	14	2.7		2	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	25	5.7	14	2	2	5	7	10	15	16
20-34	20	9.3	193	<1	1	4	8	22	44	62
35-49	19	5.6	33	1	1	3	7	17	20	20
50-64	27	8.5	209	1	2	3	5	27	48	60
65+	28	12.1	206	2	2	7	15	25	42	69
TOT. SINGLE DX	107	3.4	8	<1	1	2	4	7	9	16
" MULTIPLE DX	119	8.4	139	1	2	4	9	20	27	64
TOTAL 0-19 YRS	45	4.8	12	1	1	4	6	10	11	16
20-34	43	6.6	101	<1	1	4	7	13	21	62
35-49	46	4.5	21	<1	1	3	5	10	17	20
50-64	50	5.7	121	1	2	2	3	9	28	60
65+	42	9.0	156	2	2	4	12	22	31	69
GRAND TOTAL	226	6.0	83	1	1	3	6	13	20	60

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	5.6	25	1	2	4	6	11	15	27
20-34	258	4.2	16	1	1	3	5	8	10	21
35-49	235	4.7	18	1	1	3	6	9	11	26
50-64	252	6.1	23	2	2	5	8	10	13	22
65+	90	7.9	78	2	2	5	8	15	24	50
2. MULTIPLE DX										
0-19 YRS	299	8.4	82	2	3	5	8	18	29	57
20-34	298	7.6	118	1	1	4	8	18	31	63
35-49	263	6.8	85	1	2	3	6	15	29	50
50-64	407	7.9	71	2	2	6	9	14	23	43
65+	225	13.4	183	2	3	9	17	29	47	99+
TOT. SINGLE DX	1219	5.4	27	1	2	4	6	10	14	28
" MULTIPLE DX	1492	8.6	107	1	2	5	9	19	31	58
TOTAL 0-19 YRS	683	6.8	52	1	2	5	7	14	22	40
20-34	556	6.1	74	1	1	3	6	13	21	46
35-49	498	5.8	55	1	2	3	6	11	19	44
50-64	659	7.2	54	2	2	6	8	12	18	39
65+	315	11.9	159	2	2	8	15	26	45	96
GRAND TOTAL	2711	7.2	73	1	2	5	8	14	23	48

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	3.2	2	1	2	3	4	5	6	8
20-34	490	3.4	2	1	2	3	4	5	6	8
35-49	437	3.5	4	1	1	3	4	6	6	9
50-64	526	3.7	3	1	2	3	4	6	7	9
65+	226	3.5	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	289	3.6	3	1	2	3	4	6	7	9
20-34	750	4.0	19	1	2	3	5	6	7	15
35-49	994	3.8	4	1	2	3	5	6	7	10
50-64	1598	4.3	10	2	2	4	5	7	8	14
65+	1062	5.0	22	1	2	4	6	8	11	22
TOT. SINGLE DX	1911	3.5	3	1	2	3	4	6	7	9
" MULTIPLE DX	4693	4.3	13	1	2	4	5	7	8	16
TOTAL 0-19 YRS	521	3.5	3	1	2	3	4	6	7	8
20-34	1240	3.8	13	1	2	3	4	6	7	12
35-49	1431	3.7	5	1	2	3	5	6	7	9
50-64	2124	4.2	9	1	2	4	5	6	8	13
65+	1288	4.8	20	1	2	4	6	8	10	21
GRAND TOTAL	6604	4.1	10	1	2	4	5	6	8	14

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1053	3.7	18	1	1	3	4	6	8	24
20-34	1150	3.8	19	<1	1	3	4	6	10	26
35-49	935	4.1	20	<1	1	3	4	7	11	27
50-64	665	4.8	40	1	1	3	5	8	13	39
65+	311	6.5	52	1	2	4	8	14	23	40
2. MULTIPLE DX										
0-19 YRS	526	7.4	118	1	1	4	7	17	28	60
20-34	986	8.1	160	1	1	4	7	22	39	77
35-49	933	8.2	139	1	1	4	8	21	35	70
50-64	1217	10.4	188	1	2	5	12	28	41	78
65+	1232	16.5	301	2	3	11	22	42	62	99+
TOT. SINGLE DX	4114	4.2	26	1	1	3	4	7	12	30
" MULTIPLE DX	4894	10.7	206	1	2	5	13	29	44	88
TOTAL 0-19 YRS	1579	4.9	55	1	1	3	5	9	16	42
20-34	2136	5.8	89	1	1	3	5	11	24	58
35-49	1868	6.1	84	1	1	3	6	13	23	51
50-64	1882	8.4	143	1	2	4	8	21	34	70
65+	1543	14.5	267	2	2	9	20	38	57	99+
GRAND TOTAL	9008	7.8	135	1	1	4	7	20	32	71

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	6.8	55	2	2	5	7	11	18	44
20-34	228	4.7	19	1	1	4	6	9	11	25
35-49	114	6.3	99	1	2	4	6	11	17	65
50-64	102	9.1	100	2	3	6	10	15	27	59
65+	178	16.0	222	2	4	12	19	29	41	95
2. MULTIPLE DX										
0-19 YRS	234	10.1	153	2	2	6	11	24	39	96
20-34	179	11.6	209	1	2	6	14	29	47	86
35-49	101	10.9	125	1	2	6	14	28	37	81
50-64	163	14.7	184	2	3	11	18	36	46	96
65+	557	23.3	344	4	7	18	30	49	71	96
TOT. SINGLE DX	995	8.1	101	1	2	5	9	16	25	64
" MULTIPLE DX	1234	16.9	284	2	3	12	22	39	56	96
TOTAL 0-19 YRS	607	8.0	96	2	2	5	8	17	28	55
20-34	407	7.7	114	1	1	4	8	16	28	64
35-49	215	8.5	116	1	2	5	9	19	31	72
50-64	265	12.5	159	2	3	9	14	29	44	73
65+	735	21.5	325	4	6	16	28	46	70	96
GRAND TOTAL	2229	13.0	222	2	2	8	16	31	45	88

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	719	3.0	16	<1	1	2	3	5	7	26
20-34	1036	2.8	13	<1	1	2	3	5	6	13
35-49	496	3.0	7	<1	1	2	3	5	7	16
50-64	440	3.3	12	<1	1	2	4	5	9	20
65+	327	5.7	57	1	1	3	7	14	18	49
2. MULTIPLE DX										
0-19 YRS	419	4.5	53	<1	1	3	4	7	10	48
20-34	396	6.9	123	1	1	3	6	17	32	59
35-49	271	6.3	76	1	1	3	6	14	24	52
50-64	366	7.5	122	1	2	4	7	18	28	56
65+	564	13.6	223	2	2	8	17	34	54	99+
TOT. SINGLE DX	3018	3.3	19	<1	1	2	3	5	8	21
" MULTIPLE DX	2016	8.3	142	1	2	4	8	21	36	68
TOTAL 0-19 YRS	1138	3.6	31	<1	1	2	4	5	8	38
20-34	1432	3.9	47	<1	1	2	4	6	10	45
35-49	767	4.1	34	<1	1	3	4	7	12	38
50-64	806	5.2	67	<1	1	3	5	10	18	46
65+	891	10.7	177	1	2	6	14	26	44	99
GRAND TOTAL	5034	5.3	74	<1	1	3	5	11	19	54

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	18.7	241	4	5	14	24	41	50	79
20-34	22	13.5	49	6	8	12	15	29	58	99+
35-49	11	20.1	371	6	7	15	19	51	70	72
50-64	55	11.4	60	5	5	10	13	16	27	47
65+	142	17.9	134	8	9	15	20	33	53	99+
2. MULTIPLE DX										
0-19 YRS	71	28.0	307	6	9	25	41	47	61	85
20-34	54	25.2	347	6	7	20	31	64	75	99
35-49	21	20.7	272	7	7	17	25	50	59	62
50-64	96	21.2	352	6	7	15	27	57	92	99+
65+	685	22.8	241	8	10	18	30	50	73	99+
TOT. SINGLE DX	314	16.7	158	5	6	14	20	33	48	99+
" MULTIPLE DX	927	23.1	266	7	9	18	30	50	72	99+
TOTAL 0-19 YRS	155	22.9	291	5	6	19	31	46	51	85
20-34	76	21.8	287	6	7	17	27	53	74	99+
35-49	32	20.5	296	6	7	16	24	49	61	72
50-64	151	17.7	267	5	6	12	19	39	61	99+
65+	827	21.9	226	8	9	17	28	48	71	99+
GRAND TOTAL	1241	21.5	246	6	8	17	27	48	68	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	11.2	63	2	4	10	14	21	28	43
20-34	107	14.9	95	5	6	13	18	28	33	62
35-49	94	12.8	68	4	6	11	15	22	29	47
50-64	294	14.2	62	6	7	13	17	21	30	47
65+	1245	18.8	112	8	9	16	23	31	39	73
2. MULTIPLE DX										
0-19 YRS	198	20.3	193	6	8	17	25	38	55	77
20-34	307	23.9	314	7	8	18	29	53	72	99+
35-49	220	22.4	249	6	8	17	28	47	63	99+
50-64	723	20.8	191	7	9	17	24	40	51	75
65+	6112	25.2	264	9	11	21	32	54	75	99+
TOT. SINGLE DX	1871	17.0	104	6	8	15	20	29	37	66
" MULTIPLE DX	7560	24.5	260	8	10	20	31	51	72	99+
TOTAL 0-19 YRS	329	16.7	161	4	5	13	21	32	44	75
20-34	414	21.6	273	6	7	17	27	48	68	99+
35-49	314	19.5	215	6	7	16	23	41	52	99+
50-64	1017	18.9	163	7	8	15	22	34	46	68
65+	7357	24.1	245	9	10	20	30	50	71	99+
GRAND TOTAL	**9431**	**23.0**	**238**	**8**	**10**	**19**	**29**	**47**	**68**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	13.7	201	1	1	9	21	34	43	56
20-34	17	15.9	221	1	2	10	24	43	47	47
35-49	10	11.6	257	2	2	5	11	37	55	55
50-64	19	15.8	169	4	7	12	18	31	49	60
65+	42	18.1	238	2	3	13	24	40	49	69
2. MULTIPLE DX										
0-19 YRS	132	20.5	236	2	3	18	29	44	51	72
20-34	53	25.9	429	3	4	22	40	57	74	99
35-49	20	26.7	407	6	9	18	40	58	70	74
50-64	51	21.7	352	1	2	16	33	54	59	99+
65+	172	22.0	313	3	6	18	32	61	94	99+
TOT. SINGLE DX	310	14.5	207	1	2	9	21	35	46	60
" MULTIPLE DX	428	22.2	313	2	4	18	33	52	68	99+
TOTAL 0-19 YRS	354	16.2	225	1	2	11	25	40	47	61
20-34	70	23.5	393	2	3	18	36	56	59	97
35-49	30	21.6	399	3	4	13	33	52	67	74
50-64	70	20.1	307	2	3	14	32	51	59	95
65+	214	21.2	300	3	5	17	31	56	81	99+
GRAND TOTAL	**738**	**19.0**	**283**	**1**	**2**	**14**	**28**	**46**	**58**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	4.4	52	1	1	2	4	11	18	26
20-34	248	4.0	25	<1	1	2	4	9	12	24
35-49	200	3.6	13	<1	1	2	4	8	10	21
50-64	219	3.7	13	1	1	3	4	7	9	20
65+	169	4.3	21	1	1	3	5	10	13	24
2. MULTIPLE DX										
0-19 YRS	119	9.0	106	1	1	5	12	23	34	67
20-34	146	10.5	139	1	2	7	13	24	34	57
35-49	104	9.3	126	1	2	6	10	20	44	79
50-64	177	9.9	123	1	2	6	13	22	30	60
65+	226	11.1	146	1	2	6	16	31	44	99+
TOT. SINGLE DX	1098	4.0	27	1	1	2	4	8	13	24
" MULTIPLE DX	772	10.1	131	1	2	6	13	25	39	78
TOTAL 0-19 YRS	381	5.9	73	1	1	3	6	16	22	47
20-34	394	6.4	78	1	1	3	7	16	23	48
35-49	304	5.6	59	1	1	3	6	12	19	49
50-64	396	6.5	72	1	1	3	7	16	22	42
65+	395	8.2	104	1	1	4	10	23	35	99+
GRAND TOTAL	**1870**	**6.5**	**79**	**1**	**1**	**3**	**7**	**16**	**24**	**52**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1372	3.7	7	1	1	3	5	7	9	13
20-34	1688	4.5	12	1	1	4	6	9	11	18
35-49	1120	5.3	16	1	2	4	7	10	12	20
50-64	1019	6.3	16	2	2	5	8	11	14	21
65+	610	8.6	38	2	3	7	11	16	21	30
2. MULTIPLE DX										
0-19 YRS	645	8.5	113	1	2	5	10	18	31	63
20-34	1231	9.2	101	2	2	6	10	20	31	59
35-49	803	9.4	104	2	2	6	11	20	30	71
50-64	1056	11.3	138	2	3	8	14	24	35	73
65+	1262	15.4	204	3	4	11	19	34	52	99+
TOT. SINGLE DX	5809	5.2	18	1	2	4	6	10	13	21
" MULTIPLE DX	4997	11.2	144	2	3	7	14	24	37	78
TOTAL 0-19 YRS	2017	5.2	47	1	1	3	6	10	15	47
20-34	2919	6.5	55	1	2	4	7	13	19	44
35-49	1923	7.0	58	1	2	5	8	13	20	48
50-64	2075	8.9	85	2	3	6	10	18	24	57
65+	1872	13.2	161	3	4	9	16	28	40	87
GRAND TOTAL	**10806**	**8.0**	**85**	**1**	**2**	**5**	**9**	**17**	**24**	**57**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2856	2.5	8	<1	1	[illegible]	3	5	7	17
20-34	795	4.0	16	1	1	3	5	8	11	20
35-49	604	3.8	12	1	1	3	5	8	11	19
50-64	682	4.3	19	1	1	3	5	9	13	22
65+	658	5.5	55	1	1	3	6	12	17	34
2. MULTIPLE DX										
0-19 YRS	823	6.1	78	1	1	3	6	14	22	52
20-34	689	8.5	132	1	1	5	9	18	32	68
35-49	512	9.3	168	1	1	5	10	20	30	78
50-64	706	9.1	128	1	1	5	11	21	33	79
65+	1575	12.5	212	1	2	8	16	30	50	99+
TOT. SINGLE DX	5595	3.4	18	1	1	2	4	7	11	22
" MULTIPLE DX	4305	9.7	161	1	1	5	11	23	37	85
TOTAL 0-19 YRS	3679	3.3	27	1	1	2	3	7	11	25
20-34	1484	6.1	75	1	1	4	7	12	19	53
35-49	1116	6.4	92	1	1	4	7	13	20	57
50-64	1388	6.8	81	1	1	4	8	15	23	55
65+	2233	10.5	176	1	1	6	13	25	42	98
GRAND TOTAL	**9900**	**6.2**	**90**	**1**	**1**	**3**	**7**	**14**	**22**	**59**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	4.4	37	<1	<1	2	4	13	17	29
20-34	203	2.9	15	<1	<1	1	3	7	10	21
35-49	101	2.3	3	<1	<1	2	3	4	5	9
50-64	91	3.6	48	<1	1	2	4	6	11	46
65+	130	5.7	41	1	1	3	7	13	22	31
2. MULTIPLE DX										
0-19 YRS	109	8.8	87	1	1	5	11	21	32	41
20-34	160	7.5	80	1	1	4	9	19	26	38
35-49	80	6.7	87	1	1	4	7	17	22	55
50-64	115	8.9	125	1	1	5	10	21	31	59
65+	276	11.6	161	1	1	7	17	28	39	73
TOT. SINGLE DX	738	3.8	30	<1	1	2	4	9	15	27
" MULTIPLE DX	740	9.4	123	1	1	5	12	22	33	59
TOTAL 0-19 YRS	322	5.9	59	<1	1	2	7	16	22	36
20-34	363	4.9	49	<1	1	2	6	13	19	37
35-49	181	4.2	45	<1	1	2	4	9	16	32
50-64	206	6.5	98	1	1	3	7	16	23	54
65+	406	9.7	131	1	1	5	13	25	32	69
GRAND TOTAL	**1478**	**6.6**	**84**	**<1**	**1**	**3**	**8**	**18**	**24**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	3.6	12	1	1	3	4	7	8	23
20-34	195	3.5	13	1	1	3	4	6	7	18
35-49	73	3.8	6	1	1	3	5	6	9	15
50-64	47	4.9	18	1	1	3	6	9	16	21
65+	27	8.7	64	2	2	5	10	19	31	34
2. MULTIPLE DX										
0-19 YRS	50	9.4	182	2	2	5	8	16	28	76
20-34	82	8.8	121	1	2	5	9	22	28	65
35-49	47	6.6	161	1	1	4	6	10	19	85
50-64	47	14.3	274	2	2	7	16	41	51	71
65+	70	15.2	230	1	3	11	19	48	57	99+
TOT. SINGLE DX	469	4.0	17	1	1	3	5	7	9	22
" MULTIPLE DX	296	10.9	196	1	2	6	12	28	48	83
TOTAL 0-19 YRS	177	5.2	67	1	1	3	5	8	16	53
20-34	277	5.1	51	1	1	3	5	8	17	31
35-49	120	4.9	68	1	1	4	5	8	11	47
50-64	94	9.6	167	1	2	5	9	22	41	66
65+	97	13.4	192	2	3	9	17	38	56	99+
GRAND TOTAL	**765**	**6.7**	**98**	**1**	**1**	**4**	**6**	**15**	**23**	**62**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	579	3.5	13	1	1	3	4	6	10	21
20-34	533	2.9	5	1	1	2	3	5	6	13
35-49	287	3.3	7	1	1	2	4	6	9	14
50-64	136	6.2	124	<1	1	3	6	13	19	68
65+	80	9.2	103	1	2	4	12	22	28	50
2. MULTIPLE DX										
0-19 YRS	358	6.0	84	1	1	3	5	15	26	49
20-34	411	4.8	44	1	1	3	5	9	15	37
35-49	292	6.8	87	1	2	3	7	16	27	44
50-64	240	10.5	162	1	2	5	13	28	38	62
65+	289	19.2	365	2	3	14	27	51	71	99+
TOT. SINGLE DX	1615	3.8	26	1	1	3	4	7	10	23
" MULTIPLE DX	1590	8.9	164	1	2	4	10	24	35	76
TOTAL 0-19 YRS	937	4.5	42	1	1	3	4	9	16	36
20-34	944	3.8	23	1	1	3	4	6	9	25
35-49	579	5.1	51	1	1	3	5	10	17	36
50-64	376	8.9	153	1	2	4	10	22	33	64
65+	369	17.0	326	2	2	11	23	45	64	99+
GRAND TOTAL	**3205**	**6.3**	**101**	**1**	**1**	**3**	**6**	**15**	**26**	**59**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	9.6	28	4	4	8	12	19	21	26
20-34	1864	8.5	32	3	4	7	10	15	20	29
35-49	2602	9.0	37	3	4	7	10	16	21	32
50-64	1126	9.6	36	3	4	8	11	18	21	32
65+	245	12.1	62	4	6	10	14	23	26	40
2. MULTIPLE DX										
0-19 YRS	25	14.0	151	2	5	10	16	22	50	53
20-34	617	11.3	65	4	5	9	14	21	26	39
35-49	1415	11.9	85	4	5	9	14	23	29	49
50-64	1336	13.2	96	5	5	10	16	25	33	68
65+	711	17.9	168	6	7	14	22	33	43	90
TOT. SINGLE DX	5931	9.1	37	3	4	8	11	16	21	31
" MULTIPLE DX	4104	13.3	106	4	5	10	16	25	33	61
TOTAL 0-19 YRS	119	10.5	57	3	4	8	13	19	22	50
20-34	2481	9.2	42	3	4	8	11	17	22	34
35-49	4017	10.1	56	3	4	8	12	18	24	39
50-64	2462	11.6	72	4	5	9	14	21	27	51
65+	956	16.4	148	5	6	13	21	31	40	83
GRAND TOTAL	10035	10.8	69	3	4	8	13	20	26	44

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	603	2.5	2	<1	1	2	3	4	5	8
20-34	1563	2.5	2	<1	1	2	3	4	5	8
35-49	951	2.6	3	<1	1	2	3	5	6	9
50-64	589	2.8	2	<1	1	2	3	5	6	10
65+	112	3.7	24	1	1	2	4	7	9	32
2. MULTIPLE DX										
0-19 YRS	434	2.6	3	<1	1	2	3	5	6	9
20-34	1283	2.7	6	<1	1	2	3	5	6	10
35-49	1017	3.1	12	<1	1	2	3	6	8	17
50-64	1169	3.2	10	1	1	2	4	6	8	16
65+	463	4.1	24	1	1	3	4	9	13	26
TOT. SINGLE DX	3818	2.6	3	<1	1	2	3	5	6	9
" MULTIPLE DX	4366	3.1	11	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	1037	2.5	3	<1	1	2	3	5	6	8
20-34	2846	2.6	4	<1	1	2	3	5	6	9
35-49	1968	2.9	8	<1	1	2	3	5	7	14
50-64	1758	3.1	8	1	1	2	3	6	7	14
65+	575	4.0	25	1	1	2	4	8	12	26
GRAND TOTAL	8184	2.9	7	<1	1	2	3	5	7	12

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	980	2.2	4	<1	<1	2	2	4	5	13
20-34	1584	2.3	5	<1	<1	2	3	4	5	11
35-49	912	2.6	4	<1	<1	2	3	4	6	11
50-64	556	3.0	9	<1	1	2	3	5	8	16
65+	199	4.1	18	1	1	3	4	9	12	22
2. MULTIPLE DX										
0-19 YRS	525	3.0	15	<1	1	2	3	5	8	22
20-34	1099	3.1	15	<1	1	2	3	6	8	19
35-49	798	4.1	46	<1	1	2	4	7	11	44
50-64	783	5.5	70	1	1	3	5	12	19	51
65+	444	9.6	191	1	2	4	9	27	41	75
TOT. SINGLE DX	4231	2.5	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	3649	4.6	60	<1	1	2	4	9	16	47
TOTAL 0-19 YRS	1505	2.5	9	<1	<1	2	3	4	6	18
20-34	2683	2.6	10	<1	1	2	3	4	7	15
35-49	1710	3.3	25	<1	1	2	3	5	8	28
50-64	1339	4.5	46	1	1	2	4	9	15	41
65+	643	7.9	144	1	1	3	8	20	33	64
GRAND TOTAL	7880	3.5	32	<1	1	2	3	6	10	30

720: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	10.9	19	5	7	10	12	17	21	25
20-34	142	11.7	56	6	7	10	13	17	25	53
35-49	120	11.2	30	4	5	10	14	18	22	30
50-64	40	11.1	30	6	6	10	12	19	21	34
65+	2	25.0	128	17	17	25	33	33	33	33
2. MULTIPLE DX										
0-19 YRS	199	14.8	106	6	7	12	16	26	37	68
20-34	178	17.0	183	5	6	12	20	35	54	99+
35-49	137	15.3	108	5	7	12	19	33	40	99+
50-64	107	19.2	304	6	7	13	22	36	63	99
65+	58	30.0	526	8	9	25	40	78	89	99+
TOT. SINGLE DX	515	11.2	34	5	6	10	13	18	22	33
" MULTIPLE DX	679	17.5	210	6	7	12	21	36	52	99+
TOTAL 0-19 YRS	410	12.8	66	6	7	10	14	22	27	53
20-34	320	14.6	134	5	6	11	16	29	42	92
35-49	257	13.4	76	5	6	11	16	24	34	69
50-64	147	17.0	242	6	6	12	19	33	59	98
65+	60	29.9	512	8	9	25	39	78	89	99+
GRAND TOTAL	1194	14.8	144	5	7	11	16	27	39	90

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	4.2	13	1	1	4	5	7	9	23
20-34	210	4.2	10	1	1	3	6	8	9	17
35-49	191	4.5	13	1	1	4	6	9	11	21
50-64	198	4.4	28	<1	1	3	5	8	11	21
65+	110	4.0	14	<1	1	3	5	8	11	22
2. MULTIPLE DX										
0-19 YRS	120	6.9	67	2	2	5	8	12	15	59
20-34	200	6.3	75	2	2	4	7	11	16	39
35-49	210	5.9	53	1	2	4	6	10	17	51
50-64	284	5.5	24	1	2	4	7	11	14	31
65+	195	7.7	59	2	2	5	9	17	22	39
TOT. SINGLE DX	809	4.3	16	1	1	3	5	8	10	19
" MULTIPLE DX	1009	6.3	53	2	2	4	7	12	18	43
TOTAL 0-19 YRS	220	5.7	45	1	2	4	6	9	13	40
20-34	410	5.2	43	1	2	4	6	9	12	29
35-49	401	5.2	35	1	2	4	6	9	13	31
50-64	482	5.0	26	1	2	4	6	9	13	24
65+	305	6.4	46	1	2	4	7	14	20	34
GRAND TOTAL	**1818**	**5.4**	**38**	**1**	**2**	**4**	**6**	**10**	**15**	**33**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	15.0	39	10	10	13	20	22	22	22
20-34	32	11.8	19	7	7	11	14	17	20	27
35-49	100	13.9	74	7	8	12	16	20	23	58
50-64	486	14.0	22	8	9	13	16	20	23	30
65+	825	15.9	54	9	10	15	18	24	28	46
2. MULTIPLE DX										
0-19 YRS	5	18.6	91	11	11	17	22	35	35	35
20-34	62	17.6	115	9	10	14	21	28	36	68
35-49	144	16.1	89	8	9	14	19	26	39	79
50-64	857	17.7	104	9	10	15	20	28	37	69
65+	2467	20.8	165	10	11	17	24	37	50	91
TOT. SINGLE DX	1446	15.0	46	8	9	14	17	22	25	38
" MULTIPLE DX	3535	19.8	149	9	10	16	23	34	46	82
TOTAL 0-19 YRS	8	17.3	67	10	10	15	20	31	35	35
20-34	94	15.6	90	8	8	13	18	26	30	62
35-49	244	15.2	84	8	8	13	17	24	30	78
50-64	1343	16.3	78	8	9	14	18	24	31	57
65+	3292	19.5	142	9	10	16	22	33	45	83
GRAND TOTAL	**4981**	**18.4**	**124**	**9**	**10**	**16**	**21**	**30**	**41**	**77**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.3	81	3	4	7	14	23	32	34
20-34	10	10.1	12	6	6	9	12	16	17	17
35-49	27	12.1	20	6	7	11	15	17	22	26
50-64	121	14.1	28	7	9	13	16	20	23	33
65+	665	18.6	100	9	10	16	21	30	39	67
2. MULTIPLE DX										
0-19 YRS	16	15.8	234	5	5	11	19	26	55	67
20-34	24	16.8	82	7	8	14	24	37	54	99+
35-49	41	20.0	205	8	10	15	21	38	59	71
50-64	316	21.4	203	9	10	17	25	43	64	99+
65+	3114	24.3	231	9	11	20	30	50	67	99+
TOT. SINGLE DX	837	17.5	91	8	9	15	20	28	37	64
" MULTIPLE DX	3511	23.9	229	9	11	20	30	49	66	99+
TOTAL 0-19 YRS	30	13.7	163	4	4	9	19	25	34	67
20-34	34	14.9	71	6	8	12	19	29	38	99+
35-49	68	16.9	146	7	9	14	18	27	43	70
50-64	437	19.4	166	8	10	16	22	37	53	99+
65+	3779	23.3	213	9	11	19	29	46	63	99+
GRAND TOTAL	**4348**	**22.7**	**209**	**9**	**10**	**18**	**28**	**45**	**62**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	446	4.4	4	1	2	4	5	7	8	11
20-34	544	4.9	9	1	2	5	6	8	9	18
35-49	173	6.2	32	1	2	5	8	13	19	29
50-64	327	12.7	47	2	4	12	16	20	24	34
65+	602	15.3	40	7	9	15	18	22	25	34
2. MULTIPLE DX										
0-19 YRS	319	5.5	12	2	2	5	6	8	12	21
20-34	594	6.1	19	2	2	5	7	10	13	22
35-49	256	7.6	47	1	2	6	8	16	23	40
50-64	552	14.3	78	2	4	13	18	24	30	51
65+	1650	19.0	104	9	10	17	22	31	39	83
TOT. SINGLE DX	2092	9.1	48	1	2	7	13	18	21	31
" MULTIPLE DX	3371	13.8	106	2	4	13	18	25	33	62
TOTAL 0-19 YRS	765	4.9	8	1	2	5	6	8	9	17
20-34	1138	5.5	15	1	2	5	7	9	11	20
35-49	429	7.0	42	1	2	5	8	15	20	33
50-64	879	13.7	68	2	4	13	17	23	27	43
65+	2252	18.0	90	8	10	16	20	28	36	67
GRAND TOTAL	**5463**	**12.0**	**89**	**2**	**3**	**10**	**16**	**23**	**28**	**50**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	3.2	4	1	1	3	4	5	6	9
20-34	1106	3.3	2	1	1	3	4	5	6	8
35-49	501	3.5	5	1	1	3	4	6	7	15
50-64	451	4.1	24	1	1	3	5	7	8	14
65+	170	5.6	21	2	2	4	7	11	16	24
2. MULTIPLE DX										
0-19 YRS	142	4.0	7	1	2	3	5	7	8	30
20-34	417	4.0	12	1	2	3	5	6	10	20
35-49	355	4.4	15	2	2	4	5	7	9	22
50-64	499	5.1	22	1	2	4	5	9	12	28
65+	412	7.9	82	2	2	5	9	15	23	67
TOT. SINGLE DX	2708	3.6	9	1	1	3	4	6	7	13
" MULTIPLE DX	1825	5.2	33	1	2	4	5	10	14	33
TOTAL 0-19 YRS	622	3.4	5	1	1	3	4	5	7	10
20-34	1523	3.5	6	1	1	3	4	5	6	12
35-49	856	3.8	10	1	2	3	4	6	8	18
50-64	950	4.6	24	1	2	4	5	8	10	21
65+	582	7.3	66	2	2	5	9	14	21	48
GRAND TOTAL	**4533**	**4.3**	**19**	**1**	**2**	**3**	**5**	**7**	**10**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	270	3.5	17	<1	<1	2	4	8	11	23
20-34	260	3.2	8	<1	<1	2	4	8	9	14
35-49	265	2.9	10	<1	<1	2	3	6	8	17
50-64	307	2.4	7	<1	<1	2	2	4	7	16
65+	110	3.5	25	<1	<1	2	3	6	15	30
2. MULTIPLE DX										
0-19 YRS	290	7.1	66	1	2	4	7	17	26	44
20-34	203	8.0	116	1	1	4	9	21	31	72
35-49	209	6.8	88	<1	1	3	7	17	28	59
50-64	243	7.4	115	1	1	3	8	18	27	61
65+	202	12.8	234	1	1	8	16	35	52	88
TOT. SINGLE DX	1212	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	1147	8.3	124	1	1	4	9	21	32	63
TOTAL 0-19 YRS	560	5.4	46	<1	1	3	6	11	20	35
20-34	463	5.3	61	<1	1	3	6	12	18	44
35-49	474	4.6	49	<1	<1	2	5	10	17	38
50-64	550	4.6	61	<1	<1	2	4	10	18	42
65+	312	9.5	180	<1	1	4	11	28	43	77
GRAND TOTAL	**2359**	**5.6**	**73**	**<1**	**1**	**3**	**6**	**13**	**22**	**49**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	529	1.9	2	<1	<1	2	2	3	4	10
20-34	857	1.9	4	<1	<1	2	2	3	4	10
35-49	663	2.2	4	<1	<1	2	2	4	6	13
50-64	439	2.4	4	<1	<1	2	3	5	6	11
65+	197	3.5	13	<1	<1	2	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	92	4.5	62	<1	1	2	4	9	16	49
20-34	214	5.3	73	<1	<1	2	5	12	21	40
35-49	311	4.8	35	<1	<1	3	6	11	18	41
50-64	388	7.9	108	<1	1	4	10	19	28	50
65+	350	11.1	144	1	2	7	15	26	39	53
TOT. SINGLE DX	2685	2.2	5	<1	<1	2	2	4	5	12
" MULTIPLE DX	1355	7.4	98	<1	1	3	9	19	27	52
TOTAL 0-19 YRS	621	2.3	13	<1	<1	2	2	4	5	14
20-34	1071	2.6	20	<1	<1	2	2	4	7	24
35-49	974	3.0	16	<1	<1	2	3	6	10	22
50-64	827	5.0	61	<1	<1	2	5	12	19	43
65+	547	8.4	110	<1	1	4	11	21	29	52
GRAND TOTAL	**4040**	**3.9**	**42**	**<1**	**<1**	**2**	**3**	**9**	**15**	**35**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.6	1	<1	<1	1	2	2	3	6
20-34	58	2.3	7	<1	<1	2	3	4	5	20
35-49	106	2.1	3	<1	<1	2	3	3	4	12
50-64	304	2.2	4	<1	1	2	2	3	4	9
65+	209	2.2	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	22	3.6	10	1	1	3	4	7	11	16
20-34	42	4.8	59	1	2	3	4	8	13	50
35-49	69	3.7	51	<1	1	2	3	5	8	50
50-64	178	3.4	30	<1	1	2	3	5	10	53
65+	202	3.9	32	1	1	2	3	7	15	35
TOT. SINGLE DX	706	2.2	4	<1	1	2	2	3	4	8
" MULTIPLE DX	513	3.8	35	1	1	2	3	6	12	44
TOTAL 0-19 YRS	51	2.5	6	<1	<1	2	3	5	7	16
20-34	100	3.4	30	<1	<1	2	3	5	9	35
35-49	175	2.8	23	<1	<1	2	3	4	6	20
50-64	482	2.6	15	<1	1	2	3	4	5	21
65+	411	3.1	17	1	1	2	3	4	8	21
GRAND TOTAL	**1219**	**2.8**	**18**	**<1**	**1**	**2**	**3**	**4**	**7**	**21**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	2	<1	1	2	2	3	4	7
20-34	532	2.2	7	<1	<1	2	3	4	5	9
35-49	228	2.2	3	<1	<1	2	2	3	5	11
50-64	142	2.3	4	<1	1	2	2	3	6	16
65+	39	2.2	2	<1	<1	2	3	3	5	10
2. MULTIPLE DX										
0-19 YRS	299	2.6	5	1	1	2	3	5	6	14
20-34	487	2.9	10	1	1	2	3	5	8	12
35-49	230	3.0	15	<1	1	2	3	5	9	30
50-64	142	3.4	19	<1	1	2	4	6	7	26
65+	64	4.4	36	1	1	3	4	9	18	35
TOT. SINGLE DX	1259	2.2	5	<1	1	2	2	3	5	9
" MULTIPLE DX	1222	3.0	13	1	1	2	3	5	8	20
TOTAL 0-19 YRS	617	2.3	4	<1	1	2	3	4	5	11
20-34	1019	2.5	9	<1	1	2	3	4	6	11
35-49	458	2.6	9	<1	1	2	3	4	6	20
50-64	284	2.8	12	<1	1	2	3	5	6	17
65+	103	3.6	25	<1	1	2	3	7	11	30
GRAND TOTAL	**2481**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	3.2	16	<1	1	2	3	5	9	26
20-34	389	2.9	4	<1	1	2	4	5	6	12
35-49	359	3.1	4	<1	1	3	4	6	7	10
50-64	326	3.8	11	1	1	3	5	6	7	13
65+	148	4.2	12	1	1	3	5	9	10	32
2. MULTIPLE DX										
0-19 YRS	141	4.3	70	1	1	3	4	7	13	29
20-34	256	5.0	52	1	1	3	5	9	20	48
35-49	272	5.7	39	1	2	4	6	13	22	32
50-64	370	5.8	50	1	2	4	6	11	16	40
65+	234	10.3	204	2	2	5	11	31	47	99+
TOT. SINGLE DX	1414	3.3	9	<1	1	3	4	6	8	13
" MULTIPLE DX	1273	6.3	83	1	1	4	6	13	23	57
TOTAL 0-19 YRS	333	3.6	40	<1	1	2	4	6	10	24
20-34	645	3.7	25	<1	1	3	4	6	9	29
35-49	631	4.2	21	1	1	3	5	7	12	29
50-64	696	4.9	34	1	1	4	5	8	12	33
65+	382	7.9	139	1	2	4	8	17	40	99+
GRAND TOTAL	**2687**	**4.7**	**46**	**1**	**1**	**3**	**5**	**8**	**13**	**42**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	3.7	7	1	1	3	4	6	7	12
20-34	417	3.7	9	1	1	3	4	7	9	14
35-49	262	3.7	7	1	1	3	4	6	8	18
50-64	143	4.0	8	1	2	3	5	8	10	17
65+	67	7.0	102	2	2	5	7	12	14	72
2. MULTIPLE DX										
0-19 YRS	423	6.1	77	1	2	4	6	11	19	42
20-34	204	7.1	83	1	1	4	7	17	28	49
35-49	114	8.5	230	1	2	4	6	13	36	82
50-64	139	8.7	97	2	2	5	9	21	33	64
65+	113	14.1	325	2	3	7	15	41	77	99+
TOT. SINGLE DX	1270	3.9	14	1	1	3	5	7	9	17
" MULTIPLE DX	993	7.8	133	1	2	4	8	18	29	79
TOTAL 0-19 YRS	804	5.0	46	1	2	3	5	8	13	30
20-34	621	4.8	36	1	1	3	5	8	11	32
35-49	376	5.2	80	1	1	3	5	8	12	68
50-64	282	6.3	57	1	2	4	7	11	21	51
65+	180	11.4	253	2	3	6	12	31	55	99+
GRAND TOTAL	**2263**	**5.6**	**70**	**1**	**2**	**4**	**6**	**10**	**17**	**51**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.2	2	1	1	2	3	4	5	9
20-34	116	2.4	6	<1	1	2	3	5	7	17
35-49	86	2.1	3	<1	<1	1	2	4	5	12
50-64	58	2.8	10	<1	1	2	3	6	8	21
65+	32	2.6	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	40	5.2	90	1	1	3	5	9	19	58
20-34	93	9.5	240	1	1	4	9	30	49	89
35-49	84	7.3	139	1	1	3	6	20	24	68
50-64	102	7.4	133	<1	1	3	8	18	28	62
65+	99	12.7	250	1	2	6	18	32	47	95
TOT. SINGLE DX	342	2.4	6	<1	1	2	3	5	6	12
" MULTIPLE DX	418	8.9	186	1	1	4	9	23	37	77
TOTAL 0-19 YRS	90	3.5	43	1	1	2	3	6	9	42
20-34	209	5.6	123	1	1	2	4	12	29	74
35-49	170	4.7	77	<1	1	2	4	11	20	56
50-64	160	5.7	93	<1	1	2	5	14	21	47
65+	131	10.2	208	1	1	5	13	30	34	92
GRAND TOTAL	**760**	**6.0**	**115**	**1**	**1**	**2**	**5**	**15**	**25**	**72**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.7	53	<1	1	2	10	20	21	21
20-34	7	4.4	9	1	1	4	7	9	9	9
35-49	7	4.6	7	1	1	5	6	8	9	9
50-64	6	5.0	29	1	1	3	9	13	14	14
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	6	13.3	284	<1	<1	7	20	42	44	44
20-34	10	14.0	186	2	2	8	26	35	41	41
35-49	9	21.0	428	1	1	21	44	75	99+	99+
50-64	9	22.7	667	1	1	19	32	66	74	74
65+	12	25.1	524	2	5	18	31	64	78	80
TOT. SINGLE DX	34	5.2	25	1	1	3	7	11	18	21
" MULTIPLE DX	46	19.9	414	1	1	14	33	54	75	99+
TOTAL 0-19 YRS	17	9.1	133	<1	<1	2	14	21	36	44
20-34	17	10.1	132	1	1	5	12	29	37	41
35-49	16	13.8	302	1	1	5	36	49	82	99+
50-64	15	15.6	472	1	1	5	20	55	69	74
65+	15	20.7	496	1	2	15	23	57	74	80
GRAND TOTAL	80	13.6	300	1	1	6	19	42	56	94

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.7	5	<1	1	2	3	5	8	11
20-34	25	4.6	12	1	1	4	6	12	32	99+
35-49	29	6.9	54	<1	1	4	8	20	21	30
50-64	34	9.0	50	2	2	7	11	18	25	34
65+	62	9.6	74	2	2	7	12	21	29	40
2. MULTIPLE DX										
0-19 YRS	20	7.7	49	1	1	5	11	20	23	24
20-34	56	14.6	188	1	2	9	21	38	41	62
35-49	168	20.4	289	2	3	15	27	46	53	80
50-64	537	22.4	284	4	6	17	30	48	58	86
65+	981	22.8	334	3	5	18	31	53	72	99+
TOT. SINGLE DX	173	7.4	54	1	1	5	9	17	26	40
" MULTIPLE DX	1762	22.0	311	3	5	17	30	49	63	99+
TOTAL 0-19 YRS	43	5.0	32	1	1	3	6	14	19	24
20-34	81	11.5	155	1	1	7	17	35	41	88
35-49	197	18.4	277	2	2	14	24	43	51	78
50-64	571	21.6	280	3	6	16	30	46	57	85
65+	1043	22.0	329	3	5	18	30	51	70	99+
GRAND TOTAL	1935	20.7	306	2	4	16	29	47	61	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	5	12.4	47	5	5	13	16	23	23	23
35-49	8	24.8	204	8	9	23	33	47	50	50
50-64	4	40.0	263	18	18	43	51	56	56	56
65+	17	22.8	276	9	12	17	23	52	62	67
2. MULTIPLE DX										
0-19 YRS	5	18.0	308	3	3	10	32	44	44	44
20-34	28	32.1	531	6	9	26	51	83	99+	99+
35-49	83	33.4	359	11	13	29	44	73	94	99+
50-64	318	32.4	425	10	11	28	48	78	99+	99+
65+	919	33.3	446	9	11	29	50	86	99+	99+
TOT. SINGLE DX	36	22.8	261	6	8	17	25	50	55	67
" MULTIPLE DX	1353	33.0	437	9	11	29	49	82	99+	99+
TOTAL 0-19 YRS	7	14.7	237	3	3	7	23	41	44	44
20-34	33	29.1	505	5	8	23	48	70	99	99+
35-49	91	32.6	349	10	12	28	43	67	93	99+
50-64	322	32.5	423	10	12	28	48	77	99+	99+
65+	936	33.1	445	9	11	29	50	85	99+	99+
GRAND TOTAL	1389	32.7	435	9	11	28	49	82	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.3	22	6	6	13	14	15	15	15
20-34	2	32.5	1201	8	8	32	57	57	57	57
35-49	3	8.0	7	5	5	9	10	10	10	10
50-64	11	24.5	170	7	8	24	33	42	50	51
65+	18	18.3	160	4	6	14	27	39	42	43
2. MULTIPLE DX										
0-19 YRS	7	26.3	396	4	5	23	31	59	66	66
20-34	12	21.4	151	4	9	20	27	38	48	50
35-49	35	26.4	363	7	8	21	36	59	86	99+
50-64	161	31.4	344	10	12	30	46	76	99+	99+
65+	1027	26.4	399	7	8	20	40	74	99+	99+
TOT. SINGLE DX	37	19.5	192	5	6	15	28	40	48	57
" MULTIPLE DX	1242	27.0	391	7	9	21	41	73	99+	99+
TOTAL 0-19 YRS	10	21.8	322	4	5	18	27	49	66	66
20-34	14	23.0	237	4	7	20	28	51	56	57
35-49	38	24.9	360	7	7	18	34	54	83	99+
50-64	172	31.0	335	9	12	30	45	75	99+	99+
65+	1045	26.3	397	7	8	20	40	73	99+	99+
GRAND TOTAL	1279	26.8	387	7	9	21	41	72	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.8	34	6	6	12	17	20	20	20
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	9.4	77	4	4	6	11	25	25	25
50-64	4	24.3	93	15	15	24	32	34	34	34
65+	9	16.4	23	8	9	18	19	23	23	23
2. MULTIPLE DX										
0-19 YRS	5	18.4	172	3	3	16	27	38	38	38
20-34	8	37.4	653	8	15	35	92	99+	99+	99+
35-49	65	28.6	329	6	7	31	42	58	84	99+
50-64	190	34.5	467	8	11	30	47	70	82	99+
65+	333	32.1	439	8	10	28	46	67	88	99+
TOT. SINGLE DX	23	15.0	72	3	5	15	20	26	32	34
" MULTIPLE DX	601	32.4	439	8	10	29	46	70	88	99+
TOTAL 0-19 YRS	9	15.9	108	3	4	14	21	32	38	38
20-34	9	33.4	711	2	6	34	82	99+	99+	99+
35-49	70	27.3	335	5	7	28	41	54	81	99+
50-64	194	34.2	461	8	11	30	47	70	82	99+
65+	342	31.7	434	8	10	27	45	66	88	99+
GRAND TOTAL	624	31.8	436	7	10	28	45	69	87	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.3	29	1	1	2	2	7	18	22
20-34	28	4.4	19	<1	<1	3	6	8	13	22
35-49	21	4.8	17	1	1	4	6	8	14	20
50-64	5	5.2	6	3	3	4	8	8	8	8
65+	5	4.0	18	<1	<1	1	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	5.9	5	3	3	5	7	9	10	10
20-34	13	6.9	31	1	1	6	11	15	17	17
35-49	9	7.1	19	1	2	8	11	13	13	13
50-64	12	5.2	5	2	2	5	7	8	9	9
65+	4	7.8	105	1	1	3	13	23	23	23
TOT. SINGLE DX	74	4.3	19	<1	1	3	6	8	12	22
" MULTIPLE DX	46	6.4	22	1	1	5	9	13	15	23
TOTAL 0-19 YRS	23	4.2	22	1	1	2	5	8	14	22
20-34	41	5.2	24	<1	1	3	7	12	15	22
35-49	30	5.5	18	1	1	4	8	11	13	20
50-64	17	5.2	5	2	2	5	7	8	9	9
65+	9	5.7	52	<1	<1	3	8	18	23	23
GRAND TOTAL	120	5.1	21	1	1	4	7	10	14	22

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.5	11	<1	<1	2	2	4	12	14
20-34	38	5.6	51	<1	1	3	6	12	25	33
35-49	30	2.6	5	<1	<1	2	3	6	7	12
50-64	27	6.4	62	1	1	4	8	14	19	40
65+	17	12.2	107	1	2	9	20	28	33	35
2. MULTIPLE DX										
0-19 YRS	15	2.4	2	<1	1	2	3	3	6	7
20-34	22	5.3	21	<1	1	4	8	12	15	19
35-49	41	15.2	325	1	2	8	20	40	56	83
50-64	73	19.5	302	2	3	15	29	43	54	99
65+	128	15.0	171	2	3	10	20	42	47	99+
TOT. SINGLE DX	126	5.6	54	<1	1	3	7	13	25	36
" MULTIPLE DX	279	14.8	227	2	2	9	20	40	49	99+
TOTAL 0-19 YRS	29	2.4	6	<1	<1	2	3	3	7	14
20-34	60	5.5	40	<1	1	3	6	12	21	32
35-49	71	9.9	228	<1	1	3	12	27	44	78
50-64	100	16.0	271	1	2	11	23	41	49	98
65+	145	14.7	164	2	3	10	20	39	47	99+
GRAND TOTAL	405	11.9	191	1	1	7	16	32	44	97

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	4	9.0	100	4	4	4	14	24	24	24
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	8.5	25	5	5	12	78	99+	99+	99+
65+	9	11.1	54	2	3	9	14	23	24	24
TOT. SINGLE DX	7	7.6	60	3	3	4	9	21	24	24
" MULTIPLE DX	12	10.0	48	2	3	9	15	39	89	99+
TOTAL 0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.7	21	3	3	3	9	11	11	11
50-64	6	8.8	65	4	4	5	21	85	99+	99+
65+	9	11.1	55	2	3	9	14	23	24	24
GRAND TOTAL	19	9.1	51	2	3	7	12	24	62	99+

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	1.8		<1	<1	2	2	3	3	6
20-34	1459	1.9	1	<1	<1	2	2	3	3	6
35-49	2536	2.1	2	<1	<1	2	2	3	4	8
50-64	1606	2.5	3	<1	1	2	3	4	6	11
65+	852	3.0	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
0-19 YRS	78	3.4	38	<1	<1	2	3	4	12	41
20-34	640	2.9	12	<1	<1	2	3	5	7	18
35-49	1559	3.2	14	<1	1	2	3	6	9	17
50-64	1657	4.6	35	1	1	3	5	10	15	35
65+	1761	7.3	88	1	2	4	9	17	25	50
TOT. SINGLE DX	6825	2.2	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	5695	4.8	47	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	450	2.1	8	<1	<1	2	2	3	4	8
20-34	2099	2.2	5	<1	<1	2	2	3	4	11
35-49	4095	2.5	7	<1	<1	2	3	4	6	13
50-64	3263	3.5	21	<1	1	2	3	7	11	24
65+	2613	5.9	66	1	1	3	6	13	20	44
GRAND TOTAL	12520	3.4	24	<1	1	2	3	6	11	26

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	1	<1	1	2	3	4	5	6
20-34	59	3.1	3	1	1	3	4	6	7	8
35-49	58	4.8	9	2	2	4	7	9	10	15
50-64	50	4.5	7	1	2	4	6	8	10	13
65+	131	5.6	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	26	6.2	57	1	2	4	7	12	19	40
35-49	70	5.8	12	2	3	5	7	9	13	22
50-64	143	11.4	201	2	3	7	12	27	34	83
65+	379	11.9	118	3	4	8	14	26	36	77
TOT. SINGLE DX	339	4.5	8	1	2	4	6	8	9	13
" MULTIPLE DX	621	10.8	127	2	3	7	12	23	34	74
TOTAL 0-19 YRS	44	2.6	2	<1	1	2	3	5	5	6
20-34	85	4.0	21	1	1	3	5	7	8	31
35-49	128	5.4	11	2	2	5	7	9	11	18
50-64	193	9.6	160	2	2	6	10	17	31	77
65+	510	10.3	98	2	3	7	11	22	34	64
GRAND TOTAL	960	8.6	94	2	2	6	9	16	28	59

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	8	2	2	7	7	7	7	7
20-34	66	6.8	6	3	4	7	8	10	12	15
35-49	467	6.9	7	4	4	7	8	10	11	16
50-64	862	7.5	9	4	5	7	9	11	12	18
65+	806	7.8	8	4	5	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	6	8.3	14	4	4	7	12	14	14	14
20-34	100	7.8	10	4	4	7	9	11	13	22
35-49	676	8.2	19	4	5	8	9	12	15	22
50-64	1611	8.8	27	4	5	8	10	14	17	30
65+	2358	10.1	43	5	5	9	11	16	22	38
TOT. SINGLE DX	2204	7.4	9	4	5	7	9	11	12	17
" MULTIPLE DX	4751	9.4	35	4	5	8	10	15	19	35
TOTAL 0-19 YRS	9	7.3	14	2	3	7	9	13	14	14
20-34	166	7.4	9	4	4	7	9	11	12	19
35-49	1143	7.7	15	4	5	7	9	11	13	21
50-64	2473	8.3	22	4	5	7	9	12	15	27
65+	3164	9.5	36	5	5	8	11	15	19	35
GRAND TOTAL	6955	8.7	27	4	5	8	10	13	16	30

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	2.9	1	1	1	3	4	4	5	8
20-34	711	2.7	2	<1	1	3	3	4	5	9
35-49	429	3.0	3	<1	1	3	4	5	7	9
50-64	204	3.2	2	1	1	3	4	5	6	9
65+	50	3.5	7	1	1	3	4	8	11	12
2. MULTIPLE DX										
0-19 YRS	95	3.2	4	1	1	3	4	5	6	14
20-34	413	3.2	8	<1	1	3	4	5	7	17
35-49	718	3.7	8	1	1	3	4	7	9	13
50-64	450	4.2	13	1	2	3	5	7	10	17
65+	126	6.4	60	1	2	4	7	12	19	49
TOT. SINGLE DX	1685	2.9	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1802	3.9	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	386	3.0	3	1	1	3	4	4	5	9
20-34	1124	2.9	5	<1	1	3	4	5	6	10
35-49	1147	3.4	7	1	1	3	4	6	8	12
50-64	654	3.9	10	1	2	3	4	7	9	16
65+	176	5.6	47	1	2	3	6	11	16	45
GRAND TOTAL	**3487**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1065	3.4	9	1	1	3	4	5	6	9
20-34	1930	3.4	2	1	2	3	4	5	6	9
35-49	250	3.3	2	1	1	3	4	5	6	9
50-64	44	3.5	3	1	2	3	4	6	8	9
65+	12	2.8	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	130	4.8	55	1	2	3	5	7	10	43
20-34	303	4.9	25	1	2	4	5	9	11	32
35-49	113	5.3	53	1	1	4	5	9	15	48
50-64	45	7.1	36	2	3	5	9	14	21	30
65+	30	10.2	256	2	3	5	10	22	26	88
TOT. SINGLE DX	3301	3.4	5	1	2	3	4	5	6	9
" MULTIPLE DX	621	5.4	50	1	2	4	5	9	13	40
TOTAL 0-19 YRS	1195	3.5	15	1	1	3	4	6	7	11
20-34	2233	3.6	6	1	2	3	4	6	7	11
35-49	363	3.9	19	1	1	3	4	6	8	21
50-64	89	5.3	23	1	2	4	6	11	14	27
65+	42	8.1	193	1	2	4	7	17	25	88
GRAND TOTAL	**3922**	**3.7**	**13**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1017	2.1	5	<1	<1	1	2	4	6	13
20-34	1201	2.4	8	<1	<1	2	3	4	6	12
35-49	1220	2.2	5	<1	<1	2	2	4	6	13
50-64	1049	2.5	9	<1	<1	2	3	4	7	17
65+	717	3.3	18	<1	<1	2	3	7	12	20
2. MULTIPLE DX										
0-19 YRS	391	5.6	97	<1	<1	2	5	11	24	54
20-34	716	6.7	92	<1	<1	3	8	16	26	50
35-49	950	7.4	116	<1	<1	4	9	18	27	59
50-64	1468	8.6	109	<1	1	5	11	21	31	53
65+	2136	12.1	189	1	2	8	15	29	45	99+
TOT. SINGLE DX	5204	2.4	9	<1	<1	2	3	5	7	15
" MULTIPLE DX	5661	9.3	143	<1	1	5	12	23	35	76
TOTAL 0-19 YRS	1408	3.1	33	<1	<1	2	3	6	9	34
20-34	1917	4.0	44	<1	<1	2	4	9	14	33
35-49	2170	4.5	61	<1	<1	2	4	10	17	42
50-64	2517	6.1	77	<1	<1	3	7	16	23	48
65+	2853	9.9	161	<1	1	6	13	24	38	99+
GRAND TOTAL	**10865**	**6.0**	**91**	**<1**	**<1**	**2**	**7**	**15**	**24**	**57**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1394	3.9	28	<1	<1	2	5	8	11	25
20-34	1541	4.5	27	<1	1	3	6	10	13	26
35-49	882	5.1	37	<1	1	3	6	10	14	29
50-64	676	5.6	37	<1	1	4	7	12	16	29
65+	606	7.7	98	<1	1	4	9	18	28	53
2. MULTIPLE DX										
0-19 YRS	2187	5.8	73	1	1	3	6	13	20	48
20-34	3282	7.3	117	1	1	4	8	16	27	67
35-49	2133	10.3	156	1	1	6	13	26	37	81
50-64	2756	13.3	209	1	2	9	17	32	47	92
65+	5045	17.0	292	2	3	12	23	46	72	99+
TOT. SINGLE DX	5099	4.9	40	<1	1	3	6	10	15	32
" MULTIPLE DX	15403	11.8	210	1	1	7	15	30	48	99+
TOTAL 0-19 YRS	3581	5.1	57	<1	1	3	6	11	16	41
20-34	4323	6.4	90	<1	1	4	7	14	22	56
35-49	3015	8.8	127	1	1	5	10	21	31	70
50-64	3432	11.8	185	1	2	7	15	28	42	83
65+	5651	16.0	280	2	2	11	21	44	67	99+
GRAND TOTAL	**20502**	**10.1**	**176**	**1**	**1**	**5**	**12**	**26**	**41**	**99**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	7.1	98	<1	1	4	9	17	23	38
20-34	197	8.0	74	<1	1	5	10	22	27	45
35-49	132	8.4	87	<1	1	5	11	22	31	39
50-64	118	10.2	128	<1	1	7	14	24	35	52
65+	120	17.0	218	2	3	13	24	35	55	81
2. MULTIPLE DX										
0-19 YRS	203	13.6	135	2	2	11	19	32	44	99+
20-34	270	16.7	233	2	2	13	23	37	52	84
35-49	242	17.8	241	2	3	14	24	39	55	99+
50-64	412	19.4	284	3	4	15	27	48	70	99+
65+	824	25.6	317	4	7	22	35	53	75	99+
TOT. SINGLE DX	728	9.7	125	<1	1	6	13	24	32	58
" MULTIPLE DX	1951	20.8	289	2	4	17	29	47	65	99+
TOTAL 0-19 YRS	364	10.7	129	1	1	7	15	26	36	87
20-34	467	13.0	185	1	1	8	19	32	43	79
35-49	374	14.5	207	1	2	10	21	32	46	89
50-64	530	17.3	264	1	3	13	24	42	60	99+
65+	944	24.5	313	3	6	21	34	52	72	99+
GRAND TOTAL	2679	17.8	269	1	2	14	25	42	56	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	11	<1	<1	2	3	6	11	19
20-34	108	3.8	30	<1	1	2	4	8	13	33
35-49	63	4.3	24	<1	1	2	5	10	13	29
50-64	37	4.3	74	<1	<1	2	3	8	17	51
65+	16	9.1	105	<1	1	5	13	23	33	37
2. MULTIPLE DX										
0-19 YRS	53	7.7	115	1	1	3	8	22	30	52
20-34	108	10.8	267	1	2	4	11	25	47	86
35-49	70	13.2	307	1	1	7	16	51	60	99+
50-64	107	19.0	523	1	1	10	31	70	80	99+
65+	112	27.8	736	2	3	20	53	92	99+	99+
TOT. SINGLE DX	313	4.0	34	<1	1	2	4	8	13	33
" MULTIPLE DX	450	17.0	481	1	1	8	25	60	89	99+
TOTAL 0-19 YRS	142	4.8	55	<1	1	2	4	11	21	43
20-34	216	7.3	161	1	1	3	6	19	27	77
35-49	133	9.0	193	<1	1	4	11	24	52	99+
50-64	144	15.2	449	<1	1	5	23	51	78	99+
65+	128	25.4	695	1	2	16	43	91	99+	99+
GRAND TOTAL	763	11.7	339	1	1	4	13	42	72	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	320	2.2	3	<1	<1	2	2	4	6	11
20-34	282	2.1	2	<1	<1	2	3	4	6	9
35-49	253	2.7	4	<1	1	2	4	5	7	11
50-64	230	2.5	4	<1	1	2	3	5	6	10
65+	74	3.1	12	<1	1	2	3	6	9	22
2. MULTIPLE DX										
0-19 YRS	246	3.8	22	<1	1	2	4	8	13	25
20-34	302	4.0	18	<1	1	3	5	8	11	21
35-49	303	5.0	45	1	1	3	6	10	13	38
50-64	433	7.8	117	1	1	4	9	19	26	67
65+	661	16.3	274	2	3	12	22	49	95	99+
TOT. SINGLE DX	1159	2.4	4	<1	<1	2	3	5	6	11
" MULTIPLE DX	1945	9.2	161	1	1	5	11	24	42	99+
TOTAL 0-19 YRS	566	2.9	12	<1	<1	2	3	6	9	20
20-34	584	3.1	12	<1	<1	2	4	6	9	18
35-49	556	4.0	28	<1	1	3	5	8	11	31
50-64	663	6.0	84	1	1	3	6	13	21	61
65+	735	15.0	264	1	2	11	20	44	85	99+
GRAND TOTAL	3104	6.6	113	<1	1	3	7	17	31	99+

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.1	3	<1	1	2	2	4	7	9
20-34	14	2.2	1	1	1	2	3	4	4	4
35-49	11	6.7	22	2	2	6	10	14	16	16
50-64	6	4.2	11	1	1	3	6	10	10	10
65+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	3.4	9	1	1	3	4	7	11	14
20-34	11	9.2	87	3	3	5	9	27	30	30
35-49	17	6.7	39	1	2	4	8	16	22	25
50-64	22	7.9	53	2	2	5	9	22	26	27
65+	46	16.3	366	1	2	11	20	41	76	81
TOT. SINGLE DX	58	3.3	10	1	1	2	4	8	11	16
" MULTIPLE DX	116	10.4	194	1	2	5	12	24	29	80
TOTAL 0-19 YRS	43	2.7	7	1	1	2	3	6	8	14
20-34	25	5.3	50	1	1	3	4	10	26	30
35-49	28	6.7	32	2	2	5	9	15	18	25
50-64	28	7.1	46	2	2	5	9	18	25	27
65+	50	15.2	351	1	2	10	18	34	75	81
GRAND TOTAL	**174**	**8.0**	**144**	**1**	**1**	**4**	**9**	**20**	**25**	**78**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	3.3	12	1	1	2	4	7	9	16
20-34	2189	4.1	21	1	1	2	4	10	13	22
35-49	2713	4.3	21	1	1	2	5	10	14	22
50-64	1464	4.4	22	1	1	3	5	11	14	25
65+	355	4.6	33	1	1	3	5	10	16	31
2. MULTIPLE DX										
0-19 YRS	141	5.3	68	1	2	3	5	11	17	34
20-34	1111	6.6	60	1	1	4	9	14	20	35
35-49	1916	6.5	48	1	1	4	9	15	20	34
50-64	1911	8.1	80	1	2	5	11	18	24	50
65+	1265	10.8	110	1	2	7	15	25	33	52
TOT. SINGLE DX	6871	4.2	22	1	1	2	5	10	14	23
" MULTIPLE DX	6344	7.8	76	1	2	5	10	18	24	45
TOTAL 0-19 YRS	291	4.3	40	1	1	2	5	9	12	27
20-34	3300	4.9	36	1	1	3	6	12	15	28
35-49	4629	5.2	34	1	1	3	7	12	16	28
50-64	3375	6.5	59	1	1	3	8	15	21	39
65+	1620	9.5	100	1	2	6	13	22	31	49
GRAND TOTAL	**13215**	**6.0**	**51**	**1**	**1**	**3**	**8**	**14**	**19**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.1	17	1	1	2	4	10	13	21
20-34	177	4.8	25	1	2	3	6	11	15	27
35-49	226	5.0	22	1	2	3	6	10	15	25
50-64	395	4.8	23	1	2	3	6	11	16	24
65+	319	4.9	36	1	2	3	6	10	13	34
2. MULTIPLE DX										
0-19 YRS	74	7.8	68	1	2	5	9	23	27	37
20-34	152	8.4	84	2	2	5	10	20	27	57
35-49	407	8.4	107	2	2	5	10	18	25	58
50-64	1424	8.2	76	2	2	6	10	17	23	46
65+	2193	9.8	114	2	2	7	12	20	29	65
TOT. SINGLE DX	1186	4.8	27	1	2	3	6	10	15	27
" MULTIPLE DX	4250	9.0	100	2	2	6	11	18	27	58
TOTAL 0-19 YRS	143	6.0	47	1	2	3	7	15	23	32
20-34	329	6.5	56	1	2	4	8	15	22	43
35-49	633	7.2	80	2	2	4	8	15	21	47
50-64	1819	7.5	67	2	2	5	9	16	21	43
65+	2512	9.2	107	2	2	6	11	19	28	61
GRAND TOTAL	**5436**	**8.1**	**87**	**2**	**2**	**5**	**10**	**17**	**24**	**55**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.0		2	2	2	2	2	2	2
35-49	18	3.1	4	<1	1	2	5	7	8	8
50-64	18	5.3	27	2	2	2	10	15	16	16
65+	9	4.1	9	2	2	2	6	9	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	5	13.0	185	4	4	5	20	36	36	36
35-49	75	5.0	27	2	2	2	7	11	16	26
50-64	243	5.5	33	2	2	2	7	14	17	25
65+	121	6.6	41	2	2	3	10	15	21	55
TOT. SINGLE DX	50	3.9	14	1	2	2	5	10	14	16
" MULTIPLE DX	444	5.8	36	2	2	2	8	14	18	33
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	8.1	126	2	2	4	8	28	36	36
35-49	93	4.6	23	1	2	2	6	11	14	25
50-64	261	5.4	33	2	2	2	7	14	17	24
65+	130	6.4	39	2	2	3	10	15	21	50
GRAND TOTAL	**494**	**5.6**	**34**	**2**	**2**	**2**	**7**	**14**	**18**	**31**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.8	23	1	1	2	7	11	14	23
20-34	454	5.2	26	1	1	3	7	11	15	23
35-49	567	5.7	22	1	1	4	9	12	15	20
50-64	831	5.1	24	1	1	3	7	12	15	21
65+	715	5.1	26	1	1	2	7	12	15	22
2. MULTIPLE DX										
0-19 YRS	95	7.3	55	1	2	5	10	15	21	41
20-34	635	8.2	59	1	2	6	11	17	21	32
35-49	1231	8.6	61	1	2	7	12	17	23	40
50-64	3169	8.7	66	1	2	7	12	17	22	42
65+	5666	10.5	101	2	2	8	14	21	29	63
TOT. SINGLE DX	2682	5.2	25	1	1	3	8	12	15	21
" MULTIPLE DX	10796	9.6	84	2	2	8	13	19	26	53
TOTAL 0-19 YRS	210	5.9	39	1	1	4	8	13	15	35
20-34	1089	6.9	48	1	1	5	10	15	19	31
35-49	1798	7.7	51	1	2	6	11	16	20	35
50-64	4000	8.0	60	1	2	6	11	16	21	39
65+	6381	9.8	96	2	2	8	13	20	28	58
GRAND TOTAL	**13478**	**8.7**	**76**	**1**	**2**	**7**	**12**	**18**	**24**	**48**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7279	3.8	17	1	1	3	5	7	9	19
20-34	11521	4.4	22	1	1	3	5	8	11	23
35-49	7795	5.2	25	1	1	4	7	10	14	24
50-64	6281	6.2	32	1	2	5	8	12	15	28
65+	5300	7.9	57	2	2	6	10	15	21	40
2. MULTIPLE DX										
0-19 YRS	8874	5.8	58	1	1	4	6	11	17	46
20-34	14977	6.5	47	1	2	5	8	13	18	37
35-49	18341	7.7	50	2	2	6	9	15	20	37
50-64	34580	9.1	65	2	3	7	11	17	23	45
65+	82050	11.8	113	3	4	9	14	23	32	73
TOT. SINGLE DX	38176	5.2	30	1	1	4	6	10	14	26
" MULTIPLE DX	158822	9.9	91	2	3	7	12	19	27	59
TOTAL 0-19 YRS	16153	4.9	41	1	1	3	6	9	14	36
20-34	26498	5.6	38	1	1	4	7	11	15	32
35-49	26136	6.9	44	1	2	5	9	14	18	34
50-64	40861	8.7	61	2	2	7	11	16	22	43
65+	87350	11.6	111	3	4	9	14	22	32	72
GRAND TOTAL	**196998**	**9.0**	**83**	**1**	**2**	**7**	**11**	**18**	**25**	**54**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3339	5.4	60	1	1	3	5	11	21	41
20-34	1979	6.8	41	1	2	5	8	13	17	36
35-49	1918	7.5	42	1	2	6	9	13	17	35
50-64	1435	7.2	35	1	2	6	9	14	17	30
65+	1340	9.1	77	2	2	7	11	17	23	56
2. MULTIPLE DX										
0-19 YRS	3540	7.4	108	1	2	4	7	16	28	65
20-34	3354	7.9	66	1	2	6	9	15	21	46
35-49	3734	8.5	59	2	3	7	10	16	21	43
50-64	5798	9.4	69	2	3	7	11	18	25	48
65+	13418	12.7	135	3	4	10	15	25	37	94
TOT. SINGLE DX	10011	6.8	54	1	2	5	8	14	19	40
" MULTIPLE DX	29844	10.4	107	2	3	7	12	21	30	70
TOTAL 0-19 YRS	6879	6.4	86	1	1	4	6	14	24	52
20-34	5333	7.5	57	1	2	6	9	14	19	42
35-49	5652	8.2	54	2	2	7	10	15	20	42
50-64	7233	9.0	64	2	3	7	11	17	23	45
65+	14758	12.4	131	3	4	9	15	24	36	90
GRAND TOTAL	**39855**	**9.5**	**96**	**2**	**2**	**7**	**11**	**19**	**27**	**61**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3969	3.8	23	1	1	3	4	6	8	23
20-34	3073	4.2	38	<1	<1	3	5	8	13	32
35-49	2287	5.4	29	1	1	4	7	11	15	28
50-64	2231	6.5	39	1	2	5	8	12	15	32
65+	2124	7.3	46	1	2	6	9	14	19	32
2. MULTIPLE DX										
0-19 YRS	6164	5.8	69	1	1	4	6	11	18	56
20-34	4712	6.9	79	1	1	4	7	15	23	51
35-49	6352	7.1	50	1	2	5	9	14	20	37
50-64	15365	8.2	49	2	2	6	10	15	20	36
65+	36814	10.5	88	2	3	8	13	20	27	59
TOT. SINGLE DX	13684	5.1	36	<1	1	3	6	11	14	29
" MULTIPLE DX	69407	9.0	77	2	2	7	11	18	24	52
TOTAL 0-19 YRS	10133	5.0	53	1	1	3	5	9	14	48
20-34	7785	5.8	65	<1	1	3	6	12	20	45
35-49	8639	6.6	45	1	2	5	8	14	19	35
50-64	17596	8.0	49	2	2	6	10	15	20	36
65+	38938	10.3	86	2	3	8	13	20	27	58
GRAND TOTAL	83091	8.4	72	1	2	6	11	17	23	49

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number — Title

- Removal (continued)
    -
        - 524 Iris
        - 527 Lens
    - Prosthesis
        - 745 Breast
        - 716 Joint
    - 697 Retained placenta, manually
    - 764 Sutures
    - 764 T-tube, gallbladder
    - 764 Therapeutic device, nonoperatively
    - 529 Vitreous
- 580 Renal dialysis
- Repair
    - 630 Abdominal wall
    - 613 Anal fistula, except by excision
        - 610 Excision
    - 581 Aneurysm (arteriovenous)
    - 638 Bladder, except obstetric laceration
        - 697 Obstetric laceration
    - 518 Blepharoptosis
    - 581 Blood vessel
    - 706 Bone, except facial
        - 699 Facial
    - 745 Breast
    - 564 Bronchial fistula
    - 704 Bunion
    - 571 Cardiac septal defect
    - 669 Cervix, except obstetric laceration
        - 697 Obstetric laceration
    - 570 Chest wall
    - 551 Cleft palate
    - 520 Conjunctiva
    - 522 Cornea, except transplant
        - 521 Transplant
    - 680 Cystocele, vagina
    - 730 Diastasis recti
    - 534 Ear, external
    - 518 Ectropion or entropion, eyelid
    - 697 Episiotomy
    - 518 Eyelid
    - Fistula – *see Fistulectomy*
    - 704 Hallux valgus
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin